

N73-28361

Paper R 3

## RESOURCE MANAGEMENT IMPLICATIONS OF ERTS-1 DATA TO OHIO

David C. Sweet and Terry L. Wells, *State of Ohio, Department of Economic and Community Development* and George E. Wukelic, *Battelle Columbus Laboratories*

### ABSTRACT

Initial experimental analysis of ERTS-1 imagery has demonstrated that remote sensing from space is a means of delineating and inventorying Ohio's strip-mined areas, detecting power-plant smoke plumes, and providing the data necessary for periodically compiling land-use maps for the entire state. This paper summarizes the nature and extent of these problems throughout Ohio, illustrates how ERTS data can contribute to their solution, and estimates the long-term significance of these initial findings to overall resource management interests in Ohio.

### 1. INTRODUCTION

NASA has provided the State Government of Ohio, on behalf of a number of its agencies\* and assisted by Battelle Memorial Institute's Columbus Laboratories, with the opportunity to participate in the ERTS-1 program as a multidisciplinary user-investigator concerned with evaluating the state resource management implications of ERTS-1 data. This symposium has been organized to publicize significant results thus far obtained from ERTS-1. In this connection I would like to report first on what we feel is our most significant result to date. This is the swiftness with which remote sensing from space has captured the interest and confidence of potential state and local user groups, in spite of their limited previous experience in applying remote sensing technology. Moreover, significant progress toward demonstrating state-level utility has occurred. However, state needs for larger scale imagery and thermal infrared data for many applications are much in evidence. While in many cases our application findings and potential benefits are not directly translatable to other states, we nonetheless feel confident that the promise of ERTS will spread throughout the nation, insuring adequate user support for continuing orbital survey missions.

\* Department of Economic and Community Development (Lead Agency)  
Department of Natural Resources  
Department of Transportation  
Ohio Environmental Protection Agency

1459

Original photography may be purchased from  
EROS Data Center  
10th and Dakota Avenue  
Sioux Falls, SD 57198

F

## 2. PRELIMINARY RESULTS

Although clouds have been a continuing problem, usable ERTS MSS imagery has been acquired for almost the entire state. However, the current availability of usable repetitive data is limited to portions of eastern Ohio. For imagery analysis and interpretation we are utilizing manual electro-optical image analysis techniques (multispectral and density/color viewers). These have been equally effective in visually demonstrating ERTS potentialities, accommodating real-time problem solving exercises involving technical and planning specialists, and generating sample ERTS data application products for subsequent utility assessment. The status of and state interest in our analytical program efforts are briefly summarized in Table I. Further discussion is limited to areas wherein ERTS data utility has definitely been demonstrated.

TABLE I. STATUS OF MAJOR ERTS DATA APPLICATION  
CANDIDATES UNDER EXAMINATION IN OHIO

Application Area	State Need	Potential State Value
<u>Utility Feasibility Demonstrated</u>		
Strip mining	> 1/4 million acres affected	Help implement 1972 strip-mine law
Land use	Multiagency priority problem	Provide periodic statewide views of major land-use changes
Air quality	New Ohio EPA interest	Test computer model
Mapping	Current maps needed at all agency levels	Prepare photo base maps
<u>Utility Feasibility Under Study</u>		
Sanitary land fills	> 1,400 illegal sites estimated	Detect illegal and/or new sites
Flood plains	50 % of Ohio cities subject to flood damage	Help define and enforce statewide regulatory law
Outdoor recreation	50 state parks exist--major expansion program underway	Help select new sites
Lake Erie	Unusual high water level posing severe erosion and flood hazard problems	Support Operation Foresight

#### A. Strip-Mine Reclamation Planning and Monitoring Implications

In April 1972, responding to overwhelming public sentiment, the Ohio Legislature passed legislation placing very stringent controls on strip mining in the state. This law places many new reclamation requirements on the operator, requires extensive preplanning of strip-mine operations, and gives the state the power to deny licenses to strip mine under certain conditions. The implementation of this law is a tremendous task which as yet hasn't been totally effected.

The state anticipates that ERTS data will prove useful in several ways in implementing the law. Initially, there is a need for an inventory and map of all strip-mined land to support reclamation planning activities, as an accurate and recent inventory in a readily available form does not exist. Information is especially scanty on land stripped before 1948, when Ohio passed its first strip-mine legislation.

As can be seen in Figure 1, ERTS photography is quite responsive to detecting surface-mining operations and reclamation efforts. This ERTS-1 scene of southeastern Ohio taken on August 21, 1972, shows an 8-mile long strip-mined area in which the Big Muskie is operating. Ground truth confirms that the dark square in the center of the stripped area was the location of the Big Muskie at the time. Figure 2 illustrates how well ERTS strip-mine imagery compares with aircraft photography. This photo shows a very small strip-mined area near Zaleski, Ohio. The satellite imagery has been magnified over 140 times to match the 1:24,000 scale routinely used in planning and map preparation.

With the ability to identify strip-mined areas established, an attempt was made to inventory and map the strip-mined areas of one Ohio county. Figures 3 and 4 show the distribution of stripped and unreclaimed land for Harrison County as displayed in an 32-color viewer enlargement of ERTS-1 MSS band 5 imagery. Area calculations correspond quite favorably to Department of Natural Resources (DNR) data. ERTS-1 data showed a total stripped acreage of 18.4 percent (or 47,472 acres) as compared to 19.01 percent (or 49,064 acres) for DNR. For unreclaimed acreage the figures were 6.2 percent for ERTS-1 and 6.8 percent for DNR. Comparison with aircraft data and on-site visitations are planned to further substantiate the accuracy of the inventory before proceeding with a 23 county survey of strip-mined areas in southeastern Ohio.

The current effort is to determine the extent to which ERTS multi-date data can aid in enforcing the reclamation provisions of the strip-mine law. Under the law a strip-mine operator is required to commence backfilling, grading, and resoiling within three months after removal of overburden. Planting of vegetation must take place no later than the next appropriate season. With present ERTS resolution capabilities, it is doubtful that backfilling efforts can be monitored to the extent




Fig. 1. Enlargement of ERTS MSS Band 5 Imagery (21 Aug 72) Showing Ohio Strip-Mine Areas.

F





Figure 2. Comparison of ERTS-1 and Aircraft Photos of Strip-Mine Area Near Zaleski, Ohio. (Comparison Made at a Scale of 1:24,000.)




Fig. 3. Black Areas Represent Total Strip-Mined Areas of Harrison County, Ohio. (ERTS Imagery as Displayed on 32-Color Viewer.)




Fig. 4. Black Areas Represent Unreclaimed Strip-Mine Areas of Harrison County, Ohio. (ERTS Imagery as Displayed on 32-Color Viewer.)

necessary for regulatory purposes. However, ERTS data will be useful in determining if lasting reclamation has been accomplished. In many cases the initial vegetative cover appears healthy at first, but after several years a change in hydrologic conditions may cause acid water to reappear and destroy the vegetation. This capability will permit more accurate judgments in issuing permits and releasing bonds posted by strip-mine operators.

#### B. State Land-Use Planning Implications

Support for a national land-use policy has grown steadily stronger and indications are that Congress will soon act on one of the several land-use bills presently under consideration. One of the common features of these bills is that states will be required as part of their land-use planning process to include "the preparation and continuing revision of a statewide inventory of the land and natural resources of the State". This is one area in which orbital survey data will help multiagency efforts in Ohio. Specifically, ERTS imagery will provide a current and comprehensive data base illustrating the inter-relationships of static and dynamic natural and cultural surface features.

Thus far we have established that mapping of natural and cultural features from ERTS imagery can be done with confidence to scales of larger than 1:125,000. Figure 5 provides examples of our pilot land-use mapping efforts in the over 500 square mile Columbus/Franklin County area. These scenes, taken from the Spatial Data 32-color viewer, show the various major land-use features discernible: total urban coverage, urban growth that has occurred principally over the last 12 years, and distribution of tree stands, parks, and woods. Aerial photo index sheets have been found quite valuable in verifying the extent and geometry of the land-use patterns generated.

Our current objective is to attempt to update the general 1:500,000 scale land-use map of Ohio which was completed in 1967 at a cost of approximately a quarter million dollars. If successful, at least for USGS recommended Level I land-use categories, state planners will have a relatively inexpensive and periodic information base for making general land-use decisions. This information will not replace the need for more detailed studies in specific areas; and therefore, any improvement of resolution in future satellite survey missions will increase the value of the information provided.

#### C. Environmental Quality Implications

An Ohio Environmental Protection Agency was established in October 1972 to consolidate environmental quality protection activities in Ohio. It has prepared the implementation plan required by the Federal Clean Air Act to meet standards set by the Federal EPA. As part of this plan,





Figure 5. Illustrations of Urbanized Land-Use Features Discernible on ERTS-1 Photography.

officials are required to establish emission limitations for all significant state pollution sources. In an effort to determine the effect of pollution sources on air quality, the state has developed an air movement model. The demonstrated ability of ERTS to detect major smoke plumes on a repetitive basis will be utilized in combination with meteorological data to evaluate and verify this model. ERTS imagery may also reveal the extent to which smoke plume confluence is occurring.

Although the prime interests of state EPA personnel generally associate with thermal infrared data (unfortunately unavailable from ERTS-1), some preliminary assessments have been made as to the utility of ERTS for detecting illegal and/or selecting new sanitary landfill sites and monitoring Lake Erie sedimentation. Ohio EPA interest and confidence in applying remote sensing technology are manifest in a grant request submitted to enable the agency to purchase and operate a fully equipped remote sensing aircraft.

#### D. Mapping Implications

Enlargements of bulk processed ERTS MSS imagery have been found to match very closely most standard map scales in common use in Ohio. The resource management implications from the standpoint of preparing up-to-date thematic maps are obvious. Currently, 1:250,000 mosaics of Ohio in two MSS bands (5 and 7) are being prepared by the Department of Transportation. These mosaics will serve as photo base maps for state transportation research and planning.

### 3. SUMMARY AND RECOMMENDATIONS

Obviously, Ohio is optimistic about the resource management application opportunities emerging from initial ERTS imagery analysis. Hopefully, several demonstrated applications will mature into routine state-wide planning functions, and additional application possibilities will surface. The economic and operational implications of these early results remain to be determined. Equally important is that some user enthusiasm is being lost because of the unavailability of thermal infrared data. Also, many application candidates proposed by state user agencies but found to be marginal or inappropriate based on current ERTS data capabilities, could become feasible were higher resolution imagery provided. Accordingly, from a state viewpoint, NASA's recent decision to incorporate a thermal infrared capability in the ERTS-B mission is sound and we suggest also that serious consideration be given to modifying the mostly redundant RBV into a system for providing larger scale imagery on a repetitive but longer term basis.