



Aerospace Medicine  
and Biology  
A Continuing  
Bibliography  
with Indexes

NASA SP-7011(231)  
April 1982

National Aeronautics and  
Space Administration

(NASA-SP-7011(231)) AEROSPACE MEDICINE AND BIOLOGY. A CONTINUING BIBLIOGRAPHY (SUPPLEMENT 231) (National Aeronautics and Space Administration) 88 p HC \$7.00 N82-23974 Unclass CSCI 06E 00/52 20290

Aerospace Medicine and Biology

**Aerospace Medicine & Biology  
space Medicine & Biology Aero  
e Medicine & Biology Aerospace  
dicine & Biology Aerospace M  
ne & Biology Aerospace Medic  
Biology Aerospace Medicine &  
gy Aerospace Medicine & Biolo  
erospace Medicine & Biology A  
pace Medicine & Biology Aeros  
Medicine & Biology Aerospace  
cine & Biology Aerospace Med  
& Biology Aerospace Medicine &**



## ACCESSION NUMBER RANGES

Accession numbers cited in this Supplement fall within the following ranges.

STAR (N-10000 Series)            N82-14049 - N82-16039

IAA (A-10000 Series)            A82-15990 - A82-18839

# AEROSPACE MEDICINE AND BIOLOGY

A CONTINUING BIBLIOGRAPHY  
WITH INDEXES

(Supplement 231)

A selection of annotated references to unclassified reports and journal articles that were introduced into the NASA scientific and technical information system and announced in March 1982 in

- *Scientific and Technical Aerospace Reports (STAR)*
- *International Aerospace Abstracts (IAA).*



Scientific and Technical Information Branch

1982

**National Aeronautics and Space Administration**

Washington, DC

NASA SP-7011 and its supplements are available from the National Technical Information Service (NTIS). Questions on the availability of the predecessor publications, Aerospace Medicine and Biology (Volumes I - XI) should be directed to NTIS.

This supplement is available as NTISUB/123/093 from the National Technical Information Service (NTIS), Springfield, Virginia 22161 at the price of \$7.00 domestic; \$14.00 foreign.

# INTRODUCTION

This Supplement to *Aerospace Medicine and Biology* lists 284 reports, articles and other documents announced during March 1982 in *Scientific and Technical Aerospace Reports (STAR)* or in *International Aerospace Abstracts (IAA)*. The first issue of the bibliography was published in July 1964.

In its subject coverage, *Aerospace Medicine and Biology* concentrates on the biological, physiological, psychological, and environmental effects to which man is subjected during and following simulated or actual flight in the Earth's atmosphere or in interplanetary space. References describing similar effects of biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. In general, emphasis is placed on applied research, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion.

Each entry in the bibliography consists of a bibliographic citation accompanied in most cases by an abstract. The listing of the entries is arranged in two major sections: *IAA Entries* and *STAR Entries*, in that order. The citations, and abstracts when available, are reproduced exactly as they appeared originally in *IAA* or *STAR*, including the original accession numbers from the respective announcement journals. This procedure, which saves time and money, accounts for the slight variation in citation appearances.

Two indexes -- subject and personal author -- are included.

An annual index will be prepared at the end of the calendar year covering all documents listed in the 1982 Supplements.

# AVAILABILITY OF CITED PUBLICATIONS

## IAA ENTRIES (A82-10000 Series)

All publications abstracted in this Section are available from the Technical Information Service, American Institute of Aeronautics and Astronautics, Inc. (AIAA), as follows: Paper copies of accessions are available at \$8.00 per document. Microfiche<sup>(1)</sup> of documents announced in *IAA* are available at the rate of \$4.00 per microfiche on demand, and at the rate of \$1.35 per microfiche for standing orders for all *IAA* microfiche.

Minimum air-mail postage to foreign countries is \$2.50 and all foreign orders are shipped on payment of pro-forma invoices.

All inquiries and requests should be addressed to AIAA Technical Information Service. Please refer to the accession number when requesting publications.

## STAR ENTRIES (N82-10000 Series)

One or more sources from which a document announced in *STAR* is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source line.

Avail: NTIS. Sold by the National Technical Information Service. Prices for hard copy (HC) and microfiche (MF) are indicated by a price code preceded by the letters HC or MF in the *STAR* citation. Current values for the price codes are given in the tables on page vii.

Documents on microfiche are designated by a pound sign (#) following the accession number. The pound sign is used without regard to the source or quality of the microfiche.

Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) is available at greatly reduced unit prices. For this service and for information concerning subscription to NASA printed reports, consult the NTIS Subscription Section, Springfield, Va. 22161.

NOTE ON ORDERING DOCUMENTS: When ordering NASA publications (those followed by the \* symbol), use the N accession number. NASA patent applications (only the specifications are offered) should be ordered by the US-Patent-Appl-SN number. Non-NASA publications (no asterisk) should be ordered by the AD, PB, or other *report* number shown on the last line of the citation, not by the N accession number. It is also advisable to cite the title and other bibliographic identification.

Avail: SOD (or GPO). Sold by the Superintendent of Documents, U.S. Government Printing Office, in hard copy. The current price and order number are given following the availability line. (NTIS will fill microfiche requests, at the standard \$4.00 price, for those documents identified by a # symbol.)

Avail: NASA Public Document Rooms. Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration, Public Document Room (Room 126), 600 Independence Ave., S.W., Washington, D.C. 20546, or public document rooms located at each of the NASA research centers, the NASA Space Technology Laboratories, and the NASA Pasadena Office at the Jet Propulsion Laboratory.

(1) A microfiche is a transparent sheet of film, 105 by 148 mm in size containing as many as 60 to 98 pages of information reduced to micro images (not to exceed 26.1 reduction)

- Avail: DOE Depository Libraries. Organizations in U.S. cities and abroad that maintain collections of Department of Energy reports, usually in microfiche form, are listed in *Energy Research Abstracts*. Services available from the DOE and its depositories are described in a booklet, *DOE Technical Information Center - Its Functions and Services* (TID-4660), which may be obtained without charge from the DOE Technical Information Center.
- Avail: Univ. Microfilms. Documents so indicated are dissertations selected from *Dissertation Abstracts* and are sold by University Microfilms as xerographic copy (HC) and microfilm. All requests should cite the author and the Order Number as they appear in the citation.
- Avail: USGS. Originals of many reports from the U.S. Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed in this introduction. The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction.
- Avail: HMSO. Publications of Her Majesty's Stationery Office are sold in the U.S. by Pendragon House, Inc. (PHI), Redwood City, California. The U.S. price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI.
- Avail: BLL (formerly NLL): British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. Photocopies available from this organization at the price shown. (If none is given, inquiry should be addressed to the BLL.)
- Avail: Fachinformationszentrum, Karlsruhe. Sold by the Fachinformationszentrum Energie, Physik, Mathematik GMBH, Eggenstein Leopoldshafen, Federal Republic of Germany, at the price shown in deutschmarks (DM).
- Avail: Issuing Activity, or Corporate Author, or no indication of availability. Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document.
- Avail: U.S. Patent and Trademark Office. Sold by Commissioner of Patents and Trademarks, U.S. Patent and Trademark Office, at the standard price of 50 cents each, postage free.
- Other availabilities: If the publication is available from a source other than the above, the publisher and his address will be displayed entirely on the availability line or in combination with the corporate author line.

## ADDRESSES OF ORGANIZATIONS

American Institute of Aeronautics and  
Astronautics  
Technical Information Service  
555 West 57th Street, 12th Floor  
New York, New York 10019

British Library Lending Division,  
Boston Spa, Wetherby, Yorkshire,  
England

Commissioner of Patents and  
Trademarks  
U.S. Patent and Trademark Office  
Washington, D.C. 20231

Department of Energy  
Technical Information Center  
P.O. Box 62  
Oak Ridge, Tennessee 37830

ESA-Information Retrieval Service  
ESRIN  
Via Galileo Galilei  
00044 Frascati (Rome) Italy

Fachinformationszentrum Energie, Physik,  
Mathematik GMBH  
7514 Eggenstein Leopoldshafen  
Federal Republic of Germany

Her Majesty's Stationery Office  
P.O. Box 569, S.E. 1  
London, England

NASA Scientific and Technical Information  
Facility  
P.O. Box 8757  
B.W.I. Airport, Maryland 21240

National Aeronautics and Space  
Administration  
Scientific and Technical Information  
Branch (NST-41)  
Washington, D.C. 20546

National Technical Information Service  
5285 Port Royal Road  
Springfield, Virginia 22161

Pendragon House, Inc.  
899 Broadway Avenue  
Redwood City, California 94063

Superintendent of Documents  
U.S. Government Printing Office  
Washington, D.C. 20402

University Microfilms  
A Xerox Company  
300 North Zeeb Road  
Ann Arbor, Michigan 48106

University Microfilms, Ltd.  
Tylers Green  
London, England

U.S. Geological Survey  
1033 General Services Administration  
Building  
Washington, D.C. 20242

U.S. Geological Survey  
601 E. Cedar Avenue  
Flagstaff, Arizona 86002

U.S. Geological Survey  
345 Middlefield Road  
Menlo Park, California 94025

U.S. Geological Survey  
Bldg. 25, Denver Federal Center  
Denver, Colorado 80225

# NTIS PRICE SCHEDULES

## Schedule A STANDARD PAPER COPY PRICE SCHEDULE

(Effective January 1, 1982)

Price Code	Page Range	North American Price	Foreign Price
A01	Microfiche	\$ 4.00	\$ 8.00
A02	001-025	6.00	12.00
A03	026-050	7.50	15.00
A04	051-075	9.00	18.00
A05	076-100	10.50	21.00
A06	101-125	12.00	24.00
A07	126-150	13.50	27.00
A08	151-175	15.00	30.00
A09	176-200	16.50	33.00
A10	201-225	18.00	36.00
A11	226-250	19.50	39.00
A12	251-275	21.00	42.00
A13	276-300	22.50	45.00
A14	301-325	24.00	48.00
A15	326-350	25.50	51.00
A16	351-375	27.00	54.00
A17	376-400	28.50	57.00
A18	401-425	30.00	60.00
A19	426-450	31.50	63.00
A20	451-475	33.00	66.00
A21	476-500	34.50	69.00
A22	501-525	36.00	72.00
A23	526-550	37.50	75.00
A24	551-575	39.00	78.00
A25	576-600	40.50	81.00
	601-up	-- 1/	-- 2/

A99 - Write for quote

- 1/ Add \$1.50 for each additional 25 page increment or portion thereof for 601 pages up.
- 2/ Add \$3.00 for each additional 25 page increment or portion thereof for 601 pages and more.


## Schedule E EXCEPTION PRICE SCHEDULE Paper Copy & Microfiche

Price Code	North American Price	Foreign Price
E01	\$ 6.50	\$ 13.50
E02	7.50	15.50
E03	9.50	19.50
E04	11.50	23.50
E05	13.50	27.50
E06	15.50	31.50
E07	17.50	35.50
E08	19.50	39.50
E09	21.50	43.50
E10	23.50	47.50
E11	25.50	51.50
E12	28.50	57.50
E13	31.50	63.50
E14	34.50	69.50
E15	37.50	75.50
E16	40.50	81.50
E17	43.50	88.50
E18	46.50	93.50
E19	51.50	102.50
E20	61.50	123.50
E-99 - Write for quote		
N01	30.00	45.00


# TABLE OF CONTENTS

	<b>Page</b>
IAA ENTRIES (A82-10000) .....	49
STAR ENTRIES (N82-10000) .....	75
Subject Index .....	I-1
Personal Author Index .....	I-31

## TYPICAL CITATION AND ABSTRACT FROM STAR



## TYPICAL CITATION AND ABSTRACT FROM IAA



# AEROSPACE MEDICINE AND BIOLOGY

A Continuing Bibliography (Suppl. 231)

APRIL 1982

## IAA ENTRIES

**A82-16125** Disappearance of stabilized chromatic gratings. D. H. Kelly (SRI International, Menlo Park, CA). *Science*, vol. 214, Dec. 11, 1981, p. 1257, 1258. 9 refs. Grant No. NIH-EY-01128.

When the image of a stationary, sinusoidal luminance grating is stabilized on the retina of a human subject, he becomes unable to detect this stimulus at contrasts that are readily visible in normal, unstabilized vision. At much higher contrasts, such stabilized gratings can still be seen over most of the normal range of spatial frequencies, although the threshold contrast may be increased by as much as 20 or 30 times. When the analogous experiment is performed with an isoluminance chromatic grating, however, there is no contrast that can restore the visibility of the stabilized grating; the threshold elevations for stabilized chromatic gratings are too great to measure. Saturation red/green gratings fade out and disappear at 100% contrast (even where this is 45 times the unstabilized threshold), and they do not reappear as long as stabilization is maintained. Without some kind of temporal variation of the proximal stimulus, the opponent-color pathways apparently do not respond to spatial patterns. (Author)

**A82-16167** Computer-enhanced thallium scintigrams in asymptomatic men with abnormal exercise tests. G. S. Uhl, T. N. Kay, and J. R. Hickman, Jr. (USAF, School of Aerospace Medicine, Brooks AFB, TX). *American Journal of Cardiology*, vol. 48, Dec. 1981, p. 1037-1043. 37 refs.

The usefulness of computer-enhanced thallium-201 myocardial perfusion scintigraphy in excluding the diagnosis of coronary artery disease in asymptomatic patients showing abnormal exercise electrocardiograms is evaluated. Multigated thallium scans were obtained immediately following and 3 or 4 hours after maximal exercise testing in 191 consecutive asymptomatic Air Force aircrew members who had shown abnormal exercise electrocardiograms and who were due to undergo coronary angiography. Computer enhancement of the raw images is found to lead to four false positive and two false negative scintigrams as revealed by angiographic results, while the group of 15 with subcritical coronary disease exhibited equivocal results. Results reveal that enhanced thallium scintigrams are an accurate diagnostics tool in detecting myocardial ischemia in asymptomatic patients and may be used in counseling asymptomatic patients on their likelihood of having coronary artery disease. A.L.W.

**A82-16274** † Changes in blood indicators upon the inclusion of trace elements in the diet (Izmenenie pokazatelei krovi pri vkluchenii v ratsion pitaniiia mikroelementov). V. Ia. Rusin, V. V. Nasolodin, and V. A. Suvorov. *Voenno-Meditsinskii Zhurnal*, Oct. 1981, p. 44-46. 8 refs. In Russian.

Results are presented of two series of experiments aimed at assessing seasonal changes in human work capacity and blood factors and the effects of trace element dietary supplements on these factors. Measurements of work capacity, body vitamin C content, metallic enzyme activity, serum protein spectra and immune and hematopoietic conditions were made at various times of the year in healthy young subjects, and in the spring in a second group of subjects receiving supplemental iron, copper, and manganese in

combination with ascorbic acid and the pharmacological agent dibazol, which acts to stimulate the body's defenses. Vitamin C supplies and levels of proteins, albumins, alpha-globulins, lysozyme and serum complement are found to be significantly higher in the autumn-winter period than in the spring and summer, while concentrations of beta- and gamma-globulins increase in the summer. Physical work capacity and metallic enzyme activities are observed to depend more on individual motor activity than on the time of year. The combination of the mineral complex with vitamin C and dibazol supplements is shown to lead to greater increases in hemoglobin concentration, erythrocyte numbers, peroxidase and ceruloplasmin activities, vitamin C supplies, physical work capacity, alpha- and beta-globulin contents and serum lysozyme titers than vitamin C supplements alone, and is thus recommended for improving physical capacities. A.L.W.

**A82-16275** † Functional characteristics of the pilot hypothalamus-hypophysis-adrenal cortex system (Osobennosti funktsionirovaniia u letchikov sistemy gipotalamus-gipofiz-kora nad-pocheknikov). A. A. Novitskii, N. F. Markizova, and A. Iu. Kulidzhanov. *Voenno-Meditsinskii Zhurnal*, Oct. 1981, p. 50-53. In Russian.

Results are presented of an extended study of the functional characteristics of the hypothalamus-hypophysis-adrenal cortex (HHAC) system in flight personnel in the interflight period. System activities were determined by measurements of blood plasma levels of ACTH and 11-oxycorticosteroid and urinary levels of 17-oxycorticosteroid, 17-ketosteroid and dehydroepiandrosteroid in pilots having not flown for at least two weeks prior to the investigation. These indicators reveal that HHAC activity is elevated in pilots with respect to age-matched controls. Significant differences between HHAC system activity were not found between the various age groups, however. The intramuscular injection of 40 units of ACTH is found to lead to sizeable increases in the levels of 17-oxycorticosteroids and 17-ketosteroids excreted by the control subjects, however not in the pilots, indicating the depletion of physiological reserves in the pilot adrenal cortex. Greater levels of ACTH activity are found in pilots in the early stages of the profession, and in flight commanders. It is suggested that the HHAC systems of pilots function under a greater degree of stress than those of persons not involved in flight activities. A.L.W.

**A82-16288** † Determination of the angular orientation of the body of a walking machine (Ob opredelenii uglovoi orientatsii korpusa shagaiushchego apparata). V. B. Larin and K. I. Naumenko (Akademiia Nauk Ukrainskoi SSR, Institut Matematiki, Kiev, Ukrainian SSR). *Matematicheskaiia Fizika*, no. 30, 1981, p. 18-24. 7 refs. In Russian.

A nonlinear algorithm for estimating the Rodrigues-Hamilton parameters for the body of a walking machine is developed. The algorithm relies on measurements of the angular velocity vector of the body of the machine and of the vertical vector in a moving coordinate system. The algorithm is based on the least squares method and is orientated towards implementation on a digital computer. B.J.

**A82-16701** Astronaut activity in flight and enhancement of its efficiency (Deiatel'nost' kosmonavta v polete i povyshenie ee effektivnosti). Edited by G. T. Beregovoi and L. S. Khachaturiants. Moscow, Izdatel'stvo Mashinostroenie, 1981. 264 p. In Russian.

The general problems of manned space flight, the interaction of the astronaut and the spacecraft control systems, technical servicing and extravehicular activity, and the influence of flight factors on astronaut performance are among the topics discussed. Particular attention is given to current problems of the psychophysiology of astronaut work, the statistical characteristics of astronaut operator activity directed at spacecraft control, simulation of operator activity in the technical servicing of a space station, and the influence of emotional stress on astronaut activity. B.J.

**A82-16702 †** Basic principles and methods for assuring the efficiency of astronaut activity in flight (*Osnovnye printsipy i metody obespecheniia effektivnosti deiatel'nosti kosmonavta v polete*). G. T. Beregovoi. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 6-13. In Russian.

A human-factors approach is taken to the evaluation of in-flight astronaut performance. Data characterizing the deterioration of astronaut performance at various stages of flight are presented, and various ways to compensate for this deterioration are discussed. The integration of the astronaut into various spacecraft control systems is considered. B.J.

**A82-16703 †** Current problems in the psychophysiology of space work /status and future prospects/ (*Aktual'nye problemy psikhofiziologii kosmicheskogo truda /sostoianie i prognoz/*). L. S. Khachatur'iants. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 13-25. In Russian.

Various problems in the psychophysiology of astronaut work are considered, including problems involving the dynamics and level of analyzer system functions in the course of space flight, and the investigation of the psychophysiological phases of flight. These problems are discussed with reference to astronaut selection and training, ascent, descent, and landing phases, and orbital and interplanetary flight. Possible future trends in the psychophysiology of astronaut work are also discussed. B.J.

**A82-16704 †** Concerning a model of human activity (*O modeli deiatel'nosti cheloveka*). G. M. Kolesnikov. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 25-46. In Russian.

A general functional-structural model of human activity is developed. From the functional point of view, the model incorporates the following subsystems: the subsystem of reflection of and action upon the external medium; the subsystem of the reflection of the internal medium on the basis of information about the external medium; and the subsystem of energy supply, and creation and conservation of structure. Human activity is always connected with the simultaneous functioning of all the subsystems under a definite domination of one of them at each stage of activity. B.J.

**A82-16705 †** Certain theoretical features of astronaut preparation (*O nekotorye teoreticheskie osobennosti podgotovki kosmonavtov*). G. T. Beregovoi, P. R. Popovich, and G. M. Kolesnikov. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 46-58. In Russian.

Theoretical questions relating to astronaut preparation and training are examined, with attention given to adaptation in both the physiological and psychological senses. Techniques of intellectual preparation are discussed, with emphasis on problem learning. B.J.

**A82-16706 †** The use of a psychophysiological feedback system for purposes of activity optimization (*Ispol'zovanie sistemy obratnoi psikhofiziologicheskoi svyazi v interesakh optimizatsii deiatel'nosti*). M. V. Frolov and L. S. Khachatur'iants. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 58-74. In Russian.

The development of a three-loop feedback system for the optimal control of operator activity is considered. Attention is given to methods for evaluating the functional state of an operator based on the analysis of working conditions and variations of physiological signals. As an example, an analysis is presented of states of attention and emotional stress. B.J.

**A82-16707 †** Psychophysiological correlates of the control activity of the astronaut (*Psikhofiziologicheskie korreliaty upravliaushchei deiatel'nosti kosmonavta*). L. S. Khachatur'iants. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 75-86. In Russian.

An abstract algorithmic scheme of astronaut activity is developed, and schemes of human-operator activity in various types of control systems are presented. It is shown that by using the abstract algorithmic scheme the designer can 'adapt' technology to man for the functional state which is expected in the actual conditions of activity. B.J.

**A82-16708 †** Certain aspects of the visual activity of astronauts (*Nekotorye aspekty vizual'noi deiatel'nosti kosmonavta*). E. A. Ivanov and A. Ia. Frolov. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 86-100. In Russian.

The paper considers visual observations by astronauts of space objects (e.g., spacecraft that are the objects of rendezvous or docking) illuminated by the sun against the black background of the sky; the visual recognition of such objects is particularly difficult under such illumination conditions. The psychophysiological characteristics of visual pattern recognition and the functional state of the visual analyzer of the astronaut are theoretically evaluated, and experimental results obtained with the Proba visual simulator are examined. B.J.

**A82-16709 †** Methodological principles of the investigation of pilot error (*O metodologicheskikh osnovakh izucheniia oshibok deistvii cheloveka, upravliaushchego letatel'nyim apparatom*). N. D. Zavalova and V. A. Ponomarenko. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 100-116. In Russian.

It is argued that the methodology of investigating pilot error has been flawed by taking the concept of personal factors, rather than error theory, to be the underlying postulate. This paper proposes an engineering-psychological systems approach to the study of pilot error. B.J.

**A82-16710 †** Problems of the control of operator state (*Problemy upravleniia sostoianiem operatora*). L. P. Grimak and L. S. Khachatur'iants. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 116-137. In Russian.

A survey is presented of problems involved in the control of human-operator state, with particular reference to astronaut performance in flight. A classification of the psychophysiological mechanisms responsible for the formation of operator states is presented. B.J.

**A82-16711 †** Optimization of astronaut operator activity and systems of semiautomatic control of manned spacecraft on the basis of probabilistic criteria (*Optimizatsiia operatorskoi deiatel'nosti kosmonavta i sistem poluavtomaticheskogo upravleniia pilotiruemykh kosmicheskikh korabli po vepoiatnostnym kriteriiam*). G. T. Beregovoi, V. M. Vasilets, and A. I. Iakovlev. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 138-146. In Russian.

It is proposed that parametric methods be used to statistically optimize astronaut operator activity and systems of semiautomatic control of manned spacecraft. The basic idea of the approach consists in the development of algorithms that make it possible to select certain controls or parameters (considered as points of a certain space) that satisfy specified constraints and minimize or maximize a specified criterion for a certain number of astronauts participating in the control. The approximation of the control functions in a finite-dimensional space and the limitation of the number of system structure variants make it possible to represent the performance criterion as a function of a finite number of variables and thus to obtain the solution of the optimized problems. B.J.

**A82-16712 †** Investigation of the statistical characteristics of astronaut operator activity directed towards the control of a manned spacecraft (*Issledovanie statisticheskikh kharakteristik*

**operatorskoi deiatel'nosti kosmonavta po upravleniiu PKA).** B. V. Volynov, V. M. Vasilets, E. D. Sukhanov, and A. I. Iakovlev. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 146-155. In Russian.

The dynamic characteristics of astronaut operator activity were studied on simulators, the ultimate purpose of the tests being to provide information for the design of manual control systems. Correlation functions and spectral densities of operator errors were obtained, assuming that the random processes that were analyzed were stationary and ergodic. B.J.

**A82-16713 † Investigation of astronaut activity under conditions of the hydrosimulation of weightlessness (Issledovanie deiatel'nosti kosmonavtov v usloviakh modelirovannoi nevesomosti v gidrosrede).** G. I. Vorob'ev and L. D. Smirichevskii. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 156-161. In Russian.

An analysis is presented of the possibilities of the hydro-simulation of weightlessness, where the subject to be tested is submerged in water and a state of zero buoyancy is created. Experimental results are presented concerning the use of weightlessness hydrosimulation in the investigation of astronaut activity, and it is found that simulation results agree with data from actual space flight. It is concluded that the hydrosimulation technique is suitable for astronaut training, for purposes of spacecraft design, and for the development of astronaut-activity cyclograms. B.J.

**A82-16714 † Experimental study of the characteristics of the detection of objects on a TV display by an operator under conditions of time deficit (Eksperimental'noe issledovanie kharakteristik obnaruzheniia ob'ektov operatorom na televizionnom indikatore v usloviakh defitsita vremeni).** V. N. Zhovinskii. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 161-166. In Russian.

The present study examines the ability of an operator to detect small objects on a TV display in the case when the observation time period is sufficiently small (up to 3 sec), which corresponds to time-deficit conditions. It is found that the probability of detection increases with exposure time to a certain constant level whose value is determined by the background complexity. It is also found that the mean time of making erroneous decisions in the detection process exceeds the mean time of making correct decisions under time-deficit conditions. B.J.

**A82-16716 † The design of extravehicular propulsion units (Ob ustroistve sredstv peremeshcheniia kosmonavta v otkrytom kosmose).** Iu. N. Glazkov. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 172-178. In Russian.

The paper describes a self-maneuvering unit that combines jet backpacks with two and three degree of freedom controllable gyroscopes. Block diagrams of of this type of self-maneuvering unit are presented, and attention is given to a number of design problems. B.J.

**A82-16717 † Simulation of operator activity in a system for the technical servicing of a space station (Modelirovanie deiatel'nosti operatora v sisteme tekhnicheskogo obsluzhivaniia kosmicheskoi stantsii).** E. N. Stepanov. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 178-183. In Russian.

Two 30-day experiments are described in which operator activity involving the technical servicing and maintenance of a space station was simulated. Emphasis was placed on the influence of adaptation period, 30-day continuous activity, and 30-day habitation in an isolated and confined space on the operator work capacity and reliability. It was found that the productivity and reliability of repair and servicing work performed under space-station conditions were lower than under ordinary (i.e., non-space) conditions. B.J.

**A82-16718 † Information model of the dynamics of autonomous extravehicular activity (Informatsionnaia model' dinamiki avtonomnogo dvizheniia kosmonavta v otkrytom kosmose).** E. V. Dement'ev. In: Astronaut activity in flight and enhancement of its

efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 183-187. In Russian.

It is shown that a method of parallel approach control and human visual capacity make it possible to develop a simple extravehicular propulsion unit with total or partial determination of the parameters of relative motion by the astronaut himself. A functional block diagram of the manual control system for this unit is presented. Since he actively participates in the control of the unit, the astronaut acquires information about the actual state of the control process through its information model. The degree of work intensity will depend, in part, on the quantity and character of control parameters indicated on the display devices. B.J.

**A82-16719 † Simulation of manual autonomous control of an extravehicular propulsion unit /EPU/ (Modelirovanie ruchnogo avtonomnogo upravleniia ustanovkoi peremeshcheniia kosmonavta /UPK/).** L. P. Grimak and E. V. Dement'ev. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 187-191. In Russian.

The paper considers the simulation of the mutual control of an EPU on a simulation test stand, with emphasis on the influence of the psychic and emotional state of the operator. Particular attention is given to the types of vegetative reactions in approach control at various control stages, and to variations of the terminal control parameters as a function of the simulated operator states. It is found that the experienced psychic state has a marked effect not only on the motor functions of the arms but also on the visual analyzer functions. B.J.

**A82-16720 † The influence of certain habitation conditions on the physiological functions, work capacity, and dream dynamics of man (K voprosu o vliiani nekotorykh uslovii obitaniia na fiziologicheskie funktsii, rabotosposobnosti i dinamiku sna cheloveka).** A. N. Litson, A. Ia. Frolov, V. N. Artishchuk, and A. V. Chapaev. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 192-198. In Russian.

The paper describes an experiment which studied the level of physiological activity, work capacity, and dream dynamics of two operators engaged in the task of the technical servicing and repair of a simulated space station with an autonomous life support system in the course of 94 days. It is found that variations of the three factors studied have a marked adaptational character, and the conditions of habitation were found to have a marked effect on motor-analyzer indices. It is concluded that the present data can be used in constructing circadian cyclograms for the activity of operators working in unusual conditions. B.J.

**A82-16721 † Investigation of the functions of an astronaut operator in information systems (Issledovanie funktsii kosmonavta-operatora v informatsionnykh sistemakh).** N. N. Fefelov and E. A. Cherenkova. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 198-205. In Russian.

An analysis is presented of astronaut speech performance in ground-space and space-ground communication channels. Some recommendations are made concerning the planning of operational communications and the preparation of onboard documentation. It is noted that the form in which the onboard documentation is presented determines the information processing rate and the quality of astronaut performance. It is also noted that the use of short sentences, and concrete and common words make the communications more effective. B.J.

**A82-16722 † The effect of emotional stress on astronaut activity in a radio-telegraphy system (Vliianie emotsional'nogo napriazheniia na deiatel'nost' kosmonavta v sisteme radiotelegrafnoi svyazi).** A. K. Epishkin. In: Astronaut activity in flight and enhancement of its efficiency. Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 205-208. In Russian.

Space flight simulation results are presented concerning the effects of three factors that lead to emotional stress-acceleration loading, weightlessness, and a life-threatening situation - on the performance of an astronaut operator in a radio-telegraphy system. It is found that these three factors produce emotional stress that has a definite effect on the psychophysiological characteristics of the operator. Psychic processes associated with the recoding of informa-

tion and motor coordination are affected. The results confirm that emotional stress has an adverse effect on astronaut activity in flight.

B.J.

**A82-16723 † Comparative psychophysiological evaluation of the effectiveness of psychic models of body hypo- and hyperponderousness (Sravnitel'naia psikhofiziologicheskaia otsenka effektivnosti psikhicheskikh modelei gipo- i gipervesomosti tela).** L. P. Grimak. In: *Astronaut activity in flight and enhancement of its efficiency.* Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 208-222. In Russian.

The effectiveness of hypnotically induced states of subjective increases or decreases in body weight is evaluated in light of the potential of such states in the investigation and prophylaxis of the effects of weightlessness encountered during extended space flights. Results are presented of an experiment in which subjects previously exposed to rotation on a centrifuge at 6 g and a short period of weightlessness were subjected to 10 days of strict bed rest alone, or under hypnotic suggestions of either weightlessness or heaviness. Subjective reactions, EEGs, EKGs, REGs, venous pressures, pulse rates, tracking performances, and cardiac morphologies monitored over the course of the experiment reveal clear differences in the reactions of the subjects according to the suggestion employed. The psychic model of hypoponderousness is observed to produce more pronounced changes than observed in an equivalent period of hypokinesia, including a reduction in heart size and tracking ability, while hyperponderousness in many ways acts to counteract the deleterious effects of extended bed rest, particularly with respect to operator activity.

A.L.W.

**A82-16724 † Concerning the rationalization of the work and rest schedule of cosmonauts (Nekotorye voprosy ratsionalizatsii rezhimov truda i otdykha kosmonavtov).** A. Ia. Frolov, A. N. Litsov, V. N. Maliugin, V. A. Sutormin, and I. F. Saraev. In: *Astronaut activity in flight and enhancement of its efficiency.*

Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 222-233. In Russian.

It is noted that time is often lost in the early part of a flight as cosmonauts adjust physically to conditions of weightlessness. In seeking to make this time up, use is made of the time allotted for rest and sleep, thereby bringing on fatigue. In scheduling the activities of cosmonauts, it is pointed out that consideration should be given to biorhythms and to the psychophysiological structure of the activity that the cosmonauts are called upon to perform.

C.R.

**A82-16725 † The activity of psychic models of hypogravity during 30-day experiments (Aktivnost' psikhicheskikh modelei gipovesomosti tela v tridsatisutochnykh eksperimentakh).** L. P. Grimak. In: *Astronaut activity in flight and enhancement of its efficiency.*

Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 233-239. In Russian.

Experiments are described that seek to determine the length of time that a hypnotically induced feeling of hypogravity can persist. During the experiment, the subjects perform functions similar to those that would be performed during a flight.

C.R.

**A82-16726 † Psychophysiological safety control in long-duration space flights (K voprosu psikhofiziologicheskogo obespecheniia bezopasnosti kosmicheskogo poleta bol'shoi prodolzhitel'nosti).** V. S. Mishchenko. In: *Astronaut activity in flight and enhancement of its efficiency.* Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 239-247. In Russian.

The evaluation of psychophysiological stress, an important indicator of cosmonaut work capacity, is discussed in light of the increasing range of tasks to be performed in space flights of increasing duration. An approach to the determination of the dynamics and levels of psychophysiological stresses is considered which is based on qualitative and quantitative expert determinations of such factors as the state of weightlessness adaptation, physiological condition, subjective feelings, complaints, fatigue, exhaustion, sleep quality, work duration, work difficulty and productivity, and the importance of the work-rest cycle to cosmonaut work capacities is emphasized. Results are then presented of an analysis of the psychophysiological stress encountered in a ground-based space flight simulation, and patterns in overall psychophysiological condition as a function of experiment duration are illustrated.

A.L.W.

**A82-16727 † The effects of a light blue background on the operator visual analyzer (Vliianie golubogo fona na zritel'nyi analizator operatora).** E. N. Khludeev. In: *Astronaut activity in flight and enhancement of its efficiency.* Moscow, Izdatel'stvo Mashinostroenie, 1981, p. 248-251. In Russian.

The use of an illuminated visual field to improve operator performance in the detection and tracking of a manned spacecraft or orbital station against the background of the starry sky is studied. Experiments to assess operator performance, comfort and fatigue during an observation task were made under normal conditions, with stars and spacecraft against a black background, and with stars and spacecraft seen against a light blue background to improve visual resolution and prevent fatigue, with operators experiencing post-hypnotic suggestions of weightlessness, hypergravity, stresses and mental stimulation. The probability of detecting the moving spacecraft against the light blue background is found to be significantly greater than that of detecting it against the dark background, particularly in the presence of a time limit under all the experimental conditions. The subjects also reported less fatigue when searching for the object against the illuminated background. Results thus demonstrate the usefulness of visual field illumination in spacecraft detection against a background of stars.

A.L.W.

**A82-16801 † The effects of hyperventilation on EEG alpha-rhythm depression induced by a suggested visual representation (Vliianie giperventiliatsii na depressiiu alpha-ritma EEG, vyzvannuiu vnushennym zritel'nym predstavleniem).** R. D. Shmel'kina (Ukrainskii Institut Uovershenstvovaniia Vrachei, Kharkov, Ukrainian SSR). *Zhurnal Nevropatologii i Psikhatrii im. S. S. Korsakova*, vol. 81, no. 9, 1981, p. 1379-1381. In Russian.

**A82-16802 † The effects of immobilization stress on diacyl and plasmogenic phospholipids in various organs and tissues of the rat (Vliianie immobilizatsionnogo stressa na diatsil'nye i plazmalogenne formy fosfolipidov v razlichnykh organakh i tkaniakh krysa).** V. M. Dembitskii (Cheliabinskii Gosudarstvennyi Universitet, Chelyabinsk, USSR) and V. E. Riabinin (Cheliabinskii Meditsinskii Institut, Chelyabinsk, USSR). *Voprosy Meditsinskoi Khimii*, vol. 27, Sept.-Oct. 1981, p. 698-701. 21 refs. In Russian.

**A82-16803 † Extra-erythrocytic hemoglobin and iron-bearing hemoglobin destruction products - A system for the amplification of the toxic effects of hyperoxia (Vneeritrotsitarnyi gemoglobin i zhelezosoderzhashchie produkty destruktitsii gemoglobina - Sistema usileniia toksicheskogo effekta giperoksii).** A. I. Lukash and V. V. Vnukov (Rostovskii Gosudarstvennyi Universitet, Rostov-on-Don, USSR). *Voprosy Meditsinskoi Khimii*, vol. 27, Sept.-Oct. 1981, p. 616-618. 12 refs. In Russian.

**A82-16804 † Trial of an automated EKG analysis system in a cardiologic clinic (Opyt ispytaniia sistemy avtomatizirovannogo analiza EKG v kardiologicheskoi klinike).** S. L. Korsakas, A. A. Kirmonas, L. I. Gargasas, A. L. Vainoras, L. I. Kalashaitite, A. I. Astrauskas, and P. V. Zabela (Kaunasskii Meditsinskii Institut, Kaunas, Lithuanian SSR). *Kardiologija*, vol. 21, Sept. 1981, p. 109-112. 16 refs. In Russian.

Results are presented of a clinical trial of a computerized system for EKG evaluation in cardiac patients. The system, based on the ES-1022 computer, includes an automated electrocardiograph for the acquisition and recording of EKG signals and data input and output systems, as well as programs for input, identification, measurement, rhythm determination, contour analysis, file formation, search and overall regulation. Computer diagnoses of patients with various types of dysrhythmias and cardiac pathologies including ischemia and ventricular hypertrophy made by the system as a whole are found to be in agreement with physician diagnoses in 82% of the cases. When the results of both diagnoses are compared with anatomical, clinical and X-ray data, however, the computer results are shown to be little inferior to those of the physicians in terms of either sensitivity or specificity. It is thus proposed that the computer system be incorporated into medical practice.

A.L.W.

**A82-16805 † The ergometric determination of myocardial reserves (Opredelenie miokardial'nogo rezerva pri ergometrii).** V. P. Pomerantsev, Iu. S. Mdinardze, E. A. Prokhorovich, and Iu. A. Vasiuk (Moskovskii Meditsinskii Stomatologicheskii Institut, Mos-

cow, USSR). *Kardiologiya*, vol. 21, Sept. 1981, p. 68-72. 11 refs. In Russian.

An analysis is presented of possible methods for the assessment of myocardial reserves, expressing myocardial capacity for increased cardiac ejection and an indicator of myocardial ischemia, based on the use of ergometric indicators. The methods considered involve various indirect determinations of myocardial reserves by measurements of systolic arterial pressure, heart rate and electrocardiograms during physical loading to derive the heart minute volume and stroke volume. Clinical studies are presented which have demonstrated the correlation of changes in these indicators during exercise with the degree of cardiac insufficiency in patients with post-infarction cardiosclerosis and hypertension. A procedure for the evaluation of myocardial reserves in symptomless patients is then suggested. A.L.W.

**A82-16806 † Experience with the development and application of telemetric computing systems in cardiology (Opyt razrabotki i primeneniia telemetricheskikh vychislitel'nykh sistem v kardiologii).** Zh. V. Chepaitis, E. I. Raugas, A. I. Matuzonis, B. G. Shlapikene, and D. V. Lukshene (Kaunasskii Meditsinskii Institut, Kaunas, Lithuanian SSR). *Kardiologiya*, vol. 21, Sept. 1981, p. 112-115. 5 refs. In Russian.

A specialized telemetric computing system has been developed for applications in the mass screening of limited populations and the intensive monitoring of patients for signs of ischemic heart disease. The system is composed of an EKG monitoring subsystem, an automatic EKG analysis subsystem and a graphical data processing subsystem acting as an auxiliary to the first two subsystems, all of which exchange information through a common data base developed for the storage of the monitoring data. Experience has shown that, with the proper methodological approach, the use of automatic computing systems has decisive advantages over traditional diagnostic and monitoring methods in certain applications requiring the analysis of massive amounts of data. A.L.W.

**A82-16807 † Possible model representations of the neurophysiological mechanisms for the analysis of the direction and speed of a moving visual object (Vozmozhnye model'nye predstavleniia o neurofiziologicheskikh mekhanizmax analiza napravleniia i skorosti dvizheniia zritel'nogo ob'ekta).** Iu. P. Aleinikov, T. V. Aleinikova, and T. V. Mel'kovskaia (Rostovskii Gosudarstvennyi Universitet, Rostov-on-Don, USSR). *Fiziologicheskii Zhurnal SSSR*, vol. 67, Aug. 1981, p. 1201-1207. 8 refs. In Russian.

Models of the detection of the direction and speed of the motion of a visual object at the level of the visual tectum of frogs are examined in order to clarify the possible neurophysiological mechanisms of motion parameter extraction from initially undifferentiated retinal signals. The models rely on the interactions of excitatory and inhibitory synapses on neurons forming part of the visual motion analyzer which are excited by ganglioretinal cells responsive to motion in different directions or at different speeds. In contrast to the two separate models developed, it is emphasized that in the actual tectum, motion direction and speed analyses are apparently performed by the same neurons. A.L.W.

**A82-16808 † The age characteristics of physical thermoregulation (Vozrastnye osobennosti fizicheskoi termoregulatsii).** V. I. Basakin (Institut Fizicheskoi Kul'tury, Leningrad, USSR). *Fiziologiya Cheloveka*, vol. 7, Sept.-Oct. 1981, p. 940-942. In Russian.

The thermoregulatory efficiencies of persons of different ages and sexes are evaluated. Skin temperatures over various parts of the body and the response of forearm temperature to local cooling were determined for male and female subjects aged from 1 to 90 years. An inverse relationship is found between subject skin temperature on the forehead, chest, shoulder, forearm and foot and subject age. Women in the 8-12, 18-25, and 36-60 age groups are observed to have higher skin temperatures than the men of the corresponding age groups, while in the remaining groups no sex difference is evident. Trunk-extremity temperature gradients are found to be less pronounced in children than in older age groups. The time required for the reestablishment of original skin temperature following local cooling is also observed to be shorter in the younger people than in the old, and in women from 12 to 60 than in men of the same age. The results may be explained in terms of the activation of the sympathetic nervous system by thyroid activity. A.L.W.

**A82-16809 † A procedure for the measurement of the critical flicker fusion frequency (Metodika izmereniia kriticheskoi chastoty sliianiia mel'kanii).** V. A. Gavrilov (Tomskii Gosudarstvennyi Universitet, Tomsk, USSR). *Fiziologiya Cheloveka*, vol. 7, Sept.-Oct. 1981, p. 947-949. 5 refs. In Russian.

A facility is presented which allows the measurement of critical flicker fusion frequency in humans with a greater accuracy than previously achieved. The system comprises a control unit, response circuit, flicker generation circuit including sawtooth voltage generator, voltage-frequency transformer and power amplifier, measurement circuit and optical system. As the system is not based on a mechanical light generation circuit, measurement error associated with system inertness and the shutter activation is eliminated. The use of an operational amplifier allows a high degree of linearity in frequency changes, with frequency error less than 0.06 Hz and measurement error less than 0.1%. In addition, the rate of change of flicker frequency can be adjusted from 0.5 to 1 Hz/sec in the range 10 to 80 Hz. A.L.W.

**A82-16810 † The reorganization of EEG structure during adaptation to the Antarctic (Perestroiki struktury EEG, v protsesse adaptatsii v Antarktide).** S. I. Soroko (Akademiia Meditsinskikh Nauk SSSR, Leningrad, USSR). *Fiziologiya Cheloveka*, vol. 7, Sept.-Oct. 1981, p. 909-916. 23 refs. In Russian.

Changes in the internal structure of brain biorhythmics as revealed by the statistical structure of EEG rhythm interactions during the process of adaptation to Antarctic conditions are investigated. Electroencephalograms were obtained with eyes open and eyes closed in 122 polar workers during the 17th Soviet Antarctic expedition, and compared with evaluations of nervous system adaptability made on the basis of tests of the plasticity of individual cerebral neurodynamic processes. Results show a shift of the EEG frequency spectra towards lower frequencies as well as substantial rearrangements in the interconnections between the separate rhythms during adaptation. In persons showing a high level of adaptability, the ultimate EEG pattern developed is characterized by a significant strengthening of the statistical relations of the individual rhythms with the alpha and theta rhythms, and an increase in the interrelationship between the successive waves within those rhythms. In persons showing low adaptability, a new EEG pattern is not formed, and a marked instability of the statistical relations of the EEG rhythms is observed. The expression of neurotic states is found to be accompanied by a specific EEG pattern with a functional core in the theta-rhythm region. A.L.W.

**A82-16811 † Investigation of physiological compensation processes following the surgical destruction of the labyrinth (Issledovanie protsessov kompensatsii funktsii organizma posle khirurgicheskoi destruktzii labirinta).** V. T. Pal'chun, G. I. Gorgiladze, M. I. Kadymova, and Iu. O. Bulaev (II Moskovskii Meditsinskii Institut, Moscow, USSR). *Vestnik Otorinolaringologii*, Sept.-Oct. 1981, p. 7-12. 10 refs. In Russian.

The development and stability of processes in the central nervous system arising as compensation for the unilateral surgical destruction of the labyrinth are studied. Evaluations of equilibrium stability during walking and in the Romberg position, spontaneous and positional nystagmus and the response of the intact labyrinth to caloric and electrical stimulation were made up to 2 years following labyrinthectomy in patients suffering from Meniere's disease and limited labyrinthitis. A relatively rapid development of compensatory processes is observed in the sensory and vegetative functions, while spontaneous falling nystagmus and asymmetrical muscle tone persist for at least two years. The elimination of visual fixation, as well as mental work, changes in otolith orientation and alcohol intoxication, are found to facilitate vestibular asymmetry. Patient nystagmus and responses to cold stimulation during the first week after surgery indicate the rapid development of central nervous system compensation. Results support labyrinthectomy as the method of choice in the treatment of unilateral peripheral disorders of the vestibular apparatus combined with a high degree of amblyocousia. A.L.W.

**A82-16812 † Investigation of the otolith apparatus in clinical practice (Issledovanie otolitovogo apparata v klinicheskoi praktike).** A. O. Radzhabov and Iu. O. Bulaev (II Moskovskii Meditsinskii Institut, Moscow, USSR). *Vestnik Otorinolaringologii*, Sept.-Oct.

## A82-16813

1981, p. 79-82. 56 refs. In Russian.

Clinical investigations of otolith functions are reviewed to illustrate the methods currently available for clinical application. Attention is given to uses of eyeball counterrotation as an indicator of otolith function, with emphasis of the Fischer method of visual afterimages, methods based on the influence of the otolith on postrotation reflexes, including the otolith reaction method with a rotating chair, and utricular and saccular gaits, the use of graded inclinations to determine otolith sensory thresholds, a standing task on a low bar to assess equilibrium functions, posturography, and four-bar swings. The Fischer method of indirect otolithometry and the use of small-amplitude stimulation on parallel four-bar swings for direct otolithometry are recommended as appropriate for use in clinical practice. A.L.W.

**A82-16813 †** The differential diagnosis of an asymmetrical trend in vestibular responses in peripheral and central hemispheric lesions (Differentsial'naia diagnostika asimmetrichnogo techeniia vestibuliarnykh reaktsii pri perifericheskom i tsentral'nom polusharnom porazheniia). N. S. Blagoveshchenskaia (Akademiia Meditsinskikh Nauk SSSR, Moscow, USSR). *Vestnik Otorinolaringologii*, Sept.-Oct. 1981, p. 3-7. 20 refs. In Russian.

Methods allowing the detection and differential diagnosis of vestibular asymmetries of peripheral and central hemispheric origin are presented. The methods involve the monitoring of nystagmic reaction to application of caloric stimuli to each ear, exposure to graded levels of relatively low-intensity rotation, or a combination of rotatory and caloric stimulation. It is noted that the most marked hemispheric asymmetries appear in deep subcortical foci in the temporo-parieto-frontal region during the decompensation phase, giving rise to a strengthening of nystagmus towards the focus. It is also pointed out that the predominant direction of nystagmus in hemispherical asymmetries may vary with the course of the disease and with the vestibular stimulus applied. A.L.W.

**A82-16814 †** The response of the hematic system of adrenalectomized mice to stressor activity (Reaktsiia sistemy krovi adrenaletomirovannykh myshei na stressornoe vozdeistvie). P. D. Gorizontov, M. I. Fedotova, and L. N. Egorova. *Patologicheskaiia Fiziologii i Eksperimental'naia Terapiia*, Sept.-Oct. 1981, p. 36-39. 7 refs. In Russian.

Mechanisms leading to the changes observed in the hematic system in the two days following a single exposure to stress are investigated in a study of the response of adrenalectomized mice to a 6-hr immobilization. The cellular composition of the peripheral blood, bone marrow cell populations and amounts of karyocytes in the spleen and thymus were determined periodically following the immobilization on their backs of 170 adrenalectomized and 110 sham-operated mice. Whereas the peripheral levels of neutrophilic granulocytes initially rose then returned to their original values in both groups of animals, lymphocyte numbers are observed to increase following immobilization in the adrenalectomized mice and decrease in the controls. Bone marrow populations of lymphoid cells, neutrophilic granulocytes and mature neutrophilic cells are observed to undergo variations typical of the stress reaction in adrenalectomized and control animals alike, although the stem cells in the bone marrow of the experimental animals failed to increase and in fact decreased during the period of observation. Whereas the characteristic diminution in spleen cells is observed in both groups, the increase in thymus cells is much less marked in the adrenalectomized than in the control mice. Results thus demonstrate that changes in only peripheral blood lymphocyte numbers, thymus cell numbers and bone marrow stem cell numbers depend on the adrenal hormones. A.L.W.

**A82-16815 †** The effects of immobilization on the development of experimental atherosclerosis in rabbits (Vliianie immobilizatsii na razvitie eksperimental'nogo ateroskleroza u krolikov). G. P. Deriagina (Akademiia Nauk SSSR, Institut Fiziologii, Leningrad, USSR) and T. A. Sinityna (Akademiia Meditsinskikh Nauk SSSR, Leningrad, USSR). *Patologicheskaiia Fiziologii i Eksperimental'naia Terapiia*, Sept.-Oct. 1981, p. 32-36. 17 refs. In Russian.

**A82-16816 †** Changes in Hageman factor system indicators during human adaptation to intense physical loading (Izmeneniia pokazatelei 'sistemy faktora Khagemana' pri adaptatsii cheloveka k

intensivnoi fizicheskoi nagruzke). A. M. Chernukh, O. A. Gomazkov, N. V. Komissarova, L. A. Lantsberg, and N. M. Shkol'nik (Akademiia Meditsinskikh Nauk SSSR; Vsesoiuznyi Nauchno-Issledovatel'skii Institut Fizicheskoi Kul'tury, Moscow, USSR). *Patologicheskaiia Fiziologii i Eksperimental'naia Terapiia*, Sept.-Oct. 1981, p. 25-28. 6 refs. In Russian.

Changes in the blood kallikrein-kinin, thrombin and plasmin systems, which collectively make up the Hageman factor system (HFS), accompanying intensive physical training are investigated. Precursors and inhibitors of kallikrein, thrombin and plasmin were determined in blood taken at rest and following maximal bicycle ergometer exercise from untrained healthy men, athletes during a period of intensive training and preparation for competition, and athletes following the end of the competitive season. Levels of the three precursors and of the plasmin and thrombin inhibitors are found to be higher in the training athletes than in either the controls or the recovering athletes, while the kallikrein inhibitor values are lower. Short-duration maximal exercise is observed to lead to increases in precursor levels and decreases in inhibitor levels in the controls and nontraining athletes, and decreases in all indicators with the exception of the plasmin inhibitor in active athletes. Results demonstrate the diagnostic and prognostic value of HFS determinations in the norm, in various cardiovascular pathologies, and during adaptation to prolonged physical loads. A.L.W.

**A82-16817 †** Biogenic monoamine concentrations in autonomic nervous system ganglia during acute experimental emotional stress (Soderzhanie biogenykh monoaminov v uzlakh avtonomnoi neruoi sistemy krolika pri ostrom eksperimental'nom emotsional'nom stresse). V. V. Portugalov, N. V. Petrova, S. I. Kashtanov, and B. N. Manukhin (Akademiia Meditsinskikh Nauk SSSR, Moscow, USSR). *Patologicheskaiia Fiziologii i Eksperimental'naia Terapiia*, Sept.-Oct. 1981, p. 28-32. 18 refs. In Russian.

**A82-16818 †** A modified kinetic model of muscular contraction (Modifitsirovannaia kineticheskaiia model' myshechnogo sokrashcheniia). E. M. Timanin (Akademiia Nauk SSSR, Institut Prikladnoi Fiziki, Gorki, USSR). *Biofizika*, vol. 26, Sept.-Oct. 1981, p. 915, 916. 8 refs. In Russian.

A modification of the kinetic model of the interaction of contractile proteins of Deshcherevskii (1977) is presented which may be used in the construction of a set of models describing the entire process of muscular contraction. The present model takes into account the effects of the blockage of actin centers by troponin, and may be used to describe the growth and relaxation of muscular tension. In the limit of complete activation (troponin derepression) by Ca(2+) ions, it becomes identical to that of Deshcherevskii. A.L.W.

**A82-16819 †** Analysis of retinal work in the discrimination of a contour signal (Analiz raboty setchatki, vydeliiaushchei konturnyi signal). D. G. Lebedev (Akademiia Nauk SSSR, Institut Problemy Peredachi Informatsii, Moscow, USSR). *Biofizika*, vol. 26, Sept.-Oct. 1981, p. 860-863. In Russian.

A comparative analysis is presented of the construction of the finite-difference Laplacian of the initial illumination distribution of light-sensitive retinal receptors by a mechanism based on lateral inhibition and according to the drift of the visual axis of the eye. Models of object shape discrimination by both mechanisms are developed taking into account the spread in the characteristics of the visual receptors and other retinal components observed in the eye itself. It is shown that whereas the lateral inhibition mechanism is much simpler, the visual axis drift mechanism, as used in models of the human visual system, provides a means of suppressing output signal noise caused by retinal element nonuniformities. A.L.W.

**A82-16820 †** Model for the perception of moving and fixed objects (Model' vospriiatiia dvizhushchikhsia i nepodvizhnykh ob'ektov). I. S. Losev and T. M. Shura-Bura (Akademiia Nauk SSSR, Institut Problemy Peredachi Informatsii, Moscow, USSR). *Biofizika*, vol. 26, Sept.-Oct. 1981, p. 854-859. 9 refs. In Russian.

A two-dimensional model is developed and examined which reproduces phenomena connected with the visual perception of objects moving and fixed with respect to the retina. The model comprises a set of operations, including a logarithmic operation, smoothed differentiation with respect to time, spatial discrimination and reduction, to represent the sensation produced by an initial

distribution of illumination on the retina as a function of time. Among the phenomena accounted for by the model are the generation of the empty field, the maintenance of normal vision during ocular drift, the comet phenomenon, changes in perceived brightness upon the stabilization of object sector boundaries, the perception of objects undergoing short-periodic oscillations and the perception of a continuously varying brightness distribution. The model is used to make theoretical predictions concerning some of these phenomena. A.L.W.

**A82-16821 †** Prevention of hypoxic heart damage by the use of oxypyridine-class antioxidants (Preduprezhdenie gipoksi-cheskogo povrezhdeniia serdtsa s pomoshch'iu antioksidanta iz klassa oksipiridinov). F. Z. Meerson, N. A. Abdikaliev, and L. Iu. Golubeva (Akademiia Meditsinskikh Nauk SSSR, Moscow, USSR). *Biulleten' Eksperimental'noi Biologii i Meditsiny*, vol. 92, Sept. 1981, p. 281-283. 11 refs. In Russian.

**A82-16822 †** Damage and repair of heart muscle DNA during emotional-pain stress (Povrezhdenie i reparatsiia DNK ser-dechnoi myshtsy pri emotsional'no-bolevom strese). F. Z. Meerson and V. K. Vasil'ev (Akademiia Meditsinskikh Nauk SSSR, Moscow, USSR). *Biulleten' Eksperimental'noi Biologii i Meditsiny*, vol. 92, Sept. 1981, p. 297-299. 12 refs. In Russian.

**A82-16823 †** The functional state of some subcortical cerebral structures during adaptation and deadaptation to physical loading (Funktsional'noe sostoianie nekotorykh podkorkovykh struktur mozga pri adaptatsii i deadaptatsii k fizicheskoi nagruzke). V. M. Boev (Orenburgskii Meditsinskii Institut, Orenburg, USSR). *Biulleten' Eksperimental'noi Biologii i Meditsiny*, vol. 92, Sept. 1981, p. 271-273. 13 refs. In Russian.

Changes in the functional condition of deep structures in the brain during the prolonged adaptation and deadaptation of rabbits to physical loading are investigated. Chronically implanted bipolar electrodes were used to monitor the local blood flow and excitability of the dorsal hippocampus, reticular formation of the midbrain, ventromedial hypothalamic nuclei and thalamic caudate and antero-medial nuclei in rabbits during a 120-day training period of submaximal and maximal treadmill running and the 30-day period following the cessation of training. Initial periodic variations in the functional activity of all the structures studied with the exception of the hypothalamus are observed to stabilize at either enhanced or reduced levels by the 20th day of training, indicative of an adaptive response to submaximal physical loading. Exercise to the limit is observed to induce changes in the activities of the dorsal hippocampus, hypothalamus and particularly the reticular formation. The earliest stages of deadaptation are characterized by reductions in dorsal hippocampus and hypothalamic excitability, while reticular formation excitability is reduced to its original level only on the 30th day after the completion of training. A.L.W.

**A82-16824 †** Morphology of experimental pneumoconiosis arising from the effects of lunar soil (Morfologiiia eksperimental'nogo pnevmokonioza, razvivaiushchegosia pod vozdeistviem lunogo grunta). Iu. D. Batsura, G. G. Kruglikov, and V. D. Arutiunov (Akademiia Meditsinskikh Nauk SSSR, Moscow, USSR). *Biulleten' Eksperimental'noi Biologii i Meditsiny*, vol. 92, Sept. 1981, p. 376-379. 5 refs. In Russian.

The morphological effects of the inspiration of lunar soil particles are examined in an electron microscopic study. Pneumoconiosis was induced in albino rats by the intratracheal introduction of a suspension of finely dispersed lunar soil (brought back by Luna-16 from Mare Foecunditatis) in a starch solution; lung and tracheobronchial morphologies and phagocytic activity were assessed after 3 days, 3 months and 6 months. Lung pathologies are observed to develop by an inflammatory response characterized by intense leucocyte and macrophage responses in the early stages, and, in later stages the thickening of the basal layer of the blood-air barrier, the activation of fibroblasts, cell associations and fibrosis, and the blockage of the terminal sections of the lymphatic system in response to the passage of 0.5-micron particles. The degree of fibrosis is found to be on the order of that associated with the weakly fibrogenic dusts. A.L.W.

**A82-16825 †** The effects of heat stress on the morpho-genetic potencies of the nephron epithelium (Vliianie teplovogo

stressa na morfogeneticheskie potentsii epiteliia nefrona). O. Z. Mkrchan (Tiumenskii Gosudarstvennyi Universitet; Tiumenskii Meditsinskii Institut, Tyumen, USSR). *Biulleten' Eksperimental'noi Biologii i Meditsiny*, vol. 92, Sept. 1981, p. 352-355. 11 refs. In Russian.

The effects of heat traumas on the proliferation, growth and differentiation of the rat nephron epithelium are investigated in cultures grown within the organism. Sections of decapsulated kidneys taken from 6-month-old rats exposed to a heat stress of 45 C for 60 min and from control rats were implanted under the skin of the abdominal wall of recipient 2-month-old rats, and the implants were extirpated periodically for up to 30 days following implantation. The heat stress is observed to lead to a deterioration in kidney hemodynamics, associated with an increase in vascular permeability, ischemia of the cortical juxtamedullary zone and dystrophic changes in the proximal and distal nephron sections. In both the healthy and experimental implanted kidneys, a vascular-tissue reaction is observed to take place, leading to the formation of connective capsules, intercelloidin layers and vessels in the implant. In comparison to the control implant, however, the experimental implant is found to exhibit intensified proximal and capsular destruction and a prolonged period of proliferative growth. The method employed is concluded to be useful for the development of objective criteria for the effects of extremal factors on tissue and organ properties. A.L.W.

**A82-16830 \*** Effects of disuse by limb immobilization on different muscle fiber types. F. W. Booth, M. J. Seider (Texas, University, Houston, TX), and G. R. Hugman (Baylor University, Houston, TX). In: *Plasticity of muscle*. Berlin, Walter de Gruyter und Co., 1980, p. 373-383. 33 refs. Grant No. NIH-AM-19393; Contract No. NAS9-15388.

The effects of disuse by limb immobilization on different muscle fiber types are reviewed. It is demonstrated that many changes occurring in atrophying skeletal muscles of young rats can be explained by the duration of the half-lives of muscle proteins. Differences are found to exist in responses of fast- and slow-twitch muscles due to disuse atrophy, and the appearance of plasticity in skeletal muscle begins to occur very soon after changes in the level of contractile activity. Rates of protein degradation increase in slow-twitch muscles at rapidly growing rates after approximately one day of limb immobilization; however, no change in the rates of protein degradation is noted in fast-twitch muscles of young rats. D.L.G.

**A82-16833 \*** Reissner's membrane and the spiral ligament in normal rats and those treated with ethacrynic acid. M. D. Ross. In: *Ménière's disease: Pathogenesis, diagnosis and treatment; Proceedings of the International Symposium, Düsseldorf, West Germany, May 1980*. Stuttgart, Georg Thieme Verlag; New York, Thieme-Stratton, Inc., 1981, p. 76-86. 38 refs. Grants No. NsG-9047; No. NIH-NS-13428.

A description is presented of recent ultrastructural findings in Reissner's membrane and the spiral ligament in rats treated daily with ethacrynic acid during the 2nd and 3rd weeks of postnatal life, a period of final maturation of the inner ear and its fluids. A distension of Reissner's membrane in every cochlear turn, indicative of mild endolymphatic hydrops, was found to occur in animals that received a higher dose of ethacrynic acid. Ultrastructurally, the cytoplasm of the epithelial cells of Reissner's membrane showed increased electron density after treatment with ethacrynic acid. This increase was most pronounced in animals treated with a greater quantity of the drug. The epithelial cells had similar ultracellular features throughout except that the cells were much thinner in the region of maximal distension. G.R.

**A82-16892** Principles of feature integration in visual perception. W. Prinzmetal (British Columbia, University, Vancouver, Canada). *Perception and Psychophysics*, vol. 30, no. 4, Oct. 1981, p. 330-340. 22 refs. Natural Sciences and Engineering Research Council of Canada Grant No. A-7039.

The results of four experiments using conjunction errors to determine principles which could predict which features of a stimulus display are integrated by the visual system are presented. Specific attention was given to the location principle, to see if features located close together in space would be joined, and the perceptual group principle, to observe if the visual system would join

features from stimulus items forming the same perceptual group or pattern. Subjects were presented tachistoscopic displays of two rows of circles and were asked to determine if there had been a 'plus' sign present in one of the circles. The rows were varied in orientation in space and to one another, and also in color. The perceptual group principle was found to be a good predictor of feature recognition, whereas the location principle was not. Further studies to determine if perceptual organization affects feature abstractions as well as feature integration are indicated. M.S.K.

**A82-16893** Is recognition accuracy really impaired when the target is repeated in the display. C. W. Eriksen, N. Morris, Y.-Y. Yeh, W. O'Hara, and R. T. Durst (Illinois, University, Urbana, IL). *Perception and Psychophysics*, vol. 30, no. 4, Oct. 1981, p. 375-385. 25 refs. Grant No. PHS-MH-01206.

Bjork and Murray (1977) have presented a feature-specific interactive channels model that predicts perceptual interference between letters presented simultaneously in visual displays. Maximum interference is predicted when a target letter is presented with an identical letter. In their experiment, Bjork and Murray found support for their model, but their results could have occurred artifactually from response biases of their subjects. Santee and Egeth (1980) used a different paradigm that eliminated the possibility of this particular response bias and reported that their data supported the feature-specific model. However, the present paper shows that analysis of their data by Santee and Egeth was incomplete and the comparisons inappropriate. In two experiments that used the Santee and Egeth paradigm, support was not found for the feature-specific model when more detailed analyses of the data were undertaken. In a third experiment, one that used the Bjork and Murray paradigm, but with control of response bias, no significant or suggestive evidence was found that feature similarity between noise and target letters affected recognition of the latter. (Author)

**A82-16926** Basic environmental problems of man in space; Proceedings of the Sixth International Symposium, Bonn, West Germany, November 3-6, 1980. Symposium sponsored by the International Academy of Astronautics. Edited by K. E. Klein and J. R. Hordinsky (Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt, Institut für Flugmedizin, Cologne, West Germany). *Acta Astronautica*, vol. 8, Sept.-Oct. 1981. 298 p.

Summaries were given of biomedical research on manned and biosatellite spacecraft from the U.S. and U.S.S.R. Papers were presented on investigations of the effects of spaceflight on human cardiovascular and pulmonary systems. Attention was also paid to studies involving endocrinology, hematology, and immunology, as well as neurology and psychology in spaceflight, with emphasis on the causes and prevention of space sickness. Changes worked on the human musculoskeletal system by hypogravity, hypokinesia, and long duration spaceflight are examined, and preventive health maintenance and medical care in spaceflight are considered. The calcium loss mechanism was explored, and biotechnology for emergency and rescue conditions and trends in life support equipment are reviewed. Finally, future missions for U.S. and U.S.S.R. space activities are outlined. M.S.K.

**A82-16927 \*** U.S. manned space flight: The first twenty years - A biomedical status report. L. F. Dietlein (NASA, Johnson Space Center, Houston, TX) and R. S. Johnston (Texas, University, Houston, TX). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 893-906. 5 refs.

In the last 20 years, the biomedical problems facing man in space have been brought into sharper focus. Space motion sickness is presently the most serious problem. Its etiology remains obscure, but the 'sensory conflict' theory appears most plausible. No valid predictive tests of susceptibility exist and presently medication for prevention or mitigation of symptoms must be relied on. Adaptation/biofeedback techniques may prove useful. Cardiovascular 'deconditioning' may be effectively attenuated by use of anti-g suits or plasma expanding techniques. Recent bedrest simulation studies would seem to indicate that concerns about chronically elevated central venous pressure during space flight are unfounded. The loss of red cell mass in space flight appears to be self-limited, independent

of mission duration, and not of clinical concern, based on recent Soviet experiences. And finally, clodronate, a new diphosphonate effective in preventing hypercalciuria and negative calcium balance in normal human bedrested subjects, may prove effective in preventing or lessening skeletal mineral loss in space. (Author)

**A82-16928** Summary of medical investigations in the U.S.S.R. manned space missions. O. G. Gazenko, A. M. Genin, and A. D. Egorov (Ministerstvo Zdravookhraneniia SSSR, Institut Mediko-Biologicheskikh Problem, Moscow, USSR). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 907-917. 6 refs.

Russian medical investigations of the effects of spaceflight on human physiology are reported. Short duration flights at the beginning of the Russian space program revealed vestibulo-autonomic disorders due to weightlessness and deconditioning to work loads and earth gravity. Vestibulo-autonomic disorders were found to recur among 30% of the cosmonauts once longer spaceflights were undertaken. Pulse blood filling of the head persisted for 3-4 months of flight, yet decreased in the legs, and oxygen debt grew as a function of flight length. Hypertrophy of the leg muscles and the long wide back and neck muscles occurred from the absence of gravity, slowing only when countered with vigorous exercise programs. All changes, even after the 175-day flight, were seen to be reversible after varying periods of time back on earth, although it is noted that even longer flights may result in social-psychological problems which are not yet predictable. M.S.K.

**A82-16929** Summary of experiments onboard Soviet biosatellites. S. O. Nikolaev and E. A. Il'in (Ministerstvo Zdravookhraneniia SSSR, Institut Mediko-Biologicheskikh Problem, Moscow, USSR). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 919-926. 54 refs.

Physiological, morphological and biochemical studies of mammals flown on board biosatellites of the Cosmos series revealed changes in their cardiovascular, musculoskeletal, endocrine and vestibular systems. Space flight resulted in moderate stress reactions, intralabyrinthine conflict information during movements, and changes in fluid-electrolyte metabolism. Exposure to artificial gravity (1 g) decreased the level of myocardial, musculoskeletal and excretory changes, but disturbed the function of equilibrium. Studies with combined weightlessness and ionizing radiation demonstrated that weightlessness did not produce a significant modifying effect on radiation damage and postirradiation recovery. Consistent changes in certain systems of animals and humans in weightlessness confirm the practical importance of biosatellite studies, which also contribute to the solution of general biology problems associated with gravity effects on life processes. (Author)

**A82-16930 \*** U.S. biological experiments in space. H. P. Klein (NASA, Ames Research Center, Moffett Field, CA). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 927-938. 68 refs.

The history of biologic experimentation in space is traced. Early balloon and rocket borne animals showed no abnormalities on the macroscale, and biosatellite launches with bacteria and amoebae revealed no microscopic dysfunctions. Adult *Drosophila* flies on board Cosmos spacecraft died with a shortened lifespan, while their offspring lived full lifespans. Green pepper plants grown in weightlessness showed a different orientation, but no physiological disturbances. Normal bone growth in rats has been found to almost cease after 11 days in space, and the mean life span of red blood cells decreases by four days. A series of experiments designed by U.S. scientists will be performed on primates provided and flown by the U.S.S.R. Finally, experiments on board Spacelab will involve determination of the persistence of circadian rhythms in bacteria and humans. M.S.K.

**A82-16931** Current views and future programs in cardiovascular physiology in space. K. A. Kirsch and H. von Ameln (Berlin,

Freie Universität, Berlin, West Germany). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 939-950. 20 refs. Research supported by the Bundesministerium für Forschung und Technologie.

The volume shift of 2000 cu cm from the lower to the upper part of the human body during weightlessness gave rise to theoretical and practical questions which are addressed in this communication. The analysis revealed that the mobilized fluid reduced the interstitial fluid of the lower extremities by 40%. Applying the current ideas in the field of interstitial tissue physiology to these problems, one must conclude that the fluid displacement can only be brought about by a change of the interstitial tissue compliance. Based on the observations made by the astronauts and on the working hypothesis of the authors, a method was proposed to follow the fluid migration and to measure the tissue compliance in man. Results are reported from experiments under terrestrial conditions. They show that the tissue compliance indeed can be modulated. Applying the method in space can eventually help to clarify several concepts in terrestrial physiology. (Author)

**A82-16932 Cardiovascular reflexes during rest and exercise modified by gravitational stresses.** F. Bonde-Petersen (Copenhagen, Universitet, Copenhagen, Denmark). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 951-958. 10 refs. Research supported by the Danish Space Council and Statens Laegevidenskabelige Forskningsrad.

The effects of negative and positive pressure during rest and exercise were studied to determine whether variations in central venous pressure via the low pressure baroreceptors modifies the arterial baroreceptor function. Seven males in supine position were measured by an Xe-133 washout technique, revealing that increased sympathetic nervous activity of central origin overrides the local veno-arterial reflex. The subjects also underwent hand-grip exercise in a pressure tank or an anti-g suit and were monitored for cardiac output, forearm blood flow, blood pressure, heart rate, total peripheral resistance, and stroke volume. Two regulatory mechanisms were found for skin blood flow, one a veno-arteriolar local reflex mechanism and one in the central nervous system, implying that hydrostatic skin pressure and global vasoconstrictor tone attenuates hydrostatic pressure effects on capillary pressure. Prolonged exercise time was achieved in 35 C water as a result of enhanced venous return because venous pooling due to gravity was avoided. M.S.K.

**A82-16933 Effect of physical fitness and training on physiological responses to hypogravity.** H. Saiki, M. Nakaya, M. Sudoh, M. Abe, Y. Taketomi, K. Oh'ishi (Jikei University, Tokyo, Japan), Y. Saiki, and A. Saiki (Saiki Institute of Science for Nutrition, Tokyo, Japan). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 959-969. 12 refs.

Athletes, quasi-athletes, and nonathletes were studied after periodic exercise and immersion in a water tank to determine the effects of hypogravity on physical fitness. Changes in VO<sub>2</sub> flux, anaerobic power and flicker fusion value, blood pressure and pulse rate, urinary excretion of K(+), Na(+), 17-OHCS, and catecholamines were measured every hour for six hours. Orthostatic tolerance (OST) increased after exercise and decreased after immersion. An observed increase in pressure regulation functions was taken as an adaptation to the decrease in tolerance of other functions, creating a favorable condition for hypodynamic life. Water immersion helped the recovery of tolerance losses and did not create stress. However, a relatively small noradrenaline decrease, and a smaller adrenaline increase, were taken as evidence of detrimental effects of hypodynamics for athletes. M.S.K.

**A82-16934 Simulation of human reactions under extreme conditions.** H. Felkel, M. Jirina, M. Adamec, R. Feuerisl, J. Dvorak, and L. Cettl (Vyzkumny Ustav Tuberkulozy a Respiracnich Nemoci, Prague, Czechoslovakia). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man*

*in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 971-976.

A heuristic model of the lung flow-volume loop for lung mass determination is presented. The redistribution and transfer of fluids in weightlessness affects lung blood flow, and computer analysis and simulation was used to mathematically describe breathing dynamics. Second order parameters were identified and model calculations were compared to results derived from esophageal sounds made by 20 random individuals. A correlation of 0.603 was found, and in-flight measurement of the relative blood volume in the lungs in weightlessness is projected to be possible using a pneumotachograph. M.S.K.

**A82-16935 \* An overview of the endocrine and metabolic changes in manned space flight.** C. S. Leach (NASA, Johnson Space Center, Biomedical Laboratories, Houston, TX). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 977-986. 31 refs.

Analyses of endocrinological and metabolic data from humans during spaceflight, particularly the Skylab crews, are summarized to define the levels of knowledge of these processes and the techniques for studying them. The glomerular filtration rate was tested by urine and blood samples, yielding indications of a creatinine clearance increase. The mechanisms for an increase of free water clearance, implying an increase of antidiuretic hormone, are uncertain, and tests are also under way to evaluate the role of prostaglandins in-flight, to account for decreases in catecholamine excretion. Bone mineral losses of 7.9% were observed at the end of 84 days, and processes are suggested for the calcium metabolism. Finally, the observation of almost universal weight loss among space crewmembers is examined, and a loss of muscle tone due to decreased metabolic efficiency is cited as a feature of long duration spaceflight. M.S.K.

**A82-16936 Ion regulatory function of the human kidney in prolonged space flights.** A. I. Grigor'ev (Ministerstvo Zdravookhraneniia SSSR, Institut Mediko-Biologicheskikh Problem, Moscow, USSR). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 987-993. 14 refs.

Ten cosmonauts, who performed 30-175-day space flights aboard Salyut-4 and Salyut-6, and over 60 test subjects who were exposed to bed rest of up to 182 days and immersion of up to 56 days, were examined. The renal excretion of potassium and calcium increased, reaching a maximum by the 4-6th weeks in prolonged space flights and simulation studies. During the load tests with potassium and calcium salt, excretion postflight was much higher than preflight. During potassium chloride load tests a positive correlation between the blood content of aldosterone and potassium excretion existed, whereas during calcium lactate load tests an increased calcium excretion was accompanied by a decrease in blood parathyroid hormone concentration. The most probable cause of the negative ion balance in weightlessness is the reduced capacity of tissues to retain electrolytes due to the decreased ion pool capacity. Different exercises have been shown to exert a beneficial effect on electrolyte metabolism. (Author)

**A82-16937 Hematological and immunological changes during space flight.** A. Cogoli (Zürich, Eidgenössische Technische Hochschule, Zurich, Switzerland). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 995-1002. 28 refs. Swiss National Science Foundation Grant No. 3,449,0,79.

This paper gives a summary of the principal hematological and immunological changes observed in crews after space flight. Reduction of red blood cell mass (2-21%) and of hemoglobin mass (12-33%) is generally observed. The changes are accompanied with a loss of plasma volume (4-16%). Erythrocyte and hemoglobin concentrations in the blood remain constant, suggesting that the changes are driven by a feed-back mechanism. Immunological changes consist mainly of reduced T-lymphocyte reactivity. The results of the 96-day and 140-day Salyut-6 missions suggest that the adaptation of the immune system to spaceflight occurs in two stages: the first takes place during the first 2-3 months in space, the second

follows and consists of further weakening of the immune response. Experiments with human lymphocytes *in vitro* indicate that high-g enhance, whereas low-g depress lymphocyte activity. Finally, investigations to be performed on Spacelab are described. (Author)

**A82-16938** Nausogenic properties of various dynamic and static force environments. R. J. von Baumgarten, H. Vogel, and J. R. Kass (Mainz, Universität, Mainz, West Germany). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 1005-1013. 9 refs. Bundesministerium für Forschung und Technologie Contract No. 01-QV-017-ZA/WF/WRK-2755.

Tests to define the exact nature of space sickness are described. Static space sickness is thought to occur in individuals who lack perfect symmetry in their otoliths. Orientation imbalance is then precipitated by a change to a hypogravity field. Dynamic space sickness can happen in persons who are not affected by static space sickness, and involves displacement of the otoliths by inertial forces during head movements and locomotion. Experiments in cars, airplanes, and on a laboratory sled to explore the susceptibility to motion sickness are outlined. It was observed that humans have sensors for acceleration, but not for velocity, and velocity- and hill-top illusions are mentioned, noting that changes in direction or acceleration led to subjects perceiving up and down motions while in fact they were riding in a horizontal path. Symptoms vanished with visual contact with the environment. M.S.K.

**A82-16939 \*** Coping with space motion sickness in Spacelab missions. A. Graybiel (U.S. Naval Aerospace Medical Center, Aerospace Medical Research Laboratory, Pensacola, FL). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 1015-1018. 7 refs. NASA Order T-3384-G.

Lessons learned from Skylab are applied to methods of dealing with space sickness among crewmembers in their first orbital flight. Early experiences on Skylab 3 led to regularly scheduled scopalamine/dexedrine tablets ingestion. Subsequent experiences on the next Skylab mission established a 75% incidence of the sickness among first-time-in-orbit crewmembers, notably in periods of inactivity rather than work periods. Intramuscular injections are recommended to treat acute space sickness. Preflight transdermal scopalamine plus three or four doses of 5 mg amphetamine are chosen preventive measures, giving 12 hours of efficacy. M.S.K.

**A82-16940** Status of vestibular function after prolonged bedrest. M. Burgeat, M. Toupet, D. Loth, I. Ingster (Hôpital Lariboisière, Paris, France), A. Guell, and J. Coll (Hôpital de Rangueil, Toulouse, France). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 1019-1027. 7 refs. Research supported by the Centre National d'Etudes Spatiales.

Six young, healthy, male volunteers were submitted to one week of head down (-4 deg) bedrest. This position simulates the cerebral hemodynamic conditions in weightlessness. Measurements of vestibular equilibrium and of oculomotor system function were made before and after the prolonged bedrest. Analysis of the results indicates that vestibular responses, as measured by the maximal speed of the slow phase of the provoked nystagmus (caloric and sinusoidal rotary stimulations), are decreased after prolonged bedrest. This statistically significant diminution requires confirmation with a greater number of cases. The reflex conflicting or interacting with the cervico-ocular and optokinetic reflexes on the one hand and the foveal vision on the other, is one of several possible explanations for the observed changes. (Author)

**A82-16941** Vestibular tests in the selection of cosmonauts. J. Kubiczakowa (Wojskowy Instytut Medycyny Lotniczej, Warsaw, Poland). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 1029-1034. 14 refs.

Results of the testing of cosmonaut candidates for susceptibility to space sickness caused by Coriolis accelerations are reported. The tests comprised biothermal caloric, rotary acceleration-deceleration,

optokinetic, swing torsion, and statokinesometric trials. Nystagmus parameters were obtained from the caloric and rotary tests, and were found similar for subjects with high tolerances for Coriolis accelerations. It is noted that vestibular habituation did not occur evenly for all subjects, and further tests to determine the exact physical mechanisms which lead to reduced response to motion sickness are recommended. M.S.K.

**A82-16942 \*** Effects of the diet on brain function. J. D. Fernstrom (MIT, Cambridge, MA). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 1035-1042. 19 refs. NASA-NIH-PHS-supported research.

The rates of synthesis by brain neurons of the neurotransmitters serotonin, acetylcholine, and the catecholamines depend on the brain levels of the respective precursor molecules. Brain levels of each precursor are influenced by their blood concentration, and for the amino acid precursors, by the blood levels of other amino acids as well. Since diet readily alters blood concentrations of each of these precursors, it thereby also influences the brain formation of their neurotransmitter products. (Author)

**A82-16943** Informational need of emotional stress. P. V. Simonov and M. V. Frolov (Akademiia Nauk SSSR, Institut Vysheii Nervnoi Deiatel'nosti i Neurofiziologii, Moscow, USSR). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 1043-1049. 9 refs.

Subjects underwent a series of tests comprising a visual recognition of numbers in the presence of visual noise and time constraints to measure the influence of emotional stress on reactions. Small levels of continued emotional stress were found to increase performance, decrease errors, and also lead the operators to regard unimportant cues as important. A hypothalamus-amygdala model is presented, where motivational conflict induces chronic anxiety and fixed-direction actions. Further personality typing is attempted with models of hypothalamus-frontal cortex dominated individuals, who are predominantly introverts or choleric, and amygdala-hippocampus dominated persons, who are weak or melancholic. Additionally, there are frontal-cortex-hippocampus dominated individuals who display extroverted behavior. M.S.K.

**A82-16944** How important are changes in body weight for mass perception. H. E. Ross (Stirling, University, Stirling, Scotland; Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt, Institut für Flugmedizin, Bonn, West Germany). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 1051-1058. 26 refs.

The ability of humans to judge weight and mass in variable gravity conditions is considered. Subjects have compared weights and masses in and out of water, in parabolic flight and on the ground, and in centrifuges. Differences in the arm weight due to reduced gravity was found to lead to a choice of weights and masses greater than those in normal gravity. Sequencing the magnitude of the objects also displayed significant effects, as did the presence of anxiety, unusual vestibular stimulation, cognitive expectations, and range effects. Adaptation to null gravity results in an improvement in judgment of the mass of familiar objects, called 'mass constancy', and maladjustment returns with a return to a different gravity environment. M.S.K.

**A82-16945** Pathophysiology of motor functions in prolonged manned space flights. I. B. Kozlovskaiia, Iu. V. Kreidich, V. S. Oganov, and O. P. Koserenko (Ministerstvo Zdravookhraneniia SSSR, Institut Mediko-Biologicheskikh Problem, Moscow, USSR). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 1059-1072. 14 refs.

The influence of weightlessness on different parts of the motor system has been studied in crew members of 140- and 175-day space flights. It has been shown that weightlessness affects all parts of the

motor system including: (1) the leg and trunk muscles, in which severe atonia, a decrease of strength and an increase of electromyographic cost of contraction have been observed; (2) the proprioceptive elements and the spinal reflex mechanisms in which decreased thresholds accompanied by decreases of maximal amplitude of reflexes and disturbances in cross reflex mechanisms have been found; and (3) the central mechanisms that control characteristics of postural and locomotor activities. The intensities and durations of disturbances of different parts of the motor system did not correlate to each other, but did correlate with prophylactic activity during space flight. The data suggest a different nature of disturbances caused by weightlessness in different parts of the motor system.

(Author)

**A82-16946**      **The effects of hypokinesia in primates and bone strength.** L. E. Kazarian and H. E. von Gierke (USAF, Aerospace Medical Research Laboratories, Wright-Patterson AFB, OH). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 1075-1082.

A 14 days ground based primate hypokinesia investigation was conducted to determine what changes, if any, in bone strength may be demonstrated following 2 weeks cast immobilization and at 14 days after removal from casts. Controlled compressive loads were applied to vertebral bodies excised from control, 2 weeks immobilization and 2 weeks post immobilization Rhesus monkeys. The material properties reported herein are ultimate load, displacement to ultimate load, stiffness, and energy to ultimate loads. These results show a decrease in bone strength following immobilization and a still further decrease in bone strength after 14 days.

(Author)

**A82-16947**      **Bone effects of space flight - Analysis by quantum concept of bone remodelling.** A. M. Parfitt (Henry Ford Hospital, Detroit, MI). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 1083-1090. 25 refs.

The long term effects and extent of bone calcium loss due to long duration spaceflight are examined. The calcium loss is mainly through urinary excretion, according to Skylab IV data, with a maximum loss rate of 300 mg/day. The total average depletion was 18 g from both trabecular and cortical bones, and the extent of recovery after return to earth is as yet undetermined. Bone remodelling in natural processes involves osteoclast excavation of bone cavities and osteoblast renewal, with complete erosion and repair cycles lasting 3-6 months. An example of deer antler regrowth is cited, wherein increased cortical bone porosity occurs during regrowth, then returns to normal after the antlers are completed. Finally, tetracycline labeling of bone formation sites is reviewed, and it is cautioned that results of studies of bone regrowth for long term bedrest subjects may not be applicable for long term spaceflight.

M.S.K.

**A82-16948**      **Radiation - Risk and protection in manned space flight.** V. M. Petrov, E. E. Kovalev, and V. A. Sakovich (Ministerstvo Zdravookhraneniia SSSR, Institut Mediko-Biologicheskikh Problem, Moscow, USSR). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 1091-1097. 15 refs.

Radiation hazard for cosmonauts and necessary protective measures are considered. The radiation is either permanent, such as in the inner terrestrial radiation belts, or temporary, such as in the fluctuating outer belts, from solar flares, or from cosmic ray showers. An effective level of 33 rem is offered as a justified risk dose, based on U.S.S.R. and international safety standards. Estimated radiation levels are provided for a one year spaceflight, noting that exposures to 50 rem doses should be more than one month apart. Increased orbital inclination, lengthy flight duration, and higher orbits all lead to increased radiation risks, and shielding with aluminum to 5 g/sq cm is recommended, along with a radiation shelter for long term workers on space stations. The calculated permissible dose rates are designed to bring the probabilities of death due to tumors caused by radiation in line with hazards faced in other occupations, such as test pilots.

M.S.K.

**A82-16949**      **The role of HZE particles in space flight - Results from spaceflight and ground-based experiments.** H. Bückler and R. Facius (Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt, Institut für Flugmedizin, Frankfurt am Main, West Germany). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 1099-1107. 19 refs.

Selected results from experiments investigating the potentially specific radiobiological importance of the cosmic HZE (equals high Z, energetic) particles are discussed. Results from the Biostack space flight experiments, which were designed to meet the experimental requirements imposed by the microdosimetric nature of this radiation field, clearly indicate the existence of radiation mechanisms which become effective only at higher values of LET (linear energy transfer). Accelerator irradiation studies are reviewed which conform with this conjecture. The recently discovered production of 'microlesions' in mammalian tissues by single HZE particles is possibly the most direct evidence. Open questions concerning the establishment of radiation standards for manned spaceflight, such as late effects, interaction with flight dynamic parameters, and weightlessness, are indicated.

(Author)

**A82-16950**      **Anesthesia, surgical aid and resuscitation in manned space missions.** L. L. Stazhadze, I. B. Goncharov, I. P. Neumyvakin, V. V. Bogomolov, and I. V. Vladimirov (Ministerstvo Zdravookhraneniia SSSR, Institut Mediko-Biologicheskikh Problem, Moscow, USSR). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 1109-1113.

Medical procedures suitable for employment in space are reviewed. Reduced blood volume, the redistribution of bodily fluids, dehydration, functional hypodynamics of the myocardium, and shifts in the central or humoral parts of hemodynamic regulation have been noted in long duration space flights. The use of mutually potentiating subnarcotic anesthesia is mentioned, as well as electroanalgesia, reflexotherapy, auriculoacupuncture, and peridural anesthesia, which leaves possibilities of continued operator functioning. Conditions requiring surgery are examined, noting that decreased immunoreactivity observed among cosmonauts will necessitate gnotobiological chambers and specially designed surgeon's tools. The dangers inherent in brain edema in space during resuscitation, emergency infusion-transfusion therapy, and the existence of procedures for use in life threatening situations during extravehicular activity are indicated.

M.S.K.

**A82-16951**      **Biomedical aspects of artificial gravity.** A. A. Shipov, A. R. Kotovskaia, and R. R. Galle (Ministerstvo Zdravookhraneniia SSSR, Institut Mediko-Biologicheskikh Problem, Moscow, USSR). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 1117-1121. 17 refs.

Results of ground-based biomedical investigations of artificial gravity and flight experiments on the Soviet biosatellites Cosmos 782 and 936 are presented. The goal of the investigations was to determine the minimum efficient value of artificial gravity in long-term flights which may eliminate adverse effects of prolonged weightlessness. The development of methods to increase human tolerance to a rotating environment is given highest priority. The maximum angular velocity is determined to be 6 rpm, and the minimum level of the force of gravity is 0.3 g, with a radius of rotation of 10 m.

D.L.G.

**A82-16953**      **Trends in space life support.** A. I. Skoog (Dornier System GmbH, Friedrichshafen, West Germany) and A. O. Brouillet (United Technologies Corp., Hamilton Standard Div., Windsor Locks, CT). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 1135-1146. 5 refs.

Trends in the development of candidate physico-chemical components for use in regenerative life support systems for future extended-duration-mission spacecraft are discussed. The development of life support systems which provide air revitalization, including

CO<sub>2</sub> reduction, water reclamation, and limited waste management will require a two-fold approach due to complexities associated with the biological support systems. For longer duration manned space flights, such as permanently inhabited space stations, it is recognized that development of biological life support systems capable of generating food and regenerating wastes will be essential to reduce logistics costs. D.L.G.

**A82-16954** Future investigations onboard Soviet biosatellites of the Cosmos series. E. A. Il'in (Ministerstvo Zdravookhraneniia SSSR, Institut Mediko-Biologicheskikh Problem, Moscow, USSR). (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 1149-1157. 16 refs.

Rat experiments on Cosmos biosatellites have been conducted to furnish information concerning the effects of weightlessness, artificial gravity, and ionizing radiation combined with weightlessness on structural and biochemical parameters of animal bodies. Investigations of weightlessness effects on the cardiovascular and vestibular systems, higher nervous activity, skeletal muscles, and biorhythms of two rhesus monkeys are currently being developed and tested. A study of weightlessness effects on embryogenesis of rats and bioenergetics of living systems on the Cosmos biosatellites is also planned. Physiological investigations of non-human primates will be emphasized in future Soviet flight programs, with high priority given to cardiovascular function, fluid-electrolyte metabolism, interaction of sensory systems, and the musculo-skeletal system. D.L.G.

**A82-16955** Human roles in future space operations. D. R. Criswell. (*International Academy of Astronautics, International Symposium on Basic Environmental Problems of Man in Space, 6th, Bonn, West Germany, Nov. 3-6, 1980.*) *Acta Astronautica*, vol. 8, Sept.-Oct. 1981, p. 1161-1171. 45 refs. Research sponsored by the University of California.

Man's development in the biosphere from a competitor with other animals to a controller of mass flows equal to those of the biosphere is reviewed. The fundamental physical reasons for man's expansion into space are then considered: (1) more efficient equipment for conversion of solar energy into useful energy; (2) ability to handle progressively larger quantities of matter in more capital-efficient ways; (3) unlimited space within which to build new cumulated controlled connectivities (C + C + C) centers and (4) construction of environments within which decay of productive and accumulated capital can be minimized. Finally, several near-term and long-range research topics appropriate to human expansion into space are reviewed, including space stations, mixed crews, extended missions, and space colonies. J.F.

**A82-16968** † Characteristics of loading hypoxia (Osobennosti gipoksii nagruzki). M. M. Filippov (Akademiia Nauk Ukrainskoi SSR, Institut Fiziologii, Kiev, Ukrainian SSR). *Fiziologicheskii Zhurnal* (Kiev), vol. 27, Nov.-Dec. 1981, p. 753-757. 13 refs. In Russian.

The physiological changes accompanying the oxygen insufficiencies present in the body during exercise are investigated. Determinations of respiratory, hemodynamic and gas exchange indicators, measurements of blood gas composition and acid-base status, and analyses of oxygen and carbon dioxide metabolism were performed for over 300 individuals of various ages and degrees of physical training at rest and during muscular activity at sea level and in the mountains. Loading hypoxia is found to be characterized by venous hypoxemia and hypercapnia, oxygen deficiency or oxygen debt at high levels of exertion, the build-up of underoxidized metabolites, and shifts in the acid-base status of the blood and blood buffering capacity, affecting the oxygen affinity of hemoglobin. The hypoxic state is also found to be accompanied by greater respiratory and circulatory system efficiency. Four stages of loading hypoxia are distinguished according to the degree of expression and the results of compensatory mechanisms. A.L.W.

**A82-16969** † Oxygen tension in albino rat abdominal cavity organs in normo- and hyperoxybaria (O napriazhenii kisloroda v nekotorykh organakh briushnoi polosti belykh kris pri normo- i giperoksibarii). I. F. Sokolianskii (Akademiia Nauk Ukrainskoi SSR,

Institut Fiziologii, Kiev, Ukrainian SSR). *Fiziologicheskii Zhurnal* (Kiev), vol. 27, Nov.-Dec. 1981, p. 758-761. 16 refs. In Russian.

The relation of the partial pressure of oxygen in the external medium to that in the liver, kidney, intestinal seromuscular layers and mucosal layer in the rat is investigated. Experiments were performed on animals exposed to oxygen partial pressures from 20 to 392.2 kPa, with tissue oxygen measured polarographically in room air, normobaric hyperoxia and hyperbaric hypoxia. The increase in oxygen partial pressure is reflected to varying degrees as an increase in the oxygenation of the various organs and tissues examined. At a hyperoxybaria of 392.2 kPa, the oxygen tension in the seromuscular layer of the intestines and the liver is observed to be maintained at a high level for as long as 120 min, although the peak in tension occurs before the end of this period. A.L.W.

**A82-16970** † The state of the air-blood barrier in hyperoxia (Sostoianie aero-gematicheskogo bar'era pri giperoksii). T. N. Kovalenko (Akademiia Nauk Ukrainskoi SSR, Institut Fiziologii, Kiev, Ukrainian SSR). *Fiziologicheskii Zhurnal* (Kiev), vol. 27, Nov.-Dec. 1981, p. 762-767. 15 refs. In Russian.

The effects of short-term exposure to hyperoxia on the ultrastructure and thickness of the pulmonary air-blood barrier and the surface tension of pulmonary tissue extracts are examined in adult and 2-week-old rats breathing gas mixtures of from 40 to 90% O<sub>2</sub> for 30 min. Signs of the nonuniform deterioration of the air-blood barrier are found in rat lung following the breathing of 90% O<sub>2</sub> in nitrogen which are more pronounced and more frequent in the young animals. These degradations are accompanied by changes in pulmonary microcirculation, a thickening of the air-blood barrier, and an increase in pulmonary surface tension in the young rats only. The breathing of 40% O<sub>2</sub> mixtures is not found to lead to any changes in these parameters in either age group. Results thus demonstrate the potential for damage of extended exposure to 90% oxygen mixtures, and the greater sensitivity of the organism to the effects of hyperoxia at the early stages in its development. A.L.W.

**A82-16971** † Some characteristics of thermal adaptation in small laboratory animals (O nekotorykh osobennostiakh teplovoi adaptatsii melkikh laboratornykh zhivotnykh). V. A. Lekakh, O. N. Lagunova, and M. L. Khalin (Donetskii Meditsinskii Institut, Donetsk, Ukrainian SSR). *Fiziologicheskii Zhurnal* (Kiev), vol. 27, Nov.-Dec. 1981, p. 819-822. 12 refs. In Russian.

The applicability of the characteristics of thermal adaptation and tolerance observed previously in the rat to other types of small laboratory animals is investigated in heat acclimatization experiments involving guinea pigs. The experiments involved twice-weekly exposures of the animals to a temperature of 42 C for a period of 1 hour, followed by the evaluation of tolerance times at the same temperature. As with rats, the guinea pigs are found to exhibit a plateau in body temperature upon exposure to heat, the duration of which may be used to evaluate heat tolerance, although that of the guinea pig may reach 42.2-42.4 C, compared to the rat's 41.6-41.8 C. Heat training is observed to extend the length of this plateau period in most animals, although it has no significant effect on the rate of body temperature change or its plateau level. Considerable individual variability in adaptive capacities is also observed, however a significant correlation is found between the rate of temperature reduction in the recovery period and the extent of thermal tolerance increase in the training period. A.L.W.

**A82-17123** Experimental biology and medicine in space. Iu. G. Grigor'ev (Ministry of Health of USSR, Institute of Biophysics, Moscow, USSR). *Endeavour*, vol. 5, no. 4, 1981, p. 147-151. 20 refs.

The progress of spaceborne biological studies is reviewed. Early long duration flights such as Cosmos-110 and Zond-7 returned dogs and tortoises in healthy conditions, while muscular atrophy, a decrease in muscle strength, and osteoporosis were observed on rats onboard Cosmos satellites. Cosmos-782 demonstrated the worth of centrifugal induction of one-third g to maintain normal physiological processes. *Drosophila* onboard Bios II displayed lethal mutations, cross-overs, and multiple chromosome breaks in larval reproductive cells from space gamma radiation. The deceleration of heavy nuclei is estimated to irradiate 15,000 cells with several thousand rads, a level which can significantly affect highly differentiated cells. Plants have been found to require gravity for growth, while

weightlessness does not affect processes which are not dependent on gravity, such as mammalian growth. M.S.K.

**A82-17133** † **Robot with sense of touch (Roboter mit Tastsinn).** G. Hirzinger (Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt, Institut für Dynamik der Flugsysteme, Oberpfaffenhofen, West Germany). *DFVLR-Nachrichten*, Nov. 1981, p. 38-41. In German.

A description is presented of investigations related to the development of computer-controlled manipulators (robots) with touch-sensor feedback systems, taking into account work conducted in West Germany. A robot is concerned with emulating the functions of the human arm. It has, therefore, a number of joints which can be individually controlled. Many of the current robots cannot yet be programmed for the Cartesian space to which man has become accustomed. A system of computer programs was developed for the calculation of the data needed by the robot to execute the required motions. Attention is also given to a three-dimensional force-moment sensor, two alternate approaches for the sensor signal feedback system, and robot languages. Applications involving an employment of the touch sensor are also discussed, taking into account the trimming of cast-metal components and assembly operations. G.R.

**A82-17138** † **An investigation of memory during the process of adaptation to mountain conditions (Issledovanie pamiaty v protsesse adaptatsii k usloviyam vysokogor'ia).** V. D. Bakharev (Voenno-Meditsinskaiia Akademiia, Leningrad, USSR). *Fiziologija Cheloveka*, vol. 7, Nov.-Dec. 1981, p. 963-969. 8 refs. In Russian.

Changes in verbal memory arising during the period of human adaptation to mountain conditions are investigated. Residents of Central Asia and Pskov were tested for visual, short-term, long-term, operative, visual shape, associative, involuntary and auditory memory during stays on the plains and in the Pamir mountains at an altitude of 3400-3600 m. Reductions in all memory indicators of 10-20%, and in some cases 30%, are found during the initial period of altitude adaptation, with the peak in memory decline occurring at the end of the second day at altitude. By the 7-8th day of adaptation, the indicators of memory are restored to levels close to the original, however do not reach control levels even after 50 days. The worsening of memory is less pronounced in the residents of Central Asia than in residents of the central region, while heavy physical loads are observed to have a negative influence on memory and mental capacity. Finally, it is found that the neuromodulator (8-arginine)-vasopressin improves human memory, particularly under mountain conditions. A.L.W.

**A82-17139** † **The circadian organization of the circulatory and respiratory systems of Antarctic workers (Tsirkadnaia organizatsiia sistem krovoobrashcheniia i dykhaniiia u poliarnikov v Antarktide).** V. A. D'iachkov (Akademiia Meditsinskikh Nauk SSSR, Novosibirsk, USSR) and M. P. Moshkin (Kuzbasskii Politekhnikeskii Institut, Kemerovo, USSR). *Fiziologija Cheloveka*, vol. 7, Nov.-Dec. 1981, p. 970-973. 17 refs. In Russian.

**A82-17140** † **Pulmonary diffusing capacity under conditions of restricted motor activity (Diffuzionnaia sposobnost' legkikh v usloviakh ogranichennoi dvigatel'noi aktivnosti).** N. A. Agadzhanian and A. N. Kotov (Ministerstvo Zdravookhraneniia SSSR, Institut Mediko-Biologicheskikh Problem, Moscow, USSR). *Fiziologija Cheloveka*, vol. 7, Nov.-Dec. 1981, p. 974-980. 18 refs. In Russian.

The dynamics of pulmonary diffusing capacity and its membrane and capillary components are investigated in humans under conditions of prolonged motor activity restriction. Steady-state determinations of pulmonary diffusing capacity were made in subjects undergoing 49 days of strict antiorthostatic hypokinesia, strict antiorthostatic hypokinesia while exposed to hypoxic gas mixtures for a period of 3 hours twice daily, and antiorthostatic hypokinesia while performing physical exercises for a period of 1 hour twice daily. An initial increase, followed by a decrease to below original values then a reestablishment of the original level of pulmonary diffusion capacity is found which is indicative of blood redistribution. The breathing of hypoxic gas mixtures or the performance of exercises as prophylactic measures is observed to have no effect on the dynamics of diffusing capacity variations, however it tends to diminish the markedness of shifts and their duration. These prophylactic measures are also observed to maintain

a high degree of correlation between diffusing capacity and respiratory volume. A.L.W.

**A82-17141** † **Monitoring the condition of the organism under hyperoxic conditions (Kontrol' sostoiianiia organizma v usloviakh giperoksii).** A. I. Selivra (Akademiia Nauk SSSR, Institut Evoliutsionnoi Fiziologii i Biokhimii, Leningrad, USSR), I. F. Sapozhkova (Ministerstvo Vyshego i Srednego Spetsial'nogo Obrazovaniia SSSR, Osoboe Konstruktorskoe Biuro Biologicheskoi i Meditsinskoi Kibernetiki, Moscow, USSR), and A. M. Rafikov (Nauchno-Issledovatel'skii Neirokhirurgicheskii Institut, Leningrad, USSR). *Fiziologija Cheloveka*, vol. 7, Nov.-Dec. 1981, p. 981-989. 15 refs. In Russian.

A method is developed for the on-line processing of EEG data to obtain early indications of the onset of acute oxygen intoxication in patients undergoing hyperoxic treatments. The method, which provides for the spectral analysis of EEGs, is applied to data obtained in the monitoring of patients with either permanent injuries to the peripheral nervous system without brain pathology or vascular or traumatic brain injuries during hyperbaric oxygenation at oxygen partial pressures from 130 to 297 kPa. Early signs of the breakdown of the hyperoxia compensation in healthy people are found to include the appearance of slow rhythms in the EEG, the reduction in the amplitude of pneumogram respiratory waves, and the appearance or amplification of respiratory arrhythmias in the pulse. The algorithm finally adopted for the prediction of acute oxygen intoxication calculates the contracted modular shape coefficient of the EEG, and becomes most effective during a voluntary hyperventilation maneuver. In the case of patients with initially disturbed EEG patterns, it is recommended that EEG norms be obtained during the first few minutes of hyperoxic treatment to be used as standards for the remainder of the exposure. A.L.W.

**A82-17142** † **The effects of operator activity on the diurnal rhythm of physiological functions (Vliianie operatorskoi deiatel'nosti na sutochnuiu ritmiku fiziologicheskikh funktsii).** V. V. Romanov and A. N. Popov (Kalininskii Politekhnikeskii Institut, Kalinin, USSR). *Fiziologija Cheloveka*, vol. 7, Nov.-Dec. 1981, p. 990-995. 15 refs. In Russian.

The effects of operator activity of various types on the daily rhythms of body temperature and cardiovascular indicators are investigated. Measurements of the daily variation in body temperature, pulse rate, arterial pressure at rest and after physical loading were made in 441 operators working uninterrupted for 6 or 12 hours or in an expectation regime for 24 hours. Increased operator workloads are found to lead to a significant decrease in the amplitudes of the daily oscillations of body temperature and cardiovascular indicators, while mean daily body temperature is unchanged and heart rate is somewhat decreased. Decreases in body temperature and heart rate at the end of the working shift are attributed to the limited motor activity involved in operator tasks. It is suggested that, rather than the absolute values or changes in pulse rate or arterial pressure, a circulatory effectiveness coefficient measured during a functional test be used to assess operator fatigue. A.L.W.

**A82-17143** † **Northern pulmonary arterial hypertension (Severnaia legochnaia arterial'naia gipertenziia).** A. P. Milovanov, B. V. Noreiko, and G. I. Moroshnichenko (Akademiia Meditsinskikh Nauk SSSR, Moscow; Blagoveshchenskii Meditsinskii Institut, Blagoveshchensk, USSR). *Fiziologija Cheloveka*, vol. 7, Nov.-Dec. 1981, p. 996-1003. 9 refs. In Russian.

The development of pulmonary artery hypertension in persons exposed to conditions of the far north over extended periods of time is investigated. Zonal measurements of blood pressure in the pulmonary circulation were made for 252 healthy male inhabitants of Pevek on the Arctic coast of the northeastern Soviet Union, Nar'ian-Mar in the polar region of the European north, and the Nenetsk autonomous okrug as a function of length of stay in their respective regions. Comparison with a control group examined at Blagoveshchensk in the winter reveals three stages of pulmonary hypertension in the northern inhabitants. The first stage, apparent after 3-12 months, is characterized by a threefold rise in pulmonary arterial pressure with an insignificant increase in systemic circulation. The second stage, lasting from the first to the tenth year of exposure, is marked by a decrease and eventual stabilization of pulmonary

## A82-17144

pressure at a level twice that of normal, which is observed in natives of the region and second and third generation colonists. After about 10 years of habitation in the north, pulmonary hypertension is again observed to increase, with a maximum in the lower lung regions, and to be accompanied by complaints of dyspnea during sudden changes in the weather, indicating partial pulmonary deadaptation. A.L.W.

**A82-17144 †** Characteristics of indicators of cardiac rhythm in the norm and in mental maladjustment (Osobennosti pokazatelei serdechnogo ritma v norme i pri psikhicheskoi dezadaptatsii). V. M. Vorob'ev and V. P. Chebakov. *Fiziologiya Cheloveka*, vol. 7, Nov.-Dec. 1981, p. 1004-1010. 11 refs. In Russian.

The interrelationships of cardiac rhythm indicators in the norm and in persons with different degrees of mental maladjustment are compared. Computerized processing of electrocardiographic data was used to determine the correlations between indicators of cardiac rate, quality and reactivity to orthostatic tests, clinostatic tests, mental workloads and rest following physical loads in military school candidates with completely normal psychological characteristics, normal psychological characteristics with personality accentuations, and pathological maladjustments. The presence of a psychic maladjustment is observed to lead to a breakdown in the correlations between the various cardiac indicators, particularly between those of reactivity and quality. In addition, new correlations are also observed occasionally in cases of pathological psychologies which are not found in normal groups. Changes in the correlation relationships of cardiac rhythm indicators with varying degrees of mental adaptation are explained by general mechanisms for the regulation of mental and vegetative functions. A.L.W.

**A82-17145 †** The effects of bicycle ergometer exercise on plasma amino acid contents in athletes (Vliianie veloergometricheskoi nagruzki na sodержanie aminokislot v plazme u sportsmenov). V. G. Kukes, A. S. Nasonov, L. P. Belianova, E. N. Golubeva, L. A. Baratova, A. M. Alaverdian, and A. B. Burkashov (I Moskovskii Meditsinskii Institut; Moskovskii Gosudarstvennyi Universitet, Moscow, USSR). *Fiziologiya Cheloveka*, vol. 7, Nov.-Dec. 1981, p. 1011-1015. 18 refs. In Russian.

The effects of bicycle ergometer exercise to the limit on the contents of free amino acids in the blood plasma of elite athletes are investigated in a study of the contributions of amino acids to muscular energy metabolism. Amino acid analyses were performed on the blood of six biathlon competitors and eight skaters 15 min before and 3 min after bicycle ergometer exercise with stepwise increasing loads starting at 1 W/kg body weight. In the skaters, who were found to exhibit a greater work capacity, plasma alanine contents are observed to increase by 52.6% with respect to initial levels in the post-exercise phase, while the levels of the remaining amino acids and total amino acid quantities did not change significantly. The biathlon competitors, having performed a lesser amount of work, exhibited no significant change in individual amino contents or total free amino acids following exercise. The increase in alanine contents in the better-conditioned athletes is attributed to the glucose-alanine cycle in which alanine is synthesized by the transamination of pyruvate during glycolytic glucose oxidation in muscles. A.L.W.

**A82-17146 †** The dynamics of cardiac rhythm parameters during work under various loads (Dinamika parametrov serdechnogo ritma vo vremia raboty s razlichnoi nagruzkoi). L. A. Beliakova and V. A. Poliantsev (Moskovskii Meditsinskii Stomatologicheskii Institut, Moscow, USSR). *Fiziologiya Cheloveka*, vol. 7, Nov.-Dec. 1981, p. 1016-1022. 14 refs. In Russian.

Differences in the dynamics of cardiac activity indicators appearing with different work loads are investigated in air traffic controllers with different levels of experience. Cardiac intervalograms were obtained by a telemonitoring system for 24 controllers aged between 25 and 30 years during the course of morning and evening shifts of duration 6 and 7.5 hours, respectively, and compared with simultaneous work levels. The cardiac indicators found to undergo the greatest variations in the presence of constantly varying work loads include parameters such as heart rate, mean square R-R interval deviation, P,T peak amplitude and ST interval displacement. Heart rhythm is observed to stabilize under increased loads in the more experienced controllers, corresponding to a more optimal state for task performance. A stabilization of heart

rhythm is observed in all controllers toward the end of the shift, indicative of sympathoadrenal activation. The technique of cardiac monitoring throughout the working shift is recommended as a means for the detection of possible cardiac pathology in the air traffic controller. A.L.W.

**A82-17147 †** Plasma erythropoietins during training for hyperoxic conditions (Eritropoietiny plazmy v protsesse trenirovki k usloviyam giperoksii). V. I. Voitkevich, A. M. Volzhskaya, and L. A. Korhinskii (Akademiia Nauk SSSR, Institut Fiziologii, Leningrad, USSR). *Fiziologiya Cheloveka*, vol. 7, Nov.-Dec. 1981, p. 1118-1120. 13 refs. In Russian.

**A82-17360 †** 'Hot spots' in the problem of the origin of life ('Goriachie tochki' v probleme proiskhozhdeniia zhizni). L. M. Mukhin. In: The problem of the search for extraterrestrial civilizations. Moscow, Izdatel'stvo Nauka, 1981, p. 148-154. In Russian.

Areas presenting the most difficulty to the understanding of the origin of life are considered. The conditions present on the primitive earth are discussed, and probable siting of the nonequilibrium thermodynamic synthetic processes necessary for life in regions of underwater vulcanism and hydrothermal features is pointed out. The problems of the origin of protein synthesis in the absence of enzymes and the translation apparatus, and the evolution of the genetic code are then examined, and experimental evidence demonstrating the virtual identity of the mechanism of protein and nucleic acid synthesis over the course of 3.5 billion years is indicated. A possible sequence of events giving rise to the present system of template coding is then proposed which is based on protein self-assembly becoming associated with membrane-facilitated nucleic acid metabolism in protocells. A.L.W.

**A82-17361 †** Prospects for the detection of interstellar biological molecules (Perspektivy obnaruzheniia mezhzvezdnykh biologicheskikh). V. I. Slysh. In: The problem of the search for extraterrestrial civilizations. Moscow, Izdatel'stvo Nauka, 1981, p. 155-160. 10 refs. In Russian.

The possibilities of the existence of complex biological molecules in interstellar space and of the detection of such molecules by astronomical methods are discussed. Molecular data from radioastronomical observations and laboratory experiments is presented which demonstrates the possibility of the existence of the physical conditions and precursor molecules necessary for the formation of complex molecules such as amino acids and nucleotides in interstellar space. Possible spectroscopic and direct means for the detection of such molecules are then examined, and it is concluded that amino acids and the components of nucleic acids may be detected by radioastronomical methods, whereas the search for protein molecules and DNA is possible through the use of X-ray astronomy and direct sampling. A.L.W.

**A82-17362 †** Organic compounds in space and the problem of the origin of life (Organicheskie soedineniia v kosmose i problema proiskhozhdeniia zhizni). V. S. Strel'nitskii. In: The problem of the search for extraterrestrial civilizations. Moscow, Izdatel'stvo Nauka, 1981, p. 161-171. 20 refs. In Russian.

Results of the search for and investigations of organic compounds in astronomical objects are presented in view of the importance of such molecules for the origin of life. Studies of various types of organic compounds in meteorites and comets are reviewed, and detections of aliphatic and aromatic hydrocarbons, heterocyclic nitrogenous bases, sugars and amino acids in carbonaceous chondrites and of HCN and CH<sub>3</sub>CN in Comet Kohoutek are noted which confirm the possibility of organic synthesis in the protoplanetary nebula. The discovery and classification of interstellar molecules are then reviewed, and the types of objects in which they are found are indicated, including diffuse clouds, dark dust clouds, globules, molecular clouds and circumstellar envelopes. The possible universal character of the processes of pre-biotic chemical evolution is discussed. It is shown that the necessary build-up of substances necessary for the appearance of life in the Galaxy is occurring on a large scale, although it is emphasized that this is not necessarily evidence for the prevalence of life. A.L.W.

**A82-17426 \*** **Vestibular and oculomotor physiology; Proceedings of the International Meeting, New York, NY, September 22-25, 1980.** Meeting sponsored by the Barany Society, New York Academy of Sciences, NASA, et al. Edited by B. Cohen (New York, City University, New York, NY). *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981. 905 p.

Papers are presented showing recent progress in the understanding of the processing of visual and vestibular signals by the central nervous system to produce eye movements and postural responses. Specific topics include the directional sensitivity of hair cells to hair bundle deflection, the effects of gravity on rotatory nystagmus, the reticulovestibular organization associated with horizontal fast eye movement, the pathways controlling the extraocular eye muscles, the organization of visual-vestibular interaction in vestibular neurons, motion sickness due to vision reversal in stroboscopic light, and vestibular habituation during sinusoidal rotation. Attention is also given to vestibulo-ocular, vestibulocollic and cervicocollic reflexes, visual mossy fiber inputs to the flocculus, directional plasticity of the vestibulo-ocular reflex, the relation of active head rotation with eye-head coordination, instability in the optokinetic-vestibular system as an explanation for periodic alternating nystagmus, the effects of visual and nonvisual fixation on vestibular nystagmus, interaction of saccades with the vestibulo-ocular reflex, and the role of the plantar mechanoreceptor in equilibrium control. A.L.W.

**A82-17427** **Directional sensitivity of individual vertebrate hair cells to controlled deflection of their hair bundles.** S. L. Shottwell, R. Jacobs, and A. J. Hudspeth (California Institute of Technology, Pasadena, CA). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 1-10. 12 refs. Research supported by the William Randolph Hearst Foundation, Ann Peppers Foundation, and Pew Foundation; Grants No. NIH-NS-13154; No. NIH-GM-00086.

Observations of the directional sensitivity of individual vertebrate sensory hair cells to displacements of their hair bundles are reported. Experiments were performed by the mechanical stimulation of the hair bundles at the apical ends of hair cells of bullfrog saccular maculi by fine glass capillaries slipped over the distal ends of the bundles, simultaneously with the recording of intracellular receptor potential. Deflection of the tip of the hair bundle within the hair cell plane of symmetry is observed to produce a graded depolarization of amplitude 4-20 mV when the motion is towards the kinocilium, and a graded hyperpolarization of about one fifth this magnitude when the motion is in the opposite direction. Stimulation in the plane perpendicular to the hair cell plane of symmetry produces little or no receptor potential, while stimulation in an intermediate direction produces a response that varies approximately as the cosine of its angle to the symmetry axis. Results suggest that the directional sensitivity of the hair bundle is conferred by the differing heights of the stereocilia along the plane of symmetry. A.L.W.

**A82-17428** **The function of the endolymphatic duct - An experimental study using ionic lanthanum as a tracer: A preliminary report.** H. Rask-Andersen, G. Bredberg, L. Lyttkens, and G. Loof (University Hospital, Uppsala, Sweden). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 11-19. 23 refs. Research supported by the Statens Medicinska Forskningsrad. SMF Project 3542; SMF Project 3908.

**A82-17429** **Eye-muscle geometry and compensatory eye movements in lateral-eyed and frontal-eyed animals.** J. I. Simpson and W. Graf (New York University, New York, NY). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 20-30. 51 refs. Research supported by the Irma T. Hirsche Trust; Deutsche Forschungsgemeinschaft Contract No. Gr-688/1; Grant No. PHS-NS-13742.

The basis for the differences in the directions of compensatory eye movements in lateral-eyed and frontal-eyed animals is investiga-

ted by the determination of the orientations of the vertical semicircular canals and the insertions and lines of action of the oblique and vertical recti muscles in species with differing interocular angles. Muscle and vestibular orientations and muscle actions were measured or obtained from the literature for pigmented and albino rabbits, albino guinea pigs, and pigmented cats, and compared with the literature data for humans. The pulling directions of the superior oblique and superior rectus muscles are found to change relative to the optic axis so that the ipsilateral vertical canal to which each muscle is most nearly parallel remains the same. Changes in the insertion points of the superior muscles on the ocular globe combine with the changes in lines of action to produce different secondary kinematic actions leading to different types of compensatory eye movements upon exposure of the semicircular canals to rotational stimuli. A.L.W.

**A82-17430** **Phasic components of frog semicircular canal.** Y. Harada and K. Hirata (Hiroshima University, Hiroshima, Japan). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 31-39. 7 refs.

The sensory adaptation characteristics of the ampulla of the isolated frog semicircular canal are investigated. Vertical posterior semicircular canals isolated together with their ampullas and the distal stump of the ampullar nerve were stimulated by a mechanical device inducing ampullofugal currents, and the induced action potentials in the ampullar branch of the vestibular nerve were recorded. Observations of the time course of nerve activity indicate that the integrated nerve activity recorded reflects mainly the high-amplitude action potentials. Maximum values of the integrated nerve activity are found to be proportional to the logarithm of stimulus strength, and to the displacement velocity of the mechanical stimulation. When a fluid flow pulse of long duration is applied to the canal, integrated nerve activity is found to decrease exponentially during a single pulse, and to decrease with successive pulses less than 5.0 sec apart. Finally, experiments with superimposed sequential stimulation applied at various times indicate the presence of adapting units with different thresholds. A.L.W.

**A82-17431 \*** **Physiological mechanisms of the nystagmus produced by rotations about an earth-horizontal axis.** J. M. Goldberg and C. Fernández (Chicago, University, Chicago, IL). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 40-43. 14 refs. Grants No. NIH-NS-01330; No. NGR-14-001-225.

The physiological basis of the nystagmus produced by rotation about an earth-horizontal axis is investigated with particular emphasis on the unidirectional nystagmus attributed to a bias component. Eye movement recordings were made with dc electro-oculography in alert squirrel monkeys and afferent responses were recorded from semicircular canals and otolith receptors of anesthetized animals upon rotations in the pitch and yaw planes. The eye-movement recordings show the rotation responses in the squirrel monkey to resemble those of other species, including persistent horizontal and vertical nystagmus during yaw and pitch rotations, respectively, a unidirectional nystagmus at low rotation speeds, and postrotatory responses of relatively small amplitude and duration. The vestibular nerve recordings do not show a directionally specific dc response that can account for the bias component, but instead exhibit sinusoidal responses of peak amplitudes 0-15 and 25-75 spikes/sec for the canals and otolith, respectively. Results thus indicate that the dc signal to the oculomotor centers responsible for the nystagmus is of central origin, most likely based on some transformation of the otolith signals. A.L.W.

**A82-17432** **Effects of gravity on rotatory nystagmus in monkeys.** T. Raphan, B. Cohen (New York, City University, New York, NY), and V. Henn (Zürich, Universität, Zurich, Switzerland). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 44-55. 28 refs. Swiss National Science Foundation Grant No. 3,343,078; Grant No. NIH-NS-00294.

The effects of rotation about an off-vertical axis on the

dynamics of the slow-phase velocity of the induced nystagmus are investigated. Eye movements induced by optokinetic stimulation or by angular rotation about vertical or off-vertical axes were recorded by dc electro-oculography in 12 monkeys of various species seated within a closed drum and viewing a series of alternating vertical black and white stripes. Slow-phase velocity profiles induced by steps of angular velocity indicate that a tilt of the rotation axis 50 deg from the vertical does not affect the initial peak velocity or gain of the vestibulo-ocular reflex, however leads to the decay of the slow-phase velocity to zero, similar to the effects of vision. Off-vertical axis rotation is also observed to cancel the postrotatory nystagmus for velocities up to 50-60 deg/sec, and reduce it relative to that encountered in vertical rotation at higher velocities. In addition, experiments with changes in the inclination of the rotation axis during rotation suggest that the velocity storage mechanism is the same for the generation of continuous nystagmus during visual and vestibular stimulation about the vertical axis and for off-axis rotations. The results are interpreted in terms of a mechanism for nystagmus induced by off-vertical axis rotation which is based on the role of the velocity storage integrator in producing slow changes in eye velocity are a result of otolith and cupula stimulation. A.L.W.

**A82-17433**      **Dynamic characteristics of the otolithic oculomotor system.** T. Tokita, H. Miyata, M. Masaki, and S. Ikeda (Gifu University, Gifu, Japan). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 56-68. 11 refs.

Transfer functions of the opto-oculomotor, otolithic oculomotor and opto-otolithic oculomotor systems in humans are investigated. Bode plots of the transfer functions were obtained in 10 healthy adults and five patients with bilateral loss of labyrinth excitability performing a vertical tracking test, an up-down passive displacement, and a running test in the light and the dark. The gain and phase of the opto-oculomotor system as indicated by the tracking test are found to be flat in the frequency range 0.3 to 1.0 Hz. In the up-down test in the dark, the gain of the otolithic oculomotor system increased linearly with an increase in frequency from 0.7 to 5 Hz, while in the light, the gain and phase were flat from 0.3 to 2.5 Hz. Transfer functions calculated from vertical head acceleration as input and vertical eye movement as output in the running test are observed to be similar in the dark and the light, with gain decreasing linearly with frequency increase from 0.3 to 3.0 Hz. The opto-oculomotor responses of the patients with bilateral labyrinth excitability losses are found to be the same as those of normal subjects, while three patients exhibited no eye movement response and two exhibited a periodic eye movement in the up-down test. Rhythmic eye movements corresponding to head movements are also observed in the patients during the running test, although the values of gain and phase are scattered. Results suggest that factors other than the otolithic oculomotor response may produce the observed eye movements. A.L.W.

**A82-17434**      **Binocular counterrolling in humans with unilateral labyrinthectomy and in normal controls.** S. G. Diamond and C. H. Markham (California, University, Los Angeles, CA). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 69-79. 15 refs.

**A82-17435 \***      **Ocular torsion on earth and in weightlessness.** L. R. Young, B. K. Lichtenberg, A. P. Arrott, T. A. Crites, C. M. Oman, and E. R. Edelman (MIT, Cambridge, MA). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 80-92. 16 refs. Grant No. NsG-2032; Contract No. NAS9-15343.

Otolith function is studied by means of measurements of ocular torsion under various acceleration environments on earth and in weightlessness. Photographic measurements of ocular torsion as indicated by the rotation of landmarks on the iris with respect to head-fixed fiducial marks were obtained in subjects undergoing horizontal linear acceleration in a ground-based version of the space sled, lateral acceleration from weightlessness during pullout from the

free-fall portion of parabolic flight, and optokinetic stimulation about the roll axis in the supine position in the laboratory and during weightlessness. The responses of ocular torsion to horizontal acceleration are in agreement with a simple low-order linear system with a dominant time constant of 0.33 sec, with a transfer function fit by a model with a pure delay of 0 to 400 msec and a first-order lag. In the pullout experiment, torsion was not observed in response to the onset of acceleration in the right-ear-down position, although it was present in response to the lateral stimulus. Results of the roll vection experiments indicate the independence of ocular torsion and visually induced tilt. In addition, an automatic video system using a soft contact lens target is presented which has been developed for ocular torsion measurements. A.L.W.

**A82-17436**      **Neuronal interaction between ipsilateral medial and lateral vestibular nuclei.** I. Matsuoka, J. Ito, M. Sasa, S. Takaori (Kyoto University, Kyoto, Japan), and M. Morimoto (Kochi Medical School, Kochi, Japan). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 93-101. 14 refs.

The existence of direct influences of neurons in the medial vestibular nucleus (MVN) on those of the lateral vestibular nucleus (LVN) that receive input from the peripheral nerve is investigated. Experiments were performed on anesthetized cats by electrophysiological techniques of single neuron activity recording and the horseradish peroxidase retrograde transport method. Stimulation of the MVN is found to lead to spike generation with short latency in LVN neurons monosynaptically activated by vestibular nerve stimulation, although these neurons could not respond to a high-frequency MVN stimulation. Other LVN neurons monosynaptically activated by vestibular nerve stimulation were inhibited by a conditioning stimulus to the MVN, although it is not certain whether the inhibition was monosynaptically produced. The results of the horseradish peroxidase study suggest the existence of direct innervation from the MVN to the LVN, as horseradish peroxidase positive neurons were found in the MVN following tracer ejection in the immediate vicinity of LVN neurons. The results suggest the existence of both excitatory and inhibitory input from the MVN to LVN neurons monosynaptically activated from the vestibular nerve. A.L.W.

**A82-17437**      **The ascending tract of Deiters' and horizontal gaze.** S. M. Highstein and H. Reisine (Albert Einstein College of Medicine, Bronx, NY). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 102-111. 29 refs.

The signals carried by the ascending tract of Deiters' (ATD), one of two pathways by which the medial rectus motoneuron pool receives direct signals from the posterior brain stem to maintain horizontal gaze during head motion, are investigated. Horseradish peroxidase studies confirm that the ventral lateral and medial vestibular nuclei contain a mixture of neurons that relay horizontal semicircular canal signals to the abducens nucleus via a direct projection and to the medial rectus subgroup via the ATD, while the results of acute lesions indicate that the ATD follows a middle course between the medial longitudinal fasciculus and the brachium conjunctivum in the pontine tegmentum. Intracellular recordings from medial rectus motoneurons indicate the comparable synaptic potency of the ATD and internuclear projections. Studies of inputs to the ATD neurons in anesthetized paralyzed cats provide evidence for chemical synaptic transmission between vestibular primary afferent and ventral lateral vestibular neurons, and reveal ATD neurons to be strongly modulated by contralateral vestibular stimulation. Finally, studies in the decerebrate and alert cat reveal the ATD neurons to exhibit eye position but little rapid eye movement sensitivity, while a strong modulation of activity is obtained in response to head rotation in the horizontal plane. Results suggest that ATD and abducens internuclear signals interact at the level of medial rectus cells to produce the horizontal vestibulo-ocular reflex and conjugate horizontal gaze. A.L.W.

**A82-17438**      **Nonlinear characteristics of single neurons in the vestibular nuclei.** J. H. Ryu, B. F. McCabe, and R. W. Babin

(Iowa, University, Iowa City, IA). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 112-129. 12 refs. Research supported by the U.S. Veterans Administration and University of Iowa.

The dynamic properties of the semicircular canal system are investigated by the measurement of the responses of single neurons in the vestibular nuclei to canal stimulation. Extracellular recordings of the activity of 99 vestibular nucleus neurons were obtained in cats undergoing impulse and step stimulation of the horizontal canals by angular acceleration on a rate table. A nonlinear response of the vestibular neurons to canal stimulation is evidenced by a nonlinear decrease in the time to reach the maximum response level with an increase in stimulus magnitude, a nonlinear increase in maximum response level with increasing stimulus magnitude, and the fact that the neural response to excitatory stimulus is not the mirror image of the response to an inhibitory stimulus. It is found that the nonlinear response cannot be accounted for by simulations based on several linear mathematical models of vestibular canal function. It is suggested that the nonlinearities observed may arise from (1) the nonlinear behavior of the eng organ; (2) central nervous system influence; or (3) the inherent neural properties of the vestibular nuclei. A.L.W.

**A82-17439**      **Reticulovestibular organization participating in generation of horizontal fast eye movement.** S. Sasaki and H. Shimazu (Tokyo, University, Tokyo, Japan). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 130-143. 26 refs.

The functional characteristics and axonal projections of the excitatory reticular burst neurons (EBNs), which have been identified as immediate premotor neurons participating in the activation or suppression of abducens motor activity during horizontal fast eye movement, are investigated. Spike recordings were obtained from 62 individual burst neurons in the dorsomedial reticular formation exhibiting activity only at the quick excitatory phase of the ipsilateral abducens nerve in cats undergoing horizontal rotation or electrical stimulation of the vestibular nerve. EBN discharge patterns indicate the presence of two classes of unidirectional burst neurons, with medium and long lead times. Most EBNs were antidromically activated by microstimulation within the ipsilateral abducens nucleus, indicating that the neuron sends its axon to or through the nucleus. Both the medium- and long-lead EBNs identified by antidromic activation are located in a region immediately rostral to the abducens nucleus. Microelectrode tracking reveals the axons of the EBNs to also project caudally, with collaterals to the inhibitory burst neurons and the medial vestibular nucleus. Microstimulation of the EBN area results in responses in the abducens-motoneurons suggestive of monosynaptic connections with facilitation, and spike characteristics in the inhibitory burst nuclei and the medial vestibular nucleus indicating monosynaptic excitatory connections. A.L.W.

**A82-17440**      **Horizontal eye movement signals in second-order vestibular nuclei neurons in the cat.** A. Berthoz, K. Yoshida, and P. P. Vidal (CNRS, Paris, France). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 144-156. 28 refs. Research supported by the Centre National de la Recherche Scientifique, Institut National de la Santé et de la Recherche Médicale, and Fondation de France.

**A82-17441**      **A transsynaptic autoradiographic study of the pathways controlling the extraocular eye muscles, using /I-124/B-11b Tetanus toxin fragment.** J. A. Büttner-Ennever, P. Grob, K. Akert (Zürich, Universität, Zurich, Switzerland), and B. Bizzini (Paris, Institut Pasteur, Marnes-la-Coquette, Hauts-de-Seine, France). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 157-170. 53 refs. Research supported by the Dr. Eric Slack-Gyr Foundation and EMDO-Stiftung; Swiss National Science Foundation Grants No. 3,636,75; No.3,611,75.

**A82-17442**      **Some thoughts about the three neurons in the vestibular ocular reflex.** R. Baker, C. Evinger, and R. A. McCrea (New York University, Medical Center, New York, NY). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 171-188. 77 refs. Grants No. PHS-NS-13742; No. NIH-EY-Q2007.

Conceptual and experimental progress in the understanding of the organization and functioning of the three-neuron arc believed to produce compensatory eye movement following head rotation is outlined. Following a brief review of the purpose of the vestibular-ocular reflex (VOR) and the type of information encoded in the first- and second-order vestibular neurons and the motoneuron, measurements of the discharge rates of the primary afferent vestibular neurons and the secondary vestibular neurons in cats and primates are presented, and the similarity of central VOR organization and presumably neural processing in the two species is noted. It is argued that understanding of the three-neuron pathway has important implications for the central organization of other oculomotor subsystems, and for fixation. Difficulties in modeling the VOR with neurons reflecting population values are pointed out, and a possible solution based on tuned channels responding selectively throughout the oculomotor range to specific head movement frequencies is suggested. Finally, morphological evidence supporting the location of the phase integrator responsible for providing a second source of input to the extraocular motor nuclei in the prepositus nucleus is presented. A.L.W.

**A82-17443**      **Cat medial pontine neurons in vestibular nystagmus.** C. H. Markham (California, University, Los Angeles, CA), S. Nakao (Tottori University, Yanago, Japan), and I. S. Curthoys (Sydney, University, Sydney, Australia). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 189-209. 35 refs.

**A82-17444**      **Is transmission between the vestibular type I hair cell and its primary afferent chemical.** D. A. Schessel and S. M. Highstein (Albert Einstein College of Medicine, Bronx, NY). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 210-214. 17 refs.

A morphophysiological study is presented of the nature of the transmission between the vestibular type I hair cell and the primary afferent almost completely surrounding it in a calyx configuration. The study was performed with intracellular electrodes loaded with horseradish peroxidase to record from irregular fibers in the vestibular primary afferents of the horizontal semicircular canal of the lizard *Calotes versicolor*. All the irregular fibers injected with horseradish peroxidase are observed to terminate with calyceal endings in the cristae and to be innervated by one to five type I hair cells. The frequency and pattern of subthreshold activity in the neurons are characteristic of chemical synaptic transmission rather than electronic, although the shape of the depolarizations is not typical of chemical excitatory postsynaptic potentials. A.L.W.

**A82-17445**      **Organization of the avian accessory optic system.** N. C. Brecha and H. J. Karten (New York, State University, Stony Brook, NY). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 215-229. 46 refs. Grants No. NIH-NS-12078; No. NIH-EY-02146.

The organization of the accessory optic system (AOS) and its possible role in oculomotor function in birds are discussed. Studies in pigeons demonstrating the connection of the basal optic root with displaced ganglion cells of the contralateral retina which may be involved in the detection of movements in peripheral visual fields are noted. The projections of the nucleus of the basal optic root complex found on the vestibulocerebellum, inferior olivary complex and oculomotor complex are examined which support the contention that the AOS plays a role in oculomotor function. Electrophysiological and behavioral studies also suggesting the role of the

AOS in oculomotor function, possibly in the initiation of an orienting movement of the eyes and neck and/or the stabilization of eye and neck movements, are pointed out. A.L.W.

**A82-17446** Visual-vestibular interaction in vestibular neurons - Functional pathway organization. W. Precht (Zürich, Universität, Zurich, Switzerland). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 230-248. 35 refs. Research supported by the Dr. Eric Slack-Gys Foundation; Swiss National Science Foundation Grants No. 3,505,79; No. 3,616,80.

Experiments performed to examine the pathways mediating the optokinetic responses of vestibular nuclei (Vn) in the rat and cat are described. Single unit electrooculogram recordings were made in alert, both paralyzed and unparalyzed, rats and cats with or without brain lesions. The animals' eye movements elicited in the dark by trapezoidal or sinusoidal rotation of a Toennis turntable were tracked to identify type I or type II neuron excitement. All animals were sacrificed after the experiment and the brain lesions were identified. It was found that the pretectum is the first central relay in the horizontal optokinetic reflex path through Vn, and that the nucleus reticularis tegmenti pontis projects by way of oligosynaptic chains to Vn. Further experiments to find an intermediary neuron between the pretectum and Vn are indicated. M.S.K.

**A82-17447** Neural activity in the nucleus reticularis tegmenti pontis in the monkey related to eye movements and visual stimulation. E. L. Keller and W. F. Crandall (Smith-Kettlewell Institute of Visual Sciences, San Francisco, CA). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 249-261. 27 refs. Research supported by the Smith-Kettlewell Eye Research Foundation; Grants No. NIH-R01-EY-03280-01; No. NIH-5-P30-EY-01186.

**A82-17448** Visual-vestibular interactions in visual cortical cells in the cat. R. H. Lahue, Jr., S. Reinis (Waterloo, University, Waterloo, Ontario, Canada), J. P. Landolt, and K. E. Money (Defence and Civil Institute of Environmental Medicine, Downsview, Ontario, Canada). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 262-273. 31 refs. Research supported by the Defence and Civil Institute of Environmental Medicine.

**A82-17449** Circularvection - Psychophysics and single-unit recordings in the monkey. U. Büttner and V. Henn (University Hospital, Zurich, Switzerland). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 274-283. 21 refs. Swiss National Science Foundation Grant No. 3,343,78.

Experiments are carried out to explore the upper frequency limit of sinusoidal rotation of the visual surround, which can lead either to circularvection (CV) in humans and to the modulation of vestibular-unit activity in monkeys. Two paradigms are used in the experiments. In the first, human subjects are exposed to sinusoidal rotation of an optokinetic cylinder totally enclosing the subject. Stimulus frequency of cylinder rotation is increased until the subjects no longer experience CV, perceiving only the motion of the surround. All subjects experience at least partial CV, even at stimulus frequencies above 1 Hz. In the second paradigm, monkeys are exposed to sinusoidal cylinder rotation of differing frequencies, and single-unit responses are measured in the vestibular cortex. Comparison of these responses with those of the vestibular nuclei shows that cortical neurons respond over a wider range of visual frequencies and therefore must receive additional visual input. C.R.

**A82-17450** Sigma-movement and Sigma-nystagmus - A new tool to investigate the gaze-pursuit system and visual-movement perception in man and monkey. B. Adler, G. Curio, O.-J. Grüsser, M. Pause, U. Schreier, L. Weiss (Berlin, Freie Universität, Berlin, West Germany), and H. Collewijn (Berlin, Freie Universität, Berlin, West

Germany; Rotterdam, Universiteit, Rotterdam, Netherlands). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 284-302. 26 refs. Research supported by the European Science Foundation; Deutsche Forschungsgemeinschaft Contract No. Gr-161.

It is shown that Sigma-phenomena can be elicited not only by unidimensional periodic stimuli that are stabilized on the retina but also by (1) two-dimensional stimulus patterns composed of equidistant dots; (2) spatial periodic stimuli, the periodicity of which is not present on each retina but generated on the cyclopean retina; (3) three-dimensional objects of a spatially periodic structure; and (4) two-dimensional random dot patterns without any spatial periodicity. It is also demonstrated that constant flash intervals are not requisite for Sigma-movement, that a regular interaction occurs between the vestibulo-ocular reflex and the Sigma-movement, and that Sigma-phenomena can be elicited in awake monkeys. The phenomenon is thus accessible to further neurophysiological exploration. C.R.

**A82-17451** Motion sickness due to vision reversal - Its absence in stroboscopic light. G. Melvill Jones and G. Mandl (McGill University, Montreal, Canada). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 303-311. 31 refs.

The modification of oculomotor control incurred by a period of vision reversal in stroboscopic light was examined over an extended frequency range to detect physiological correlates that may account for the absence of motion sickness under these conditions. Adaptive changes were found over a broad frequency spectrum after vision reversal in normal light, although the changes were restricted to a low frequency range in the stroboscopic illumination. The physiological drive to bring about adaptive change was considerably attenuated by the stroboscopically illuminated environment with specific elimination of the adaptive response in the range of 1.75-3.0 Hz, which implies a functional association between the incidence of motion sickness and the prevailing strength and/or frequency range of the adaptive drive. D.L.G.

**A82-17452** Natural retinal image motion - Origin and change. H. Collewijn (Rotterdam, Universiteit, Rotterdam, Netherlands), A. J. Martins, and R. M. Steinman (Maryland, University, College Park, MD). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 312-329. 14 refs. NSF Grants No. BNS-77-16474; No. BNS-80-25344; No. BNS-80-13508.

The true function of the vestibulo-ocular reflex (VOR) is thought to be more subtle than has been suspected. It is contended that the VOR serves not simply to stabilize the retinal image of a fixated object during movement but, rather, to produce and maintain the retinal image motion within each eye and between the eyes that is optimal for binocular vision. It is shown that compensation is rarely virtually perfect; even when virtually perfect in one eye, it is not in the other, leading to noncorrespondence of fixation positions between the eyes and high vergence velocities. It is also shown that the degree of compensation in the light is the same with active and passive rotations and that the VOR in the light adapts completely within minutes. The VOR in the dark is found to adapt within minutes to as much as 90% of the required change. C.R.

**A82-17453** Vestibular habituation in man and monkey during sinusoidal rotation. J. Jäger and V. Henn (University Hospital, Zurich, Switzerland). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 330-339. 15 refs. Swiss National Science Foundation Grant No. 3,343,078.

Vestibular habituation experiments were performed in monkeys and humans to determine what stimuli lead to habituation, how it relates to unit activity in the neurons along the vestibulo-ocular reflex, and how animal experiments can be related to human physiology and the sensation of motion. Experiments on vestibular

habitation by repeated steps of angular velocity led to a shortening of nystagmus and to essentially similar results for humans and monkeys. High-frequency sinusoidal rotation above 0.1 Hz was found to be ineffective, while low-frequency stimulation from 0.0015 to 0.05 Hz led to a dramatic shortening of time constants after only a few cycles of stimulation. Habituation with sinusoidal velocity profiles were reported as a pleasant experience, which stands in contrast to the experience with the programs that are aimed at reducing motion sickness. D.L.G.

**A82-17454** Unilateral habituation of vestibulo-ocular responses in the cat. M. Jeannerod, G. Clement, J. H. Courjon (Institut National de la Santé et de la Recherche Médicale, Bron, Rhône, France), and R. Schmid (Pavia, Università, Pavia, Italy). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 340-351. 17 refs.

Unilateral vestibulo-ocular reflex (VOR) changes are investigated in cats exposed to vestibular and/or optokinetic training. The transfer of vestibular habituation acquired with one type of stimulation to oculomotor responses induced by another type are also examined. Results reconfirm the suggestion that habituation is due to a selective mechanism that modifies the gain and the dynamic characteristics of the VOR. Prolonged moving visual stimulation improves optokinetic responses by about 25 percent in cats, and produces static and dynamic VOR changes. The presence of a static VOR imbalance following optokinetic training as opposed to vestibular training, could account for the different degrees of retention of habituation. D.L.G.

**A82-17455 \*** Visually induced self-motion sensation adapts rapidly to left-right reversal of vision. C. M. Oman and O. L. Bock (MIT, Cambridge, MA). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 352-360. 24 refs. Grant No. NSG-2032; Contract No. NAS9-15343.

Three experiments were conducted using 15 adult volunteers with no overt oculomotor or vestibular disorders. In all experiments, left-right vision reversal was achieved using prism goggles, which permitted a binocular field of vision subtending approximately 45 deg horizontally and 28 deg vertically. In all experiments, circular-vection (CV) was tested before and immediately after a period of exposure to reversed vision. After one to three hours of active movement while wearing vision-reversing goggles, 10 of 15 (stationary) human subjects viewing a moving stripe display experienced a self-rotation illusion in the same direction as seen stripe motion, rather than in the opposite (normal) direction, demonstrating that the central neural pathways that process visual self-rotation cues can undergo rapid adaptive modification. G.R.

**A82-17456** Patterns of vestibular and neck responses and their interaction - A comparison between cat cortical neurons and human psychophysics. T. Mergner, L. Deecke, and W. Becker (Ulm, Universität, Ulm, West Germany). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 361-372. 16 refs. Deutsche Forschungsgemeinschaft Contract No. SFB-70.

The paper reports on neuronal responses recorded from the anterior suprasylvian cortex in cats subjected to labyrinthine, neck and combined stimulation in the horizontal plane. Preliminary results from human psychophysics are also reported, with emphasis on what naive humans report when subjected to the same stimuli as the animals. Processing includes whole-body rotation, isolated trunk rotation, and isolated head rotation. Subtraction provides a basis for the discrimination between whole-body and isolated head rotation, and addition may optimize the indication of movement and position of the head in space. Evidence is found that during whole body rotation and isolated trunk or head rotation, essentially the same processing of labyrinthine and neck afferent inputs take place in neurons of the cats' anterior suprasylvian cortex and in humans who try to distinguish the stimulus. D.L.G.

**A82-17457** Responses of vestibulospinal neurons to neck and macular vestibular inputs in the presence or absence of the paleocerebellum. R. Boyle and O. Pompeiano (Pisa, Università, Pisa, Italy). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 373-394. 43 refs. Research supported by the Consiglio Nazionale delle Ricerche; Grant No. NIH-NS-07685-12.

**A82-17458** Dynamics of vestibulo-ocular, vestibulocollic, and cervicocollic reflexes. B. W. Peterson, G. Bilotto, J. Goldberg, and V. J. Wilson (Rockefeller University, New York, NY). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 395-402. 15 refs. Grants No. NIH-EY-02249; No. NIH-EY-00100; No. NIH-NS-02619.

The properties of the vestibulocollic reflex (VCR) were studied with natural stimulation over an extended frequency range and compared with properties of the vestibulo-ocular reflex (VOR). The effect of medial longitudinal fasciculus (MLF) transection on the behavior of the reflex evoked by sinusoidal rotation at frequencies ranging from 0.5 to 4 Hz was also explored. An investigation was conducted regarding the dynamic properties of the cervicocollic reflex (CCR). The response was found to be very similar to the VCR response. This result suggests that the CCR can also be considered to be a second-order lag-lead system. Attention is also given to the interaction of vestibulocollic reflex and cervicocollic reflex. G.R.

**A82-17459** Early directional influence of visual motion cues on postural control in the falling monkey. M. Lacour, C. Xerri (Aix-Marseille I, Université, Marseille, France), and P. P. Vidal (Aix-Marseille I, Université, Marseille; CNRS, Laboratoire de Physiologie du Travail, Paris, France). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 403-411. 20 refs. Research supported by the Institut National de la Santé et de la Recherche Médicale and Centre National de la Recherche Scientifique.

**A82-17460** Velocity storage, nystagmus, and visual-vestibular interactions in humans. B. Cohen, T. Raphan, D. Dennett (New York, City University, New York, NY), and V. Henn (New York, City University, New York, NY; Zürich, Universität, Zurich, Switzerland). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 421-433. 32 refs. Grant No. NIH-NS-00294.

The purpose is to determine whether stored activity related to slow-phase eye velocity is present in humans and whether it contributes to visual-vestibular interactions. Data are presented demonstrating the following manifestations of stored activity related to slow-phase eye velocity: (1) optokinetic after-nystagmus (OKAN) is present after optokinetic stimulation; (2) postrotatory nystagmus velocity measured in darkness was reduced after rotation in light; (3) the velocity storage mechanism became partially charged by exposure to full-field motion for short periods of time; (4) it was discharged by exposure to a fixed visual field; and (5) various rates of field motion relative to the subject increased or decreased postrotatory nystagmus in a predictable fashion. C.R.

**A82-17461** Aftereffects of vestibular and optokinetic stimulation and their interaction. E. Koenig and J. Dichgans (Tübingen, Universität, Tübingen, West Germany). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 434-445. 21 refs.

The influence of prior vestibular stimulation and subsequent whole-field optokinetic stimulation, or the presentation of a stationary pattern on after-nystagmus (AN) was studied in humans. Pure vestibular and pure optokinetic stimuli were employed for comparison. The presentation of a stationary pattern resulted in suppression

## A82-17462

of vestibular nystagmus, which recovered after the termination of fixation. During combinations of vestibular and optokinetic stimuli, when the elicited vestibular (VN) and optokinetic nystagmus (OKN) had the same direction, there was a weak AN I toward the direction of the preceding VN and OKN, and a strong AN II toward the opposite side. AN was always stronger into the direction opposite to the previously elicited VN, indicating that the vestibular afference is the predominant input to the secondary vestibular integrator. D.L.G.

**A82-17462**      **The role of the dentate nucleus and y-group in the generation of vertical smooth eye movements.** M. C. Chubb and A. F. Fuchs (Washington, University, Seattle, WA). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 446-454. 16 refs. Grants No. NIH-RR-00166; No. NIH-EY-00745; No. NIH-GM-00260.

The considered investigation makes use of a study of the relation of the neuronal activity to vertical eye movements and adequate vestibular stimulation. Three adolescent rhesus macaques (*Macaca mulatta*) were trained to track a small visual target while undergoing vertical sinusoidal angular acceleration. The tracking task made it possible to obtain various combinations of passive head rotation and eye movements. Recordings of neuron activity were made in all three monkeys, but electrical stimulation was applied to only one monkey. In the y-group and dentate nucleus region, most units exhibited increases in firing rate related to upward eye velocity during smooth pursuit and upward head velocity during suppression of the vestibulo-ocular reflex (VOR). G.R.

**A82-17463**      **The brain-stem projection to the cerebellar flocculus relevant to optokinetic responses in cats.** T. Kawasaki, Y. Sato, K. Mizukoshi (Toyama Medical and Pharmaceutical University, Toyama, Japan), and I. Kato (Toyama Medical and Pharmaceutical University, Toyama; Yamagata University, Yamagata, Japan). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 455-464. 31 refs.

**A82-17464**      **Visual mossy fiber inputs to the flocculus of the monkey.** H. Noda (California, University, Los Angeles, CA). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 465-475. 16 refs. Grant No. NIH-R01-EY-01051.

A study was conducted regarding the characteristics of visual signals which are brought to the flocculus of the monkey. The study was based on 19 visually responsive mossy fiber units, which were selected from a total of 1,858 units recorded from the flocculus of seven monkeys (*Macaca nemestrina*). Among the 1,858 units, 116 units were identified as mossy fibers on the basis of the criteria used in a preceding study. The results of the study demonstrated clearly that the visual system is an important source of sensory input to the flocculus in the monkey. Mossy fibers showing responses to movements of a random-dot background were encountered in the white matter of the flocculus. Out of 116 mossy fiber units, 19 responded to movements of visual patterns. A common feature of the responses of visual mossy fiber units was directional selectivity. G.R.

**A82-17465**      **Mossy fiber activation of the cerebellar flocculus from the visual system.** K. Maekawa, M. Kimura, and T. Takeda (Jichi Medical School, Tochigi, Japan). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 476-490. 40 refs. Ministry of Education of Japan Grants No. 311401; No. 57780; No. 377060.

A description is given of laboratory studies carried out to trace visual mossy fiber pathways in rabbits by means of electro-physiological and morphological (horseradish peroxidase) methods. It is shown that optic signals, after being transferred by neurons of the optic tract nucleus, descend in the brain stem to activate the ipsi- and/or contralateral neurons of the nucleus reticularis tegmenti pointis (NRTP). The signals eventually reach the flocculus and bring

about the mossy fiber activation of floccular Purkinje cells, which are known to project to the vestibular nuclei and to modify eye movements. The visual mossy fiber pathway through the NOT-NRTP to the flocculus contributes to optokinetic eye movements but not to a visually guided adaptive change of the vestibulo-ocular responses. C.R.

**A82-17466**      **Input-output activity of the primate flocculus during visual-vestibular interaction.** W. Waespe, U. Büttner, and V. Henn (Zürich, Universität, Zurich, Switzerland). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 491-503. 23 refs. Swiss National Science Foundation Grant No. 3.343.2.78.

Cerebellar lesions in patients lead to deficits in pursuit eye movements, reduced optokinetic nystagmus, and the inability to suppress vestibular nystagmus by visual fixation. Lesions of the flocculus in primates lead to the same clinical syndrome. It is shown that floccular Purkinje cells modulate their activity to either enhance optokinetic nystagmus or suppress vestibular nystagmus during various paradigms of visual-vestibular interaction. The hypothesis is that the flocculus and the vestibular nuclei process visual-vestibular information in a complementary way: floccular Purkinje cells are modulated when vestibular nuclei activity is insufficient to move the eyes with adequate velocity, or when vestibular nuclei neurons still are modulated but nystagmus is suppressed. (Author)

**A82-17467**      **Directional plasticity of the vestibulo-ocular reflex in the cat.** L. W. Schultheis and D. A. Robinson (Johns Hopkins University, Baltimore, MD). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 504-512. 23 refs. Grant No. NIH-EY-00598.

Eight, healthy, female cats were used in this investigation. Cross-axis nystagmus was found in every cat. It is concluded that it is a general phenomenon normally present in all members of the species. Since the cross-axis eye movements had the same latency as the vestibulo-ocular reflex, cross-axis plasticity probably represents a modification of the normal vestibulo-ocular wiring as a consequence of the system's ability for self-repair, rather than some learned following movement that can occur in the dark. Vestibulo-ocular plasticity across axes seemed to depend on the magnitude and direction of image slip on the retina during training. It is suggested that the cerebellum is an important component of the learning machine that enables modification of the direction as well as the gain of the reflex, although its exact mode of action remains unknown. G.R.

**A82-17468**      **The 'Error' signals subserving adaptive gain control in the primate vestibulo-ocular reflex.** F. A. Miles and S. G. Lisberger (National Institutes of Health, National Institute of Mental Health, Bethesda, MD). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 513-525. 32 refs.

Substitutes for vestibular (head-velocity) signals are considered, taking into account experiments conducted on the monkey. It is concluded that, with respect to the monkey, eye movements per se are irrelevant so far as adaptive gain control of the vestibulo-ocular reflex (VOR) is concerned. The computation of VOR gain errors in the monkey appears to utilize some direct, internal measure of head velocity, with the vestibular signal itself presumably a prime candidate. In view of the obtained findings, it was expected that prolonged sinusoidal optokinetic stimulation would have no significant effect on VOR gain in the monkey, and this is borne out by experiment. Attention is given to substitutes for retinal slip signals, the primate flocculus, and VOR gain changes resulting from foveal pursuit tracking. A new hypothesis is presented regarding adaptive gain control in the primate VOR. G.R.

**A82-17469 \***      **Active head rotations and eye-head coordination.** W. H. Zangemeister and L. Stark (California, University, Berkeley, CA). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology,*

*New York, NY, Sept. 22-25, 1980.) New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 540-559. 26 refs. Research supported by the Deutsche Forschungsgemeinschaft; Grant No. NCC2-86.

It is pointed out that head movements play an important role in gaze. The interaction between eye and head movements involves both their shared role in directing gaze and the compensatory vestibular ocular reflex. The dynamics of head trajectories are discussed, taking into account the use of parameterization to obtain the peak velocity, peak accelerations, the times of these extrema, and the duration of the movement. Attention is given to the main sequence, neck muscle EMG and details of the head-movement trajectory, types of head model accelerations, the latency of eye and head movement in coordinated gaze, gaze latency as a function of various factors, and coordinated gaze types. Clinical examples of gaze-plane analysis are considered along with the instantaneous change of compensatory eye movement (CEM) gain, and aspects of variability. G.R.

**A82-17470 Vestibular influence upon head-eye coordination.** G. R. Barnes and A. J. Prosser (RAF, Institute of Aviation Medicine, Farnborough, Hants., England). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.) New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 560-570. 10 refs.

In the considered investigation an attempt was made to quantify the interaction of the nystagmus fast phase and the saccadic eye movement by instructing the subject to make voluntary head movements during the period of a postrotational vestibular stimulus. Eight subjects took part in the experiments. Subjects were rotated on a turntable for a period of 60 seconds. At the end of this period, rotation was stopped abruptly with the subject coming to rest facing in the direction of a center target light. During the ensuing period, in which a potent nystagmus was present, the subjects were exposed to one of two experimental conditions, including either target flash presentation or voluntary head rotation in the dark. The results of the investigation demonstrate that the presence of a concurrent stimulus to the vestibular system can significantly modify the temporal characteristics of head-eye coordination during voluntary head movements. G.R.

**A82-17471 Disturbances of eye-head coordination during lateral gaze in labyrinthine disease.** T. Uemura, Y. Arai, and C. Shimazaki (Tokyo Women's Medical College, Tokyo, Japan). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.) New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 571-578. 9 refs.

**A82-17472 The interaction between accuracy of gaze with and without head movements in patients with cerebellar ataxia.** M. Yoshida (Jichi Medical School, Tochigi, Japan). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.) New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 579-589. 25 refs. Research supported by the Ministry of Health and Welfare of Japan.

**A82-17473 Nystagmus, gaze shift, and self-motion perception during sinusoidal head and neck rotation.** J. M. B. V. de Jong, G. Bovenkerk (Amsterdam, Universiteit, Amsterdam, Netherlands), and W. Bles (Amsterdam, Universiteit; Free University Hospital, Amsterdam, Netherlands). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.) New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 590-599. 11 refs.

**A82-17474 A hypothetical explanation for periodic alternating nystagmus - Instability in the optokinetic-vestibular system.** R. J. Leigh, D. A. Robinson, and D. S. Zee (Johns Hopkins University, Baltimore, MD). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.) New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 619-635. 40 refs. Grants No. NIH-EY-05264; No. NIH-AG-00061; No. NIH-EY-00598; No. NIH-EY-01849; No. NIH-NS-11071; No. NIH-EY-01765.

**A82-17475 Effect of frontal-eye-field lesion on eye-head coordination in squirrel monkeys.** T. O-Uchi, M. Igarashi, and T. Kubo (Baylor University, Houston, TX). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.) New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 656-673. 51 refs. Research supported by the McFadden Charitable Trust Research Fund; Grants No. NIH-NS-10940; No. NIH-NS-07237.

A number of investigations appear to suggest the possibility that the frontal eye field (FEF) is involved in eye-head coordination. A study was conducted concerning the effect of FEF ablations on eye-head coordination during optokinetic and vestibular stimulation. Five healthy adult squirrel monkeys (*Saimiri sciureus*) weighing an average of 750 grams were used for this study. The obtained results suggest that the FEF was involved in spatial and/or temporal modulation of eye and head movements, but not involved in eye-head coordination under the present experimental conditions. G.R.

**A82-17476 Acoustic-induced eye movements.** K.-P. Schaefer, K.-J. Süss, and E. Fiebig (Göttingen, Universität, Göttingen, West Germany). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.) New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 674-688. 43 refs. Deutsche Forschungsgemeinschaft Contract No. SFB-33.

The influence of moving acoustic signals on oculomotor functions is investigated. Moving acoustic signals of varying frequency and form are applied, and visual-acoustic and vestibular-acoustic interactions are examined. Involuntary eye movements are observed in 20% of all test subjects, and are most pronounced in darkness when there is no fixation. Eye movements are influenced only slightly by a change in the amplitude of the sound movement from + or - 15 to 90 deg. Single burst signals at increasing repetition rates result in orienting reactions on the individual signals, while at high signal repetition rates above 0.5 Hz, continuous eye movements in the form of staircase jerks result. D.L.G.

**A82-17477 Modifications of vestibular nystagmus produced by fixation of visual and nonvisual targets.** R. Schmid, D. Zambarbieri, and G. Magenes (Pavia, Università, Pavia, Italy). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.) New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 689-705. 38 refs. Research supported by the Consiglio Nazionale delle Ricerche.

The purpose is to further investigate the modifications of vestibular nystagmus produced by the presentation of nonvisual targets either stationary in space or moving with the subject. A quantitative-model interpretation of the experimental results provides useful suggestions on the respective roles of vestibulo-ocular reflex (VOR)-gain control and smooth-pursuit (SP) in adapting the vestibulo-ocular response to the actual oculomotor task. C.R.

**A82-17478 A physical model of human postural dynamics.** C. W. Stockwell, S. H. Koozekanani, and K. Barin (Ohio State University, Columbus, OH). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.) New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 722-730. 17 refs. Grant No. NIH-NS-13903.

A four-link model has been developed by adding a three-link model reported by Hemami and Jaswa (1978) to the triangular foot considered by Gurfinkel (1973). The model describes the human body in the sagittal plane with arms folded across the chest. It assumes that the body segments rotate about simple pin joints and that the spine is rigid. It further assumes that the left and right ankle joints rotate about the same axis and that the feet do not move. The body is modeled as a system composed of five homogeneous rigid segments. An investigation has been conducted to determine whether the model is adequate to describe human body sway or whether an even more complex model is required. The results thus far indicate that a four-degrees-of-freedom physical model of human postural sway is necessary and probably sufficient. The model is complex, but the governing equations are written in a form that makes evaluation feasible with a digital computer. G.R.

**A82-17479**      **Dissociation of the eyes in saccadic movement.** T. Miyoshi, S. Hiwatashi, S. Kishimoto, and A. Tamada (Kyoto University, Kyoto, Japan). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 713-743. 13 refs.

It is found that in horizontal saccades, abduction and adduction are not conjugate. Abduction commences shortly before adduction and reaches the turning point shortly after adduction. The duration in binocular recording is significantly shorter than in monocular recordings. The abducting eye exhibits a tendency to move gradually on the new target. The adducting eye, however, has a tendency to overshoot. The characteristics of quick phases of horizontal optokinetic nystagmus, in which both eyes jump disconjugately to the new target, are found to be similar to those of horizontal saccades. The principal cause of this disparity may be a difference in neural mechanisms between abduction and adduction. It is noted that vertical saccades are not disconjugate.      C.R.

**A82-17480**      **Different effects involved in the interaction of saccades and the vestibulo-ocular reflex.** R. Jürgens, W. Becker, and P. Rieger (Ulm, Universität, Ulm, West Germany). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 744-754. 6 refs. Deutsche Forschungsgemeinschaft Contract No. SFB-70/U3.

It is thought that the mechanism responsible for the particular type of interaction that occurs between saccades and the vestibulo-ocular reflex (VOR) is related to the mechanism by which goal-directed saccades achieve their accuracy. To pursue this idea, the accuracy of goal-directed saccades during sinusoidal head rotation is investigated. It is demonstrated that saccades under such conditions have a better accuracy than expected on the basis of the results of Jürgens et al. (1981). The accuracy of human goal-directed saccades during passive sinusoidal whole-body rotation is found to be the same as that of normal saccades with the head still. There are two mechanisms contributing to this accuracy: (1) the incomplete summation (on the average, 70%) of saccade and VOR velocities; and (2) the lengthening of the duration of saccades during head rotation when VOR and saccade velocities have the same direction and the shortening of the duration when the directions are opposite.      C.R.

**A82-17481**      **Temporal bone characteristics in Meniere's disease.** J. Stahle, H. F. Wilbrand, and H. Rask-Andersen (University Hospital, Uppsala, Sweden). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 794-807. 27 refs. Research supported by the Statens Medicinska Forskningsrad. SMF Project 3908.

The diminished periaqueductal pneumatization of the petrous portion of the temporal bone in patients with Meniere's disease may affect the tomographic reproducibility of the aqueduct. Tomography may serve as a tool by providing a basis for the choice of surgical procedure. Histologic and Roentgenologic studies indicate that the pars rugosa of the endolymphatic sac in normals is housed inside the distal part of the vestibular aqueduct. In patients with Meniere's disease the sac might be located outside the aqueduct and therefore deprived of the functions of the loose and vascular tissue which normally surrounds it within the aqueduct, influencing the total vascular supply of the sac, and in turn interfering with its resorptive and immunodefensive functions.      O.C.

**A82-17482 \***      **Microdisc gel electrophoresis in sodium dodecyl sulfate of organic material from rat otoconial complexes.** M. D. Ross, K. G. Pote, K. E. Rarey, and L. M. Verma (Michigan, University, Ann Arbor, MI). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 808-819. 25 refs. Grants No. NsG-9047; No. NIH-AG-00767.

The gravity receptors of all vertebrates utilize a 'test mass' consisting of a complex arrangement of mineral and organic substance that lies over the sensory receptor areas. In most vertebrates, the mineral is a polymorph of calcium carbonate in the

form of minute, single crystals called otoconia. An investigation is conducted to determine the number of proteins in otoconial complexes and their molecular weights. The investigation makes use of a microdisk gel electrophoresis method reported by Gainer (1971). The most important finding of the reported research is that analysis of the proteins of the organic material of the otoconial complexes is possible when sensitive microanalytical methods are employed. Further modification of the basic technique employed and the inclusion of other sensitive staining methods should mean that, in the future, protein separation by molecular weight will be possible in sample pools containing only two otoconial masses.      G.R.

**A82-17483**      **The role of the plantar mechanoreceptor in equilibrium control.** I. Watanabe and J. Okubo (Tokyo Medical and Dental University, Tokyo, Japan). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 855-864. 19 refs.

A method for adding weight resistance to the plantar mechanoreceptors is described. The method is used in studying body-sway control mechanisms. Twenty subjects having no history of labyrinth disturbances or head injuries are used in the experiments. Of these, 16 are chosen for plantar-mechano-receptor stimulation. The order of use of the three plates is chosen at random. For purposes of comparison, 10 subjects are given a breath-holding test. It is thought that the stimulation of plantar mechanoreceptors under the experimental conditions produces its influence not only at the spinal level but is input to a higher level of the nervous system.      C.R.

**A82-17484**      **Ocular torsion in the cat after lesions of the interstitial nucleus of Cajal.** J. H. Anderson (Minnesota, University, Minneapolis, MN). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 865-871. 27 refs. Research supported by the University of Minnesota and NATO; Grants No. NIH-R01-NS-16567; No. NIH-P50-NS-12125.

The response to stimulation of the otolith organs during static lateral tilt is studied. In the considered case, the response is a rotation of the eyes opposite to the head tilt and is assumed not to be influenced by the semicircular canals. The objective of the study is to compare the amount of ocular counterrolling in normal cats and in cats with lesions of the interstitial nucleus of Cajal (INC). Some evidence is to be obtained that might suggest whether or not the INC plays a role in the canal-otolith interactions vis-a-vis the vertical vestibulo-ocular reflex (VOR). The results from the animals with lesions of the interstitial nucleus of Cajal suggest that the INC can influence the torsional position of the eyes.      G.R.

**A82-17568**      **Evaluation of the parallel conductor theory for measuring human limb blood flow by electrical admittance plethysmography.** H. Shimazu, K.-I. Yamakoshi (Hokkaido University, Hokkaido, Japan), T. Togawa (Tokyo Medical and Dental University, Tokyo, Japan), M. Fukuoka, and H. Ito (Kyorin University, Tokyo, Japan). *IEEE Transactions on Biomedical Engineering*, vol. BME-29, Jan. 1982, p. 1-7. 21 refs. Research supported by the Ministry of Welfare of Japan.

**A82-17569**      **Magnetic measurement of cardiac volume changes.** T. Katila, T. Tuomisto, T. Varpula (Helsinki University of Technology, Esbo, Finland), R. Maniewski (Polish Academy of Sciences, Institute of Biocybernetics and Biomedical Engineering, Warsaw, Poland), and P. Siltanen (Helsinki University, Central Hospital, Helsinki, Finland). *IEEE Transactions on Biomedical Engineering*, vol. BME-29, Jan. 1982, p. 16-25. 19 refs. Research supported by the Academy of Finland and Emil Aaltonen Foundation.

The spatial distribution of the magnetic susceptibility plethysmography (MSPG) signal across the chest of normal subjects is presented for magnetic measurements of cardiac volume changes. Ventricular ejection of blood is exhibited in signals measured above the heart, and on the upper and lower thorax. The temporal behavior of the MSPG is compared with results obtained from existing clinical methods, including magnetic induction plethysmography, and is shown to offer some advantages. The origin of the MSPG signal is

theoretically analyzed, and when a fixed cardiac magnetic dipole model is used, overall change in cardiac volume as a function of time is evaluated with reasonable accuracy when the proximity effect of the torso is taken into account. D.L.G.

**A82-17570** Dipole localization of average and single visual evoked potentials. R. W. Sencaj and J. I. Aunon (Purdue University, West Lafayette, IN). *IEEE Transactions on Biomedical Engineering*, vol. BME-28, Jan. 1982, p. 26-33. 30 refs. Grant No. NIH-NS-15347.

A single dipole source was chosen as a model of the neurological generator of evoked potentials elicited by illuminated checkerboard stimulation of halves and quadrants of the visual field, and a homogeneous sphere was chosen as a model for the head. Dipole locations and moments were calculated for the average evoked potentials and average dipole locations and moments were calculated for the preprocessed single evoked potentials. The average dipole locations for the single potentials appear to be more anatomically appropriate than the location due to the average evoked potentials. A relationship was demonstrated between the dipole parameters and polarity inversions in the average evoked potentials. (Author)

**A82-17571** Human vertical fusional response under open and closed loop stimulation to predictable and unpredictable disparity presentations. A. L. Perlmutter and A. E. Kertesz (Northwestern University, Evanston, IL). *IEEE Transactions on Biomedical Engineering*, vol. BME-29, Jan. 1982, p. 57-61. 10 refs. Grant No. NIH-EY-1055.

**A82-17620** The mass extinctions of the late Mesozoic. D. A. Russell (National Museum of Natural Sciences, Ottawa, Canada). *Scientific American*, vol. 246, Jan. 1982, p. 58-65.

Geologic evidence for a celestial body impact with earth at the end of the Mesozoic period is examined. Dinosaur fossils are noted to be present in the strata of the immediately preceding, Cretaceous, period, and absent from the later Mesozoic period. A world-wide thin layer of iridium-enriched clay has been found in the Mesozoic layer, and iridium is noted to be present in greater abundances in meteorites than in the earth's crust. Both marine cores and continental samples of the same epoch have displayed the iridium anomaly, and it is estimated that 500 billion tons of matter were deposited on the earth in one instant. Possible extra-solar system origins of the material are discussed in the light of the iridium-isotope abundance ratio of the layer being the same as that of solar system materials. The sequence of species extinction is examined from the fossil record, and it is determined that no land animal weighing more than 55 lb survived the period in question. M.S.K.

**A82-17940 #** Human orientation in space. L. R. Young (MIT, Cambridge, MA). *American Institute of Aeronautics and Astronautics, Aerospace Sciences Meeting, 20th, Orlando, FL, Jan. 11-14, 1982, Paper 82-0422*. 10 p. 7 refs.

The usefulness of platform motion in flight simulators and the problem of space motion sickness are discussed. Human spatial orientation is defined as a perception of linear position and angular orientation, as well as their rates of change. The semicircular canals in the vestibular system provide angular acceleration information, while the otoliths are the inertial balance organs, sensing acceleration in three dimensions. Minute accelerations, such as head turning, in a weightless environment, can give rise to a false sense of a gravity field. Simulator movement is asserted to involve a compromise between visual cues and vestibular perception, the latter being a significant indicator for experienced pilots; levels of motion sufficient to excite the semicircular canals are given as 0.2 deg/sec per sec, minimum. Research to define predictors, preflight habituation training, and in-flight prevention of space motion sickness is indicated, noting that current theory holds that a sensory conflict precipitates the onset of space motion sickness. (Author)

**A82-18024** How do we avoid confounding the direction we are looking and the direction we are moving. D. Regan and K. I. Beverley (Dalhousie University, Halifax, Canada). *Science*, vol. 215, Jan. 8, 1982, p. 194-196. 9 refs. Research supported by the Natural Sciences and Engineering Research Council of Canada; Grant No. AF-AFOSR-78-3711.

Contrary to a previous assumption, the center of the expanding pattern of visual flow is not generally useful as an aid in judging the direction of self motion since its direction depends on the direction of gaze. For some visual environments, however, the point of

maximum rate of change of magnification in the retinal image coincides with the direction of self motion, independently of the direction of gaze. This visual indicator could be used to judge the direction of self motion. (Author)

**A82-18325** Effects of task feedback and stringency of external pacing on mental load and work performance. J. L. Knight and G. Salvendy (Purdue University, West Lafayette, IN). *Ergonomics*, vol. 24, Oct. 1981, p. 757-764. 5 refs. NSF Grant No. APR-77-17695.

Sixteen subjects were used to study the effects of two levels of pacing constraint and four performance feedbacks on the performance and mental load associated with a manual task. The following main conclusions emerged: (1) performance feedback reduces the mental load of the task only when the pacing constraint is low and (2) feedback improves task performance when the pacing constraint is low since operators are able to meet work requirements more closely. Feedback, however, does not improve the performance or reduce the mental load of a highly paced task. (Author)

**A82-18402 \*** Fabrication and wear test of a continuous fiber/particulate composite total surface hip replacement. J. C. Roberts, W. R. Jones, Jr. (NASA, Lewis Research Center, Cleveland, OH), and F. F. Ling (NASA, Lewis Research Center Cleveland OH; Rensselaer Polytechnic Institute, Troy, NY). *American Society of Lubrication Engineers and American Society of Mechanical Engineers, Lubrication Conference, New Orleans, LA, Oct. 5-7, 1981, ASLE Preprint 81-LC-2D-1*. 9 p. 28 refs. Grant No. DAAG29-79-C-0204.

**A82-18523 †** Study of the discrimination capacity of the auditory analyzer in flight personnel (K izucheniiu razreshaiushchei sposobnosti slukhovogo analizatora u letnogo sostava). A. S. Gusarov. *Voenna-Meditsinskii Zhurnal*, Nov. 1981, p. 44, 45. In Russian.

Thresholds for the perceptual masking of an auditory signal by noise and differential sensitivity to changes in the frequency and duration of a tonal stimulus are determined by the use of three prerecorded programs in flight personnel suffering from incipient bilateral cochlear neuritis, hypertonic neurocirculatory distonia, phase I hypertension emotional-autonomic instability, incipient bilateral cochlear neuritis in combination with emotional-autonomic instability and cerebro-vascular sclerosis. The differential frequency sensitivity threshold is found to be elevated in individuals with incipient cerebro-vascular sclerosis, hypertension and emotional-autonomic instability, while the incipient stages of cochlear neuritis do not worsen the noise stability or differential sensitivity of the auditory analyzer. The most informative indicator of the functional conditions of the auditory analyzer and central nervous system is found to be the differential sensitivity to tonal frequency changes, and it is recommended that assessment of this sensitivity by a method of constant stimulus differences be further developed for use in the clinical evaluation of air crew. A.L.W.

**A82-18524 †** The work capacity of sailors under conditions of varying work-rest cycles (Rabotospособnost' moriakov v usloviakh izmenennogo rezhima truda i otdykha). V. N. Evstaf'ev, L. M. Shafran, and O. Iu. Netudykhatka. *Voenna-Meditsinskii Zhurnal*, Nov. 1981, p. 46, 47. 8 refs. In Russian.

**A82-18525 †** The role of physical training in the prevention of ischemic heart disease (Rol' fizicheskikh trenirovok v profilaktike ishemichekoi bolezni serdtsa). T. V. Khutiev. *Voenna-Meditsinskii Zhurnal*, Nov. 1981, p. 51-53. In Russian.

**A82-18661 †** The effects of hypokinesia on the spectral characteristics of free amino acids in the skeletal muscles and the blood (Vliianie gipokinezii na spektral'nuii kharakteristiku svobodnykh aminokislot skeletnoi myshtsy i krovi). B. M. Kurtser. In: *Pathological physiology of certain extreme states (Patologicheskaiia fiziologiya nekotorykh ekstremal'nykh sostoianii)*. Kishinev, Izdatel'stvo Shtiintsa, 1980, p. 73-78. 7 refs. In Russian.

Free amino acid compositions in the skeletal muscles and blood plasma at various stages of hypokinesia and readaptation to free motion are investigated in rats maintained in specially designed cells for periods of 10, 15 and 28 days. Analyses reveal a net decrease in

total amino acid contents in the blood throughout the observational period, however an increase in skeletal muscle amino acid contents relative to initial levels by the 28th day of motion deprivation. The greatest decrease in amino acid contents in both organs is observed on the 15th day of the experiment. The results may be explained by the conversion of the plastic material represented by the free amino acids into energy substrates by the breakdown of proteins in the major organs in order to meet the increased energy requirements of the organism under stress. A.L.W.

**A82-18662 †** Free amino acid concentrations in the livers of animals subjected to certain extremal factors (O kontsentratsii svobodnykh aminokislot v tkani pecheni zhyvotnykh pri vozdeistvii na organizm nekotorykh ekstremal'nykh faktorov). B. M. Kurtser, M. Ia. Anestiadi, and I. A. Nastas. In: Pathological physiology of certain extreme states (Patologicheskaia fiziologiya nekotorykh ekstremal'nykh sostoianii). Kishinev, Izdatel'stvo Shtiintsa, 1980, p. 78-84. 9 refs. In Russian.

Measurements are presented of changes in the concentrations of free amino acids in the liver in response to visceral shock, strangulated intestinal blockage and hypokinesia. Visceral trauma induced by intestinal evagination in rats is found to lead to an elevation in liver total amino acid contents, although methionine + valine, cysteine and aspartic acid + serine levels fell. Upper strangulated intestinal blockage in dogs and hypoxia for up to 28 days in rats, on the other hand, are observed to lead to significant decreases in total free liver amino acid contents, and in individual amino acid contents with the exception of methionine + valine in both situations and phenylalanine, histidine and agrinine in hypokinesia. The elevation in total liver amino acid contents in visceral shock is attributed to a preponderance of catabolic processes over anabolic due to the greater stimulation of the sympathetic nervous system than the parasympathetic, while the decrease observed upon blockage is explained by intoxication effects and that caused by hypokinesia is related to liver atrophy and the use of amino acids as energy substrates. A.L.W.

**A82-18684 \*** Estimating cell populations. B. S. White and K. R. Castleman (California Institute of Technology, Jet Propulsion Laboratory, Pasadena, CA). *Pattern Recognition*, vol. 13, no. 5, 1981, p. 365-370. Grant No. NIH-CB-70314; Contract No. NAS7-100.

An important step in the diagnosis of a cervical cytology specimen is estimating the proportions of the various cell types present. This is usually done with a cell classifier, the error rates of which can be expressed as a confusion matrix. We show how to use the confusion matrix to obtain an unbiased estimate of the desired proportions. We show that the mean square error of this estimate depends on a 'befuddlement matrix' derived from the confusion matrix, and how this, in turn, leads to a figure of merit for cell classifiers. Finally, we work out the two-class problem in detail and present examples to illustrate the theory. (Author)

**A82-18699 †** Functional model of the temporal and amplitude characteristics of the cardiac electric field (Funktional'naia model' vremennykh i amplitudnykh kharakteristik elektricheskogo polia serdtsa). A. I. Davlet'iants, S. M. Makeev, and A. A. Popov (Akademiia Nauk Ukrainskoi SSR, Institut Kibernetiki, Kievskii Institut Inzhenerov Grazhdanskoi Aviatcii, Kiev, Ukrainian SSR). *Kibernetika i Vychislitel'naia Tekhnika*, no. 52, 1981, p. 29-33. 9 refs. In Russian.

A functional model of the generation of the temporal and amplitude characteristics of the cardiac electric field is presented which may be used in the analysis of the structure of cardiac contractions during operator adaptation to various stresses. The model considers the electrical field of the contracting heart to be a superposition of the electric fields generated by the sources of the electro-cardiographic P wave, QRS complex and T wave, which are in turn stimulated by a single self-excited excitation pulse generator connected by delay lines to the respective sources. External loads are assumed to act on the temporal and amplitude characteristics of all components of the model. Possible applications of such a model include the identification of the degree of physiological stress and cardiovascular condition of aircraft system operators. A.L.W.

**A82-18700 †** Problems of the regulation of hemodynamics during a passive orthostatic test - Study of a mathematical model

(Nekotorye voprosy regulatsii gemodinamiki vo vremia passivnoi ortostaticheskoi proby - Issledovanie na matematicheskoi modeli). R. D. Grigorian (Akademiia Nauk Ukrainskoi SSR, Institut Kibernetiki, Kiev, Ukrainian SSR). *Kibernetika i Vychislitel'naia Tekhnika*, no. 52, 1981, p. 89-93. 17 refs. In Russian.

The interactions of cardiac and vascular mechanisms and increases in skeletal muscle tonus in the hemodynamic response to passive orthostatic testing are investigated by the use of a mathematical model of the circulatory system. The response of the model, in which hemodynamic regulation occurs in response to the mismatch between a set point and the outputs of aortic and carotid baroreceptors, to the changes in heart rate, cardiac inotropic coefficient, peripheral resistance, circulatory dead volume and venous tension in the lower half of the body, was calculated in the absence of cardiovascular regulation, in the presence of normal regulation, in the presence of regulation by only the cardiac component, in the presence of regulation by the vascular component alone, and by a limited variation in vascular tonus. Time variations of aortic pressure, aortic blood flow and central venous pressure indicate that while the cardiac component is insufficient to maintain hemodynamic parameters, it acts to minimize the magnitude and duration of hemodynamic disturbances, with the vascular component responsible for the virtual constancy of aortic pressure. Results also demonstrate the necessary contributions of extramural pressure in the leg and trunk muscles to the maintenance of aortic pressure. A.L.W.

**A82-18733** Recent life change measurement in Canadian Forces pilots. P. M. McCarron and N. H. Haakonson (Department of National Defence, Ottawa, Canada). (*Joint Committee on Aviation Pathology, Scientific Session, 12th, Halton, Bucks., England, Oct. 14-16, 1980.*) *Aviation, Space, and Environmental Medicine*, vol. 53, Jan. 1982, p. 6-13. 27 refs.

The development of a stress measurement data base to identify accident-prone aviators is reported. One group of 158 pilots and two control groups of nonaviators totalling 173 individuals answered questionnaires which referred to recent changes in health, work, family, social, and financial personal areas. The Life Change Units obtained were compared among personnel from different Canadian air bases and between pilots and nonpilots. It was determined that less than a 0.02 probability existed that the differences between the scores of the aviators and the nonpilots were due to chance. It is concluded that although further data are needed to equate the Life Change Units with specific levels of stress, the tests did indicate that pilots are in a high risk profession, and the sources are high enough to imply that over 50% of the pilots are subject to health changes. M.S.K.

**A82-17434** Binocular counterrolling in humans with unilateral labyrinthectomy and in normal controls. S. G. Diamond and C. H. Markham (California, University, Los Angeles, CA). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 69-79. 15 refs.

**A82-17435 \*** Ocular torsion on earth and in weightlessness. L. R. Young, B. K. Lichtenberg, A. P. Arrott, T. A. Crites, C. M. Oman, and E. R. Edelman (MIT, Cambridge, MA). (*Barany Society and New York Academy of Sciences, International Meeting on Vestibular and Oculomotor Physiology, New York, NY, Sept. 22-25, 1980.*) *New York Academy of Sciences, Annals*, vol. 374, Nov. 6, 1981, p. 80-92. 16 refs. Grant No. NSG-2032; Contract No. NAS9-15343.

Otolith function is studied by means of measurements of ocular torsion under various acceleration environments on earth and in weightlessness. Photographic measurements of ocular torsion as indicated by the rotation of landmarks on the iris with respect to head-fixed fiducial marks were obtained in subjects undergoing horizontal linear acceleration in a ground-based version of the space sled, lateral acceleration from weightlessness during pullout from the free-fall portion of parabolic flight, and optokinetic stimulation about the roll axis in the supine position in the laboratory and during weightlessness. The responses of ocular torsion to horizontal acceleration are in agreement with a simple low-order linear system with a dominant time constant of 0.33 sec, with a transfer function fit by a model with a pure delay of 0 to 400 msec and a first-order lag. In the

pullout experiment, torsion was not observed in response to the onset of acceleration in the right-ear-down position, although it was present in response to the lateral stimulus. Results of the roll vection experiments indicate the independence of ocular torsion and visually induced tilt. In addition, an automatic video system using a soft contact lens target is presented which has been developed for ocular torsion measurements. A.L.W.

**A82-18736** **Check your oxygen.** K. E. Underwood Ground (RAF, Institute of Pathology and Tropical Medicine, Halton, Bucks., England). (*Joint Committee on Aviation Pathology, Scientific Session, 12th, Halton, Bucks., England, Oct. 14-16, 1980.*) *Aviation, Space, and Environmental Medicine*, vol. 53, Jan. 1982, p. 24-26.

The history of the crash of a Beechcraft Air 200 aircraft is dissected for causes. The pilot had radioed for permission for emergency descent, was acknowledged, the plane began a circular approach, and then communications broke off. The plane circled the airport 36 times and then crashed. Subsequent autopsy of the uncremated remains revealed a reported probable cause of death of hypoxia. The cabin was noted to have a 'dump atmosphere' switch, which may have been activated at 10,000 ft, while oxygen masks were set to deploy only above 12,500 ft. It was also found that the oxygen masks delivered only 47% oxygen concentration while in use. Recommendations are given for a total oxygen system check-out before each flight, including donning the oxygen masks to ensure that they deliver oxygen. M.S.K.

**A82-18737** **Forensic dentistry.** W. M. Morlang (USAF Hospital, New York, NY). *Aviation, Space, and Environmental Medicine*, vol. 53, Jan. 1982, p. 27-34. 20 refs.

The specialty of forensic dentistry is examined and its role in the multidisciplinary investigation of the identity of aircraft accident fatalities is addressed. State-of-the-art techniques are discussed including professional procedures and organization, radiology, documentation, and data automation. A unique procedure for courtroom presentation of identification confirmation dental radiographs is provided. The increased utilization of forensic dentistry within aviation pathology is encouraged. (Author)

**A82-18738** **Piribedil-induced anti-hypoxic protection in rats.** C. Saligaut, N. Moore, M. Daoust, P. Chretien, and F. Boismare (Rouen, Université, Saint-Etienne-du-Rouvray, Seine-Maritime, France). *Aviation, Space, and Environmental Medicine*, vol. 53, Jan. 1982, p. 35-39. 16 refs.

The action of the dopaminergic agonist, piribedil, on a conditioned avoidance response was studied in normoxic or hypobaric hypoxic rats. This agonist has no effects in normoxia, but induces an anti-hypoxic protection (improvement of learning in hypoxia), antagonized by low doses of pimoziide. The mechanism of the anti-hypoxic property seems to be mediated by the stimulation of the postsynaptic dopaminergic receptors, but does not exclude the role of noradrenergic pathways, as shown by the stabilization of norepinephrine levels during hypoxia after treatment with piribedil. (Author)

**A82-18739** **The effect of acetazolamide on the proteinuria of altitude.** A. R. Bradwell (Birmingham, University, Birmingham, England) and J. P. Delamere (Queen Elizabeth Medical Centre, Birmingham, England). *Aviation, Space, and Environmental Medicine*, vol. 53, Jan. 1982, p. 40-43. 11 refs. Research supported by the Arthur Thomson Trust Fund, West Midlands Regional Health Authority, and Lederle Pharmaceuticals.

Albumin was measured by dipstick tests and immunologically in 24-h and early morning urine samples collected from 20 subjects during a high-altitude trek. Each was given acetazolamide (Diamox sustets) or placebo as part of a double-blind trial on the prophylactic use of acetazolamide in acute mountain sickness (AMS). At the highest altitudes, albuminuria was six times greater in those on placebo and was related to the clinical features of AMS and arterial oxygen tension. Urine dipstick tests for proteinuria were also an index of AMS, but were inaccurate. The proteinuria is probably due to renal hypoxia, which causes increased glomerular permeability, reduced tubular reabsorption, or both. The reduction in the clinical features of AMS achieved with acetazolamide therapy is also associated with improved renal function. (Author)

**A82-18740** **Effect of altitude exposure on induction of Streptococcal endocarditis in young and middle-aged rats.** P. D. Altland (National Institutes of Health, Laboratory of Chemical Physics, Bethesda, MD). *Aviation, Space, and Environmental Medicine*, vol. 53, Jan. 1982, p. 44-48. 24 refs.

**A82-18741 \*** **Visual scanning behavior and mental workload in aircraft pilots.** J. R. Tole, R. L. Harris, Sr. (MIT, Cambridge, MA), A. T. Stephens (NASA, Langley Research Center, Flight Management Branch, Hampton, VA), and A. R. Ephrath (Bell Telephone Laboratories, Inc., Piscataway, NJ). *Aviation, Space, and Environmental Medicine*, vol. 53, Jan. 1982, p. 54-61. 21 refs. Grant No. NCC1-23.

This paper describes an experimental paradigm and a set of preliminary results which demonstrate a relationship between the level of performance on a skilled man-machine control task, the skill of the operator, the level of mental difficulty induced by an additional task imposed on the basic control task, and visual scanning performance. During a constant, simulated piloting task, visual scanning of instruments was found to vary as a function of the level of difficulty of a verbal loading task. The average dwell time of each fixation on the pilot's primary instrument increased as a function of the loading. The scanning behavior was also a function of the estimated skill level of the pilots; with novices being affected by the loading task much more than experts. The results suggest that visual scanning of instruments in a controlled task may be an indicator of both workload and skill. (Author)

**A82-18742** **Measurement of systolic time intervals by electrical plethysmography - Validation with invasive and noninvasive methods.** J. Colin (Service de Santé des Armées, Centre de Recherches, Clamart, Hauts-de-Seine, France) and J. Timbal (Centre d'Études et de Recherches de Médecine Aéronautique, Paris, France). *Aviation, Space, and Environmental Medicine*, vol. 53, Jan. 1982, p. 62-68. 15 refs.

**A82-18743** **Surgical treatment of recurrent frontal sinus barotrauma - A case report.** D. M. Barrs and F. W. Shagets (USAF, Medical Center, Lackland AFB, TX). *Aviation, Space, and Environmental Medicine*, vol. 53, Jan. 1982, p. 69-71. 13 refs.

It is noted that surgery is indicated in patients developing chronic documented frontal sinusitis despite medical therapy. Attention is called to the difficulty of treating flyers who do not develop chronic sinusitis but who have recurrent episodes of barotrauma-induced frontal sinusitis. It is thought that in some of these cases a ventilatory procedure is indicated. The recurrent history should first be well documented with X-rays showing the acute barosinusitis and convalescent X-rays showing interval clearing. Patients selected should not have other underlying or predisposing pathology, such as allergic or vasomotor rhinitis. The problem should be isolated to the frontal sinus and not be a component of pansinusitis. It is noted that unilateral involvement is preferable. Ventilation may then be obtained by combining naso-frontal reconstruction with intersinus septectomy. After the operation, an altitude-chamber flight is desirable before a return to flying. This could be accomplished after removing the rolled silastic sheeting. C.R.

**Page Intentionally Left Blank**

materials has become more prevalent in the design of equipment and in shipboard construction. Use of these materials in quantity can create severe generation of toxic gases which can incapacitate or kill personnel in shipboard fires even if they are not in the immediate fire area. Author (GRA)

## STAR ENTRIES

**N82-14793** Emory Univ., Atlanta, Ga.  
**STUDIES IN IN VIVO ELECTROCHEMISTRY** Ph.D. Thesis  
Wayne Stuart Lindsay 1981 303 p  
Avail: Univ. Microfilms Order No. 8124252

The design and construction of instrumentation for in vivo electrochemistry, solution and in vivo characterization of micro-working electrodes, the use of the multielectrode system for pharmacological and behavioral studies, statistical analysis of data, simulation studies, and the first chronoamperometric recording from a rhesus monkey are presented. In vivo data using different values for some of the experimental parameters in the simulation equation were compared to simulated data. Chronoamperometric recordings were made from the brain of an unanesthetized rhesus monkey. The electrochemical signal increased during emotional excitation and feeding. Dissert. Abstr.

**N82-14794\*** National Aeronautics and Space Administration, Washington, D. C.

**POLYPLIOTIZATION DELAY IN RAT HEPATOCYTES UNDER LIVER GROWTH INHIBITION BY HYPOKINESIA**

V. M. Faktor, V. F. Maljutin, S. Y. Li, and V. Ya. Brodskiy Jul. 1981 10 p refs Transl. into ENGLISH from Tsitologiya (USSR), v. 21, no. 4, 1979 p 397-400

(Contract NASw-3199)  
(NASA-TM-76515) Avail: NTIS HC A02/MF A01 CSCL 06C

A study of young rats, weighing 55 to 59 g. after being for 10 days in conditions of limited mobility, shows a retardation of body growth as well as that of liver growth. The decrease in the rate of growth is accompanied by a reduction of cell proliferation and by delay polyploidization of hepatocytes in the liver of experimental rats. The materials, methods, and results of research are discussed. M.D.K.

**N82-14795#** Jackson Lab., Bar Harbor, Maine.  
**INBORN ANEMIAS IN MICE** Progress Report, 1 Aug. 1980 - 1 Jun. 1981

Seldon E. Bernstein, Jane E. Barker, and Elizabeth S. Russell Jun. 1981 36 p  
(Contract DE-AC02-76EV-03264)  
(DE81-029128; DOE/EV-03264/20) Avail: NTIS HC A03/MF A01

Four macrocytic anemias, five hemolytic anemias, nonhemolytic microcytic anemia, transitory siderocytic anemia, sex-linked iron-transport anemia, an alpha-thalassemia, and a new target-cell anemia were studied. Each of these blood dyscrasias is caused by the action of a unique mutant gene, which determines the structure of different intracellular molecules, and thus controls a different metabolic process. The potential for uncovering different aspects of hemopoietic homeostatic mechanisms in the mouse is considered. Each anemia is studied through: (1) characterization of peripheral blood values, (2) determinations of radiosensitivity under a variety of conditions, (3) measurements of iron metabolism and heme synthesis, (4) histological and biochemical study of blood-forming tissue, (5) functional tests of the stem cell component, (6) examination of responses to erythroid stimuli, and (7) transplantation of tissue between individuals of differently affected genotypes. DOE

**N82-14796#** Southwest Research Inst., San Antonio, Tex.  
**PLAN OF ACTION AND MILESTONES FOR NAVY COMBUSTION TOXICITY** Final Report

R. E. Adler, H. Kaplan, and M. D. Pish 1 Jan. 1981 33 p  
(Contract N00173-80-C-0125)  
(AD-A105623) Avail: NTIS HC A03/MF A01 CSCL 13/10

This report reviews the Workshop on Toxicology of Combustion Products held at the Naval Research Laboratory on 15-16 October 1980. Participants included U.S. Navy, other government activities, and U.S. Industry. The use of plastic

**N82-14797#** Mitre Corp., McLean, Va.  
**EVALUATION OF SHORT-TERM BIOASSAYS TO PREDICT FUNCTIONAL IMPAIRMENT. SELECTED SHORT-TERM PULMONARY TOXICITY TESTS** Final Report, Sep. 1978 - Jul. 1980

Steve Drill and Richard Thomas Oct. 1980 131 p refs  
(Contract DAMD17-78-C-8068)  
(AD-A103766; MTR-80W00233) Avail: NTIS HC A07/MF A01 CSCL 06/20

Short term bioassays which demonstrate ability to assess and predict impairment of the pulmonary system resulting from exposure to chemicals were evaluated. Test procedures for determining toxic effects on the lungs and other components of the pulmonary system are reviewed. The procedures are discussed in sections on morphology, respiratory mechanics, gas exchange, circulation, defense mechanisms and biochemistry. Author

**N82-14798#** Mitre Corp., McLean, Va.  
**EVALUATION OF SHORT-TERM BIOASSAYS TO PREDICT FUNCTIONAL IMPAIRMENT. DEVELOPMENT OF PULMONARY BIOASSAYS IN SMALL ANIMALS: DIRECTORY OF INSTITUTIONS; INDIVIDUALS INVOLVED IN UTILIZATION** Final Report

Steve Drill, Richard Thomas, and Terry Zimmerman Oct. 1980 133 p

(Contract DAMD17-78-C-8068)  
(AD-A103767; WP-79W00222) Avail: NTIS HC A07/MF A01 CSCL 06/20

Short term bioassays which demonstrated ability to evaluate and predict pulmonary impairment resulting from toxicant exposures were evaluated. This directory describes available pulmonary testing protocols and assesses their suitability for a screening program. Organizations currently engaged in pulmonary bioassay utilization or development are catalogued and information concerning specific measurements performed, test systems employed, compounds tested, requirements for anesthesia and terminal nature of the test are provided. Author

**N82-14799#** Oak Ridge National Lab., Tenn. Industrial Safety and Applied Health Physics Div.

**INTDOS: A COMPUTER CODE FOR ESTIMATING INTERNAL RADIATION DOSE USING RECOMMENDATIONS OF THE INTERNATIONAL COMMISSION ON RADIOLOGICAL PROTECTION**

M. T. Ryan Sep. 1981 25 p refs  
(Contract W-7405-eng-26)  
(DE82-000507; ORNL/TM-7928) Avail: NTIS HC A02/MF A01

A user oriented computer code, INTDOS, to calculate estimates of internal radiation dose commitment resulting from the acute inhalation intake of various radionuclides was designed. The user must identify the radionuclide name, solubility class, particle size, time since exposure, and the measured lung burden. The INTDOS calculates the fraction of the lung burden remaining at time, t, postexposure considering the solubility class and particle size information. Effective committed dose equivalents to various organs and tissues of the body are calculated using inhalation committed dose factors. DOE

**N82-14800#** Brookhaven National Lab., Upton, N. Y. Biology Dept.

**REPAIR OF RADIATION DAMAGE IN MAMMALIAN CELLS**

R. B. Setlow 1981 16 p refs Presented at the NATO CNEN Conf., Rome, 24 Aug. 1981.  
(Contract DE-AC02-76CH-00016)  
(DE81-030824; BNL-30056; B10-3766; CONF-810873-2) Avail: NTIS HC A02/MF A01

The responses as survival, mutation, and carcinogenesis, of mammalian cells and tissues to radiation which are dependent not only on the magnitude of the damage to macromolecular structures (DNA, RNA, protein, and membranes) but on the rates of macromolecular syntheses of cells relative to the half lives of the damages are discussed. Cells possess a number of mechanisms for repairing damage to DNA. The effects of radiation and the

repair of radiation damage can be explained by epidemiological data which allows the construction of dose response curves for humans. The shapes of such curves or the magnitude of the response depends on repair. Radiation damage is emphasized because: (1) radiation dosimetry is excellent compared to chemical dosimetry; (2) a number of cancer prone diseases show defects in DNA repair and radiation results in more chromosomal damage in cells from such individuals than in cells from normal individuals; (3) specific radiation products in DNA have been correlated with biological effects, and (4) many chemical effects seem to mimic radiation effects. It is indicated that damages to DNA can be the initiating events in carcinogenesis. DOE

**N82-14801#** Michigan Research Center, Inc., East Lansing. **EVALUATIVE STUDIES IN NUCLEAR MEDICINE RESEARCH. EMISSION-COMPUTED TOMOGRAPHY ASSESSMENT Progress Report, 1 Jan. - 15 Aug. 1981**

E. James Potchen 15 Aug. 1981 18 p refs  
(Contract DE-AS02-76EV-02777)  
(DE81-030168; DOE/EV-02777/5) Avail: NTIS HC A02/MF A01

Imaging performance goals which need to be met to produce effective biomedical research using positron emission computer tomography are discussed. The realization of those performance goals by imaging systems, and the dependence of currently unachieved performance goals on design an operational factors along with refinement of economic estimates for the capital and operating costs of a research facility are addressed. DOE

**N82-14802#** Cornell Univ., Ithaca, N. Y. Materials Science Center.

**FIELD-ION-MICROSCOPE OBSERVATIONS OF RADIATION EFFECTS**

David N. Seidman Aug. 1981 8 p refs  
(Contract DE-AS02-76ER-03158)  
(DE81-030934; DOE/ER-03158/99; MSC-4555) Avail: NTIS HC A02/MF A01

The unique advantages and capabilities of the field ion microscope (FIM) and atom probe FIM for the study of the effects of particle radiation on metals are reviewed. Some contrast effects caused by radiation induced defects are discussed. DOE

**N82-14803#** Battelle Pacific Northwest Labs., Richland, Wash. **CARCINOGENIC EFFECTS OF COAL-CONVERSION MATERIALS**

R. A. Renne and L. G. Smith Apr. 1981 29 p refs Presented at the Ind. Hyg. and Occupational Med. in Coal Conversion Proj. Workshop, Washington, D.C., 7 Nov. 1980 Submitted for publication  
(Contract DE-AC06-76RL-01830)  
(DE81-028108; PNL-SA-9516; CONF-801143-2) Avail: NTIS HC A03/MF A01

The correlation between mutagenesis and carcinogenesis data on complex mixtures (synfuel materials) was determined. The heavy distillate is highly mutagenic compared with the other materials tested and it was also highly carcinogenic in a mouse skin painting assay. The fractions, we give different results from those of the mutagenesis assays. The basic tar and the neutral tar skin carcinogenesis data correlate fairly well with the mutagenesis data. The need for caution against depending heavily on equating PNA content with carcinogenic activity is emphasized. It is recommended that primary aromatic amines are also monitored. DOE

**N82-14804\*#** National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

**INFLUENCE OF DISPLAY AND CONTROL COMPATIBILITY ON PILOT-INDUCED OSCILLATIONS**

Marvin C. Waller, Randall L. Harris, Sr., and Lee H. Person, Jr. Dec. 1981 40 p refs  
(NASA-TP-1936; L-14364) Avail: NTIS HC A03/MF A01 CSCL 051

The differences in techniques used by seven pilots to acquire information from an advanced display for instrument approaches to and landings on a runway were investigated. A fixed base simulator programmed with dynamics resembling the terminal configured vehicle (TCV) was studied. It is shown that the seven pilots can be divided into two groups which used the display with distinctly different strategies for controlling the airplane. A related pattern of performance differences resulted. It is found that pilots who primarily use raw flight path information

experience longitudinal oscillations while pilots using attitude information did not. E.A.K.

**N82-14805#** Fabrique Nationale d'Armes de Guerre, Herstal-les-Liege (Belgium).

**INITIATION INTO THE UTILIZATION OF PROGRAMMABLE INDUSTRIAL ROBOTS: GRAFCET [INITIATION A L'UTILISATION DES AUTOMATES PROGRAMMABLES INDUSTRIELS]**

P. Krzesinski Mar. 1981 25 p refs In FRENCH  
Avail: NTIS HC A02/MF A01

A technique for expressing automation problems, i.e., graph of command stage and transition (GraFcet), is presented. It is intended as a methodological tool which aids in the communication of automated systems specifications between client and contractor. The language GraFcet comprehends two levels of specification. The first level describes the behavior of the command part of a system in relation to the operating part (functional specifications). The second level sets technological and environmental specifications with which the command part of a system must operate (operational specifications). Fundamental notions and the practical use of GraFcet are explained. Author (ESA)

**N82-15708\*#** National Aeronautics and Space Administration, Washington, D. C.

**USSR SPACE LIFE SCIENCES DIGEST Annual Summary** Courtland S. Lewis, ed. and Kristy L. Donnelly, ed. 1980 72 p refs Prepared jointly with BioTechnology, Inc., Arlington, Va. (Contract NASw-3469)

(NASA-TM-84080) Avail: NTIS HC A04/MF A01 CSCL 06C

Research in exobiology, life sciences technology, space biology, and space medicine and physiology, primarily using data gathered on the Salyut 6 orbital space station, is reported. Methods for predicting, diagnosing, and preventing the effects of weightlessness are discussed. Psychological factors are discussed. The effects of space flight on plants and animals are reported. Bioinstrumentation advances are noted. R.J.F.

**N82-15709\*#** George Washington Univ., Washington, D.C. Dept. of Medical and Public Affairs.

**A COMPENDIUM OF HYPOKINETIC AND HYPODYNAMIC ANIMAL STUDIES Contractor Report, Dec. 1981**

Linda G. Pleasant and Phyllis T. Axelrod Washington NASA Dec. 1981 734 p  
(Contract NASw-3165)  
(NASA-CR-3485) Avail: NTIS HC A99/MF A01 CSCL 06C

This compendium organizes and summarizes the scientific literature dealing with the study of hypokinetic and hypodynamic animal studies. It includes both American and foreign research papers. Author

**N82-15710\*#** Research Triangle Inst., Research Triangle Park, N. C.

**NASA BIOMEDICAL APPLICATIONS TEAM. APPLICATIONS OF AEROSPACE TECHNOLOGY IN BIOLOGY AND MEDICINE Quarterly Report, Apr. - Jun. 1979**

D. J. Rouse, R. Beadles, H. C. Beall, J. N. Brown, Jr., W. H. Clingman, M. W. Courtney, M. McCartney, R. W. Searce, and B. Wilson Jun. 1979 60 p refs  
(Contract NAS1-14708)

(NASA-CR-152663; RTI/1411/00-07Q) Avail: NTIS HC A04/MF A01 CSCL 06C

The use of a bipolar donor-recipient model of medical technology transfer is presented. That methodology is designed to: (1) identify medical problems and aerospace technology that in combination constitute opportunities for successful medical products; (2) obtain the early participation of industry in the transfer process; and (3) obtain acceptance by the medical community of new medical products based on aerospace technology. Problem descriptions and activity reports and the results of a market study on the tissue freezing device are presented. E.A.K.

**N82-15711\*#** National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, Tex.

**STS-1 MEDICAL REPORT**

Sam L. Pool, ed., Philip C. Johnson, Jr., ed., and John A. Mason, ed. Dec. 1981 114 p

(NASA-TM-58240; S-509) Avail: NTIS HC A06/MF A01 CSCL 06P

The report includes a review of the health of the crew before, during and immediately after the first Shuttle orbital flight (April 12-14, 1981). Areas reviewed include: health evaluation, medical debriefing of crewmembers, health stabilization program, medical training, medical kit carried inflight; tests and countermeasures for space motion sickness, cardiovascular profile, biochemistry and endocrinology results; hematology and immunology analyses; medical microbiology; food and nutrition; potable water; shuttle toxicology; radiological health; cabin acoustical noise. Also included is information on: environmental effects of Shuttle launch and landing, medical information management; and management, planning and implementation of the medical program.

**N82-15712\*#** National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, Tex.

#### EVALUATION OF CREW HEALTH

Craig L. Fischer and Joseph Degioanni *In its* STS-1 Med. Rept. Dec. 1981 p 5-6

Avail: NTIS HC A06/MF A01 CSCL 06P

The STS-1 pre- and postflight medical evaluations are presented. Exams included: audiometry; dental examination; laboratory microbiology; physical examination; cardiovascular stress tests, including 80% treadmill; stand test weight; tonometry; and visual examination. No significant clinical problem was identified postflight. Of interest medically was the expected hyperreflexia and dependent venous stasis exhibited by both crewmen. T.M.

**N82-15713\*#** National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, Tex.

#### INFLIGHT OBSERVATIONS

Michael A. Berry *In its* STS-1 Med. Rept. Dec. 1981 p 7-9

Avail: NTIS HC A06/MF A01 CSCL 06P

The monitoring was carried out by recording electrocardiogram (ECG) during prelaunch, launch, early orbit time, entry, and landing; monitoring crew voice transmission throughout the mission; and conducting a daily private crew medical communication. Crew performance is outlined. No medical problems of any kind were experienced by the crew. No medical treatment inflight was required except for the prophylactic use of an antimotion sickness medication that had been planned preflight. T.M.

**N82-15714\*#** National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, Tex.

#### CREW MEDICAL DEBRIEFING

Joseph Degioanni and Craig L. Fischer *In its* STS-1 Med. Rept. Dec. 1981 p 11-17

Avail: NTIS HC A06/MF A01 CSCL 06P

The postflight debriefings of the STS-1 astronauts are presented. The debriefings are presented as dialogues taken from the tape recording of the sessions. T.M.

**N82-15715\*#** National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, Tex.

#### HEALTH STABILIZATION PROGRAM

James K. Ferguson *In its* STS-1 Med. Rept. Dec. 1981 p 19-21

Avail: NTIS HC A06/MF A01 CSCL 06E

The objective of the HSP is to provide an environment surrounding the prime and backup crewmen which will reduce or eliminate the exposure of the crew to infectious agents. The program limited the access of large numbers of newpersons to the crew and enabled the identification and medical examination of all VIP's who visited the crew. Although several primary contacts were observed not wearing masks at required times, the great majority of primary contacts did wear masks. The STS-1 program effectively kept 38 known ill persons out of crew work areas and thereby prevented crew exposure and possible illness. T.M.

**N82-15716\*#** National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, Tex.

#### EMERGENCY MEDICAL SERVICES SYSTEM (EMSS)

Sam E. Pool *In its* STS-1 Med. Rept. Dec. 1981 p 23-27

Avail: NTIS HC A06/MF A01 CSCL 06E

The objective of the EMSS was to provide the ill or injured

crewman with rapid access to the appropriate level of medical care. In order to meet the objective, the following factors were carefully considered in developing the EMSS for STS-1: accessibility to health care centers, personnel, training, experience, transportation, response times, communications, medical records, and special environmental hazards. The system is described along with flight surgeon staffing and deployment. T.M.

**N82-15717\*#** National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, Tex.

#### CREW MEDICAL TRAINING

James M. Vanderploeg *In its* STS-1 Med. Rept. Dec. 1981 p 29-30

Avail: NTIS HC A06/MF A01 CSCL 06E

Each astronaut's initial training in the medical disciplines occurred during the first year following selection. The medical curriculum encompassed approximately 16 hours of instruction during the year. The principal areas covered include: the central and peripheral nervous systems; the auditory and vestibular systems; the visual system; dental health; the cardiovascular system; the pulmonary system, gastrointestinal system, and genitourinary system; and the musculoskeletal system. For each of these areas the astronauts were taught the basics of anatomy and physiology. In addition, they were introduced to physical examination techniques, diagnosis, and treatment of the more common ailments of the different organ systems. T.M.

**N82-15718\*#** National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, Tex.

#### SHUTTLE ORBITAL MEDICAL SYSTEM

James M. Vanderploeg *In its* STS-1 Med. Rept. Dec. 1981 p 31-35

Avail: NTIS HC A06/MF A01 CSCL 06E

The system was designed to provide treatment for life threatening emergencies and to permit diagnosis and treatment of all less severe injuries and illnesses. It is intended to sustain the medical needs of a two man crew for up to 7 days. The system is described and a detailed list of the equipment in the emergency medical kit is presented. The prescribed medical training in the performance of emergency procedures, the use of diagnostic equipment, the performance of therapeutic modalities, and the knowledge of the medical kits contents is discussed. T.M.

**N82-15719\*#** National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, Tex.

#### VALIDATION OF PREDICTIVE TESTS AND COUNTERMEASURES FOR SPACE MOTION SICKNESS

Jerry L. Homick *In the* STS-1 Med. Rept. Dec. 1981 p 37-38

Avail: NTIS HC A06/MF A01 CSCL 06E

Inflight observations, supported by a series of pre and postflight data collection procedures, on STS-1 crewmembers in an effort to validate ground based tests which may be predictive of susceptibility to the space motion sickness syndrome are presented. Crew procedures were implemented which enabled acquisition of data to be used in validating motion sickness countermeasures. T.M.

**N82-15720\*#** National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, Tex.

#### CREW CARDIOVASCULAR PROFILE

Michael W. Bungo *In its* STS-1 Med. Rept. Dec. 1981 p 39-45

Avail: NTIS HC A06/MF A01 CSCL 06P

Cardiovascular data was acquired in the operational mode of the flight. Heart rate and blood pressure responses are presented for each crewman. There were definable points in the mission which produce cardiovascular stress as measured by heart rate response. The stand test in both the PLT and CDR show evidence for a relative hypovolemia and perhaps a resetting of arterial regulation. The anti-G suit and G sub z acceleration effects are discussed. The anti-G suit proved to be a rather simple yet relatively effective device for increasing tolerance to +G sub z acceleration. The STS-1 flight profile produced no operationally significant alterations in G tolerance. T.M.

**N82-15721\*#** National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, Tex.

#### BIOCHEMISTRY AND ENDOCRINOLOGY RESULTS

Carolyn S. Leach *In its* STS-1 Med. Rept. Dec. 1981 p 47-49

## N82-15722

Avail: NTIS HC A06/MF A01 CSCL 06P

Blood (plasma or serum) biochemistry findings show postflight decreases below preflight findings for uric acid triglycerides, and AST. Postflight increases above preflight values were observed in glucose, cholesterol, BUN, calcium phosphate, angiotensin I, aldosterone, insulin, T3, T4, HGH, ACTH and GGTP. It is suggested that special attention should be given to the fluid and electrolyte intake in the astronauts so that homeostatic perturbations are not consequential. T.M.

**N82-15722\*#** National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, Tex.

### HEMATOLOGICAL AND IMMUNOLOGICAL ANALYSES

Gerald R. Taylor *In its* STS-1 Med. Rept. Dec. 1981 p 51-52 refs

Avail: NTIS HC A06/MF A01 CSCL 06P

The analyses conducted on the cellular blood components of the primary and backup crewmembers indicated that for the one month period preceding the flight, there were no unusual variations in the cellular blood components of the crewmembers. However, there were alterations in both of the primary crewmembers after the flight. The explanation is that there was a phase decrease in fluid volume. Concomitant with this fluid imbalance there is also evidence to support an absolute decrease in mean erythrocyte volume, a peripheral lymphopenia, and a marked decrease in blastogenic response of lymphocytes to *in vitro* mitogenic challenge. T.M.

**N82-15723\*#** National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, Tex.

### MEDICAL MICROBIOLOGY OF CREWMEMBERS

Duane L. Pierson *In its* STS-1 Med. Rept. Dec. 1981 p 53-58

Avail: NTIS HC A06/MF A01 CSCL 06E

A surveillance program consisting of microbial monitoring of the flight crews (prime and backup) and the spacecraft (including surfaces, food, air and water) is described. Samples were obtained from the crews and the Orbiter at specified times and were evaluated by quantitating the number of microorganisms and identifying the pathogenic and potentially pathogenic microbes. Quantitative values for total microorganisms per sample site were relatively low both pre- and postlaunch except for three sites which exhibited some microbial buildup during the flight. The circulating air in the Orbiter displayed a sharp increase in the number of airborne bacteria and fungi immediately prior to launch. T.M.

**N82-15724\*#** National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, Tex.

### FOOD AND NUTRITION

Richard L. Sauer and Rita M. Rapp *In its* STS-1 Med. Rept. Dec. 1981 p 59-62

Avail: NTIS HC A06/MF A01 CSCL 06H

The menu used during STS-1 is shown in terms of food items and food forms (irradiated, freeze-dried, or beverage). The estimated mean daily inflight nutrient consumption per crewman is presented. Recommended quantities of specific nutrients are reported. T.M.

**N82-15725\*#** National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, Tex.

### THE POTABLE WATER

Richard L. Sauer *In its* STS-1 Med. Rept. Dec. 1981 p 63-66

Avail: NTIS HC A06/MF A01 CSCL 06K

Periodic samples of the potable water were obtained preflight and a series of samples were taken postflight to determine the continuing microbiological and chemical quality of the water. Those parameters of nonmedical concern which were exceeded included total organics and color. Other parameters included nickel concentration, total bacteria count, and chromium concentration levels. T.M.

**N82-15726\*#** National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, Tex.

### SHUTTLE TOXICOLOGY

Wayland J. Rippstein *In its* STS-1 Med. Rept. Dec. 1981 p 67-75

Avail: NTIS HC A06/MF A01 CSCL 06T

Space flight toxicity standards and methods for control and

evaluation of candidate spacecraft materials selection and/or use are described. The development of methods and hardware for removal of spacecraft contaminants is discussed. The analytical chemical data obtained from the two Orbiter vehicles (OV-101 and OV-102) were reviewed. The Enterprise (OV-101) is shown to be an extremely clean vehicle, whereas the Columbia (OV-102) outgassed a significant number and quantity of contaminant gases. T.M.

**N82-15727\*#** National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, Houston, Tex.

### RADIOLOGICAL HEALTH

Charles M. Barnes *In its* STS-1 Med. Rept. Dec. 1981 p 77-78

Avail: NTIS HC A06/MF A01 CSCL 06R

Dosimeters were provided for development within the crew compartment and on the astronauts flight garments to detect radiation encountered by the space crew during the mission. The STS-1 mission encountered geomagnetically trapped electrons and protons on 13 low altitude passes through the South Atlantic anomaly. The orbital inclination was such that encounters with the outer-belt horn was negligible. Radiation dose to the crew from the above events was estimated to be 5 millirad. Total PDL measured dose to the crew from all sources during the STS-1 mission was 20 millirad. T.M.

**N82-15732#** Dornier-Werke G.m.b.H., Friedrichshafen (West Germany).

### FEASIBILITY STUDY (PHASE A) FOR A LIFE SCIENCE DOUBLE RACK ENVISAGED FOR THE SPACELAB MISSION D1 Final Report, Oct. 1980

Rolf Baur, Karl-Ludwig Bitzer, Helmut Preiss, and Peter Schiller Bonn Bundesministerium fuer Forschung und Technologie Sep. 1981 83 p In GERMAN; ENGLISH summary Sponsored by Bundesministerium fuer Forschung und Technologie (BMFT-FB-W-81-037; ISSN-0170-1339) Avail: NTIS HC A05/MF A01; Fachinformationszentrum, Karlsruhe, West Germany DM 17,40

The life science double rack which is envisaged for a flight in the Spacelab mission D1 enables the performance of biomedical and botanical experiments. Besides experiment specific boxes, the double rack contains multi-user facilities like a standard botanical equipment, an oscilloscope and two centrifuges, furthermore stowage containers for auxiliary equipment. For late access and early retrieval equipment, stowage lockers in the middeck are available and in addition middeck freezers can be used during flight. A concept for the life science double rack was worked out including the flight and ground operations and the ground support equipment. Author

**N82-15733#** Erno Raumfahrttechnik G.m.b.H., Bremen (West Germany).

### CONCEPT STUDY OF A LIFE SCIENCES PAYLOAD ELEMENT (PLE) FOR THE SL-D1 MISSION Final Report, Nov. 1980

Peter Junk, Heinrich Stegen, Wolfgang Haebel, and Manfred Ott Bonn Bundesministerium fuer Forschung und Technologie Oct. 1981 184 p refs Partly in GERMAN and ENGLISH Sponsored by Bundesministerium fuer Forschung und Technologie (BMFT-FB-W-81-038; ISSN-0170-1339) Avail: NTIS HC A09/MF A01; Fachinformationszentrum, Karlsruhe, West Germany DM 34,70

Twelve life sciences experiments were selected as candidates for the Spacelab (SL)-D1 mission. They are combined to form a payload element (PLE). Experiment requirements were analyzed and completed, and technical concepts for the PLE were proposed. Interfaces were defined and missions assurance, operational, testing, and ground support aspects were considered. Most of the experiment requirements are within the capability which is supplied by the Space Transportation System, except the total stowage volume required for sample stowage in the orbiter mid deck. Also crew time is a critical parameter. The technical design concepts of the experiments are based on first Spacelab payload hardware or on existing commercial equipment, which has to be modified for SL. For realizing the SL-PLE, 32 months were estimated, starting from a definition phase. M.G.

**N82-15734#** Istituto Superiore di Sanita, Rome (Italy). Lab. delle Radizioni.

### SPECTROPHOTOMETRIC STUDIES ON THE RNA STRUCTURE IN E.COLI RIBOSOMES. PART 1: FUNDAMENTALS

**OF ULTRAVIOLET SPECTROPHOTOMETRY OF NUCLEIC ACIDS**

M. Belli, F. Mazzei, and G. Onori (Perugia Univ., Italy) 20 Mar. 1980 35 p refs In ITALIAN; ENGLISH summary 2 Vol. (ISS-R-80/2-Pt-1; ISSN-0390-6477) Avail: NTIS HC A03/MF A01

The fundamentals of UV absorption spectroscopy of nucleic acids are reviewed. The relationship between the absorption of a polymer (DNA, RNA) with the absorption properties of the bases, is described. The association between spectral changes and structural modifications in nucleic acids, is also evidenced. M.G.

**N82-15735#** Istituto Superiore di Sanita, Rome (Italy). Lab. delle Radiazioni.

**SPECTROPHOTOMETRIC STUDIES OF THE RNA STRUCTURE IN E.COLI RIBOSOMES. PART 2: INFLUENCE OF IONS AND PROTEINS ON THE RNA SECONDARY STRUCTURE**

A. Araco, M. Belli, F. Mazzei (Perugia Univ.), and G. Onori 27 Mar. 1980 31 p refs In ITALIAN; ENGLISH summary 2 Vol. (ISS-R-80/3-Pt-2; ISSN-0390-6477) Avail: NTIS HC A03/MF A01

The main results obtained on E.coli ribosomes and rRNA conformation are reviewed. It is shown in particular that the rRNA structure within the ribosome subunits can be affected by the interaction with proteins and with magnesium. M.G.

**N82-15736#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**FUNDAMENTALS OF AERONAUTICAL AND AEROSPACE MEDICAL SCIENCE**

Cai Qiao, Feng Genquan, and Yan Yuanfu 17 Jul. 1981 956 p Transl. into ENGLISH of the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979 344 p (AD-A102298; FTD-ID(RS)T-1802-80) Avail: NTIS HC A99/MF A01 CSCL 06/5

The biological and physiological effects of flight environments were examined along with the types of environments themselves. The environments discussed are of three major types: the external environment, the cabin environment, and the internal environment of the body. Emphasis is placed on acceleration stresses and high gravity environments, flight safety and health, and the human body's reaction to the particular stresses discussed.

**N82-15737#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**THE DEVELOPMENTAL HISTORY OF AERONAUTICAL AND AEROSPACE MEDICAL SCIENCE**

In its Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 4-8 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

Early research is emphasized. Several experiments in balloon flight and pressurized cabins are discussed. Problems arising from aeronautical development in World War 1 such as frostbite, hypoxia, decompression sickness, and flight fatigue are discussed. The influences of space navigational development on aerospace medicine are also discussed. The relationship between aircraft flight environment and spacecraft environment is considered. T.M.

**N82-15738#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**ENVIRONMENTAL CONDITIONS OF AVIATION AND SPACE NAVIGATION**

In its Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 9-24 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

Three types of environments are discussed: the space environment, the inner cabin environment, and the environment in the human body. Atmospheric conditions encountered in aviation

and space flight were reviewed. Medically related aircraft and spacecraft environmental conditions are summarized and include low pressure, lack of oxygen, decompression, explosive decompression, and oxygen poisoning. T.M.

**N82-15739#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**GENERAL LAWS OF AVIATION AND SPACE NAVIGATION ENVIRONMENTAL EFFECTS ON THE HUMAN BODY**

In its Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 25-34 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

The effects of environmental conditions on the human body are brought about within various complex relations. The so-called action of a single condition is only the most outstanding manifestation in a certain dynamic process. The physiological changes and pathological process of the human body in space navigation as well as their reasons and reaction mechanisms were analyzed. The following factors are discussed: the qualities and composition of the environmental factors; the functioning state of the organism at the time; and man's subjective dynamic role. T.M.

**N82-15740#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**MEDICAL PROBLEMS OF GRAVITATIONAL CHANGES AND POWERED FLIGHT**

In its Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 35-37 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

Three types of gravitational change are discussed: overweightness, angular acceleration, and noise produced by air vibration. Overweightness is considered as a large increase in the gravitational force such as impact. The vestibule-autonomic nervous system reactions and motion sickness caused by angular acceleration are covered. Aerodynamic noise tolerances are discussed. T.M.

**N82-15741#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**INJURY AND PROTECTION OF OVERWEIGHTNESS**

In its Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 38-129 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

Physiological acceleration and acceleration stresses are summarized. Acceleration protection in high gravity environments is emphasized. The physics of angular acceleration and impact acceleration were reviewed. The physiological effects of high gravity are presented in detail along with pilot performance results due to such stresses. T.M.

**N82-15742#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**HARMFULNESS OF VIOLENT IMPACT AND AIRFLOW SHOCKS**

In its Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 131-162 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

Various types of impact on the human body resulting from aircraft accidents or sudden deceleration are discussed. Special emphasis is given to parachuting or ejection from the aircraft and protective measures to be taken. L.F.M.

**N82-15743#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**HUMAN BODY REACTION TO VIBRATION**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-08) 17 Jul. 1981 p 163-223 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

Low frequency whole body vibrations sustained in aircraft and spacecraft are discussed. The physiological effects of such vibrations and protective measures to be taken are presented.

L.F.M.

**N82-15744#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**THE EFFECTS OF ROTATION AND OSCILLATION: AERIAL SICKNESS**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 195-223 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

Aerial sickness caused by aircraft and spacecraft motion is discussed. Various motion sickness drugs and other measures for combating this sickness are presented.

L.F.M.

**N82-15745#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**FLIGHT ILLUSIONS**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 224-295 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

Flight illusions encountered by aircraft pilots are discussed. Pilot selection and training techniques as well as other measures for preventing and overcoming these illusions are presented.

L.F.M.

**N82-15746#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**MAN'S ADAPTATION TO WEIGHTLESSNESS AND LOW WEIGHT**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ED(RS)T-1802-80) 17 Jul. 1981 p 244-295 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

Weightlessness and its effect on astronauts after long exposure to it are discussed. Its causes and various means to combat it are presented.

L.F.M.

**N82-15747#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**NOISE AND SENSE OF HEARING**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 296-335 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

Aircraft noise and its effect on pilots and others of the crew are discussed. Noise reduction techniques and steps to be taken to allow pilot efficiency in a noisy environment are presented.

L.F.M.

**N82-15748#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**THE PHYSIOLOGICAL EFFECT OF LOW-AIR-PRESSURE ANOXIA**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 337-398 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

Anoxia, a problem of the atmospheric environment in aerospace medicine, is discussed extensively. Discussion is limited to the physiological effects of anoxia caused by low air pressure. More specifically, the effects on the human respiratory, circulatory, nervous, and metabolic systems are detailed.

M.D.K.

**N82-15749#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**CAISSON DISEASE**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 398-426 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

The causal factors of Caisson Disease, a problem of the atmospheric environment in aerospace medicine, are discussed. Physiological effects of the disease on the human respiratory, circulatory, digestive, and skeletal systems are considered. Effects on body organs and tissues and attendant shock and fainting are also discussed. The physiological effects (mechanical and biochemical) of the formation of bubbles inside body tissues, the main cause of Caisson Disease, are detailed. Pressurization treatment and suggested procedures for adaptation and training as preventative measures are also discussed.

M.D.K.

**N82-15750#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**DANGERS OF EXPLOSIVE DECOMPRESSION**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 427-439 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

Explosive decompression, drastic decompression at an ascent rate of over 1.5 km/sec. in space ships is either caused by structural damage or collision with a large meteor. The physiological effects of explosive decompression, a problem of the atmospheric environment in aerospace medicine, are discussed. Specific effects on the physiological tolerances of the human respiratory (bubble formation), digestive, nervous, and circulatory systems and attendant effects on body organs are considered. Suggestions for developing adaptation, training, and preventative methodology to handle explosive decompression are given.

M.D.K.

**N82-15751#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**OXYGEN TOXICATION**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) p 440-456 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

Oxygen poisoning, oxygen toxication, will be induced if the oxygen partial pressure is over 176 mm Hg and the duration is too long. The physiological effects of oxygen poisoning, a problem of the atmospheric environment in aerospace medicine, is discussed. Effects on the human respiratory and circulatory systems, hearing and vision, and body tissues are considered. Suggestions for fire prevention, safety measures, and protective equipment for use in pure oxygen environments are given.

M.D.K.

**N82-15752#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**THE RELATIONSHIP OF BODY TEMPERATURE TO ENVIRONMENTAL TEMPERATURE**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 457-476 Transl.

into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

The unresolved problem of fluctuations in environmental temperature in aeronautics and space travel and the attendant physiological effects on the human body are considered. Environmental temperature requirements, namely optimal and tolerable temperatures, the damage done to the human body by cold and heat, and its prevention are discussed. The human body's inherent mechanisms and their responses in regulating normal body temperature are also reviewed. M.D.K.

**N82-15753#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**COMFORTABLE TEMPERATURE AND TOLERABLE TEMPERATURE**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 477-506 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

The range of temperature during flight which makes people feel comfortable was examined. During passenger flights or space travel, the cabin temperature is kept in a range comfortable for the crew and passengers. However, this comfortable temperature range cannot always be maintained. Fighters always have to sacrifice comfort for speed, any complicated temperature regulation facilities adds extra weight and volume to the plane, and slow it down. The comfortable temperature range required to maintain flying ability and operational efficiency is the acceptable temperature. The comfortable, tolerable and acceptable temperatures are discussed. E.A.K.

**N82-15754#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**THE PHYSIOLOGICAL EFFECT OF HEAT AND ITS PREVENTION**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 507-534 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

The actual physiological effects of heat and preventive measures are discussed. The following issues are examined: (1) change of skin temperature and internal body temperature; (2) perspiration rate; (3) change of cardiovascular systems, respiration, and metabolism; (4) effects of heat; (5) sensitivity to temperature; (6) heat stroke; (7) heat adaptation; (8) heat damage prevention. E.A.K.

**N82-15755#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**THE EFFECT OF COLD AND THE COLD PREVENTION**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 535-554 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

The effects of cold, and cold prevention are described. Physiological responses to low temperatures are outlined: (1) physiological effects and damaged of cold; (2) local frostbites and injuries caused by cold; (3) effects of cold on flying ability; (4) factors affecting physiological responses to cold; (5) adaptation to cold; (6) clothing. E.A.K.

**N82-15756#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**IONIZING RADIATION AND ITS BIOLOGICAL EFFECTS**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 555-630 Transl. into ENGLISH from "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers,

Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

The biological effects of ionizing radiation are outlined. The following issues are discussed: (1) units of ionizing radiation; (2) radiation environments in space travel (solar cosmic radiation, terrestrial radiation zones); (3) radiation intensity during air and space travel (cosmic radiation in supersonic jets); (4) mechanism of radiation biological effects; (5) biological target theory; (6) radiation damage; (7) limitations of radiation safety. E.A.K.

**N82-15757#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**OTHER BIOLOGICAL EFFECTS OF RADIATION**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 631-707 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

The application of lasers in aerospace technology, its biological effects, and protective measures are discussed. The light simulated radiation has special characteristics of collimation and coherency, and its light pressure and destructive power is much greater than common light. Various types of lasers are solid gas, chemical, semiconductor and their light waves which have several thousand different wavelengths from ultraviolet to infrared. The use of laser technology in industrial health, and scientific research, and its use in military affairs and national defense is outlined. In the military, lasers have not only become effective measures in communications, aiming, reconnaissance, observations, night vision and navigation, but they can also be used directly as deadly weapons. E.A.K.

**N82-15758#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**VISUAL PROBLEMS IN AVIATION AND SPACE NAVIGATION**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) p 708-739 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

Visual problems encountered on aerospace navigation are discussed. Vision depends on the stimulation of visible light for realization and visible light is a type of electromagnetic radiation. The wavelength of visible light is 3,800-7,500 angstrom and photon energy lies in the range of 3.1-16.5 electron volts. After entering a high altitude or outer space, many differences occur between the visual environment and the Earth's surface, presenting aerospace medical science with many special problems concerning vision. E.A.K.

**N82-15759#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**SPACE NAVIGATION LIFE QUARANTEES**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 740-822 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

Requirements for and the provision of a normal living environment and the necessary supplies of food, water, gases, and hygienic and medical safeguards during space flight are discussed. The human metabolism is reviewed. Food supply and preparation methods, oxygen supply and methods of handling waste gases, the water supply and water regeneration, closed life support systems and subsystems and environmental sanitation are described. Space suit and helmet design are considered. Medical treatment and first aid, the medical experiences of the Apollo astronauts, and emergency requirements for forced landing on Earth in desert, ocean, and polar regions and the basic survival kit are discussed. The biological clock and diurnal rhythm are considered. J.D.H.

**N82-15760#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**CABIN POLLUTION**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 822-873 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

Possible pollutants existing in closed aircraft and spacecraft cabins and methods for the handling and disposal of these pollutants are described. Pollutants from fuel, waste gases, and rubber articles are considered. Excretions from the human body including gases, perspiration, feces, urine, and gastrointestinal tract gases are also sources of pollution. Pollutants originating from high altitudes and outer space, such as high altitude ozone and cosmic space radiation, are considered. J.D.H.

**N82-15761#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**AVIATION MEDICAL GUARANTEES**

*In its* Fundamentals of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 874-889 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

The medical requirements for pilots and air crew and how to guarantee their safety, work capabilities, and physical health in the air are discussed. The various characteristics of flight work are described. Psychological and physical preparation of air crews for flight stress are considered. J.D.H.

**N82-15762#** Air Force Systems Command, Wright-Patterson AFB, Ohio. Foreign Technology Div.

**SPACE NAVIGATION MEDICAL GUARANTEES AND MEDICAL SUPERVISION**

*In its* Fundamental of Aeron. and Aerospace Med. Sci. (FTD-ID(RS)T-1802-80) 17 Jul. 1981 p 890-919 Transl. into ENGLISH from the book "Fundamentals of Aeronautical and Aerospace Medical Science" Peking, National Defense Industry Publishers, Jun. 1979

Avail: NTIS HC A99/MF A01 CSCL 06/5

The medical requirements for astronauts and how to guarantee their safety, work capabilities, and physical health during space flight are discussed. The characteristics of flight work are described. Psychological and physical preparation of astronauts for flight stress are considered. Special consideration is given to the medical selection of astronauts and the medical guarantees and supervision required during training, and prior to, during, and after space flight. J.D.H.

**N82-15763#** Joint Publications Research Service, Arlington, Va.

**USSR REPORT: LIFE SCIENCES BIOMEDICAL AND BEHAVIORAL SCIENCES, NO. 13**

10 Dec. 1981 89 p refs Transl. into ENGLISH from various Russian articles (JPRS-79639) Copyright. Avail: Issuing Activity

The fouling of metals and petroleum products by anaerobes, the production of synthetic proteins from biomass, the development of virus-resistant varieties of plants, and general epidemiology and prophylaxis for infectious diseases are among the topics covered in this review of progress studied in the areas of biochemistry, medical science, radiation biology, and ecosystems.

**N82-15765#** Joint Publications Research Service, Arlington, Va.

**ALL-UNION CONFERENCE ON NEW SOURCES OF FOOD PROTEIN AND THEIR APPLICATION**

L. A. Zakordonets *In its* USSR Rept.: Life Sci. Biomed. and Behavioral Sci., No. 13 (JPRS-79639) 10 Dec. 1981 p 10-12 Transl. into ENGLISH from Mikrobiol. Zh. (Kiev), v. 43, no. 2, Mar. - Apr. 1981 p 266-267 Conf. held in Tbilisi, USSR, Nov. 1980

Avail: Issuing Activity

Highlights are given of reports presented on general questions concerning the processing of protein, obtaining protein from animal and plant sources, using protein from new sources derived from

meat products, dairy products, bread-making and the canning industry. A.R.H.

**N82-15766#** Joint Publications Research Service, Arlington, Va.

**ECOLOGICAL AND TECHNOLOGICAL PROBLEM OF BIODAMAGES**

I. A. Kozlova and E. Z. Koval *In its* USSR Rept.: Life Sci. Biomed. and Behavioral Sci., No. 13 (JPRS-79639) 10 Dec. 1981 p 13-15 Transl. into ENGLISH from Mikrobiol. Zh. (Kiev), v. 43, no. 2, Mar. - Apr. 1981 p 267-268

Avail: Issuing Activity

The problem of biodamages is the ecological-technical problem of modern times, encompassing a wide circle of questions related to the study of organism-destruction from microorganisms, rodents and birds which cause damage to an enormous number of materials, resources, products and equipment and the need to develop means for protection from bioovergrowth, biotamages and biocorrosion. Topics discussed in 15 scientific reports on new directions in research on this global problem are summarized. A.R.H.

**N82-15767#** Joint Publications Research Service, Arlington, Va.

**CONFERENCE ON PLANT VIROLOGY**

V. G. Kravay *In its* USSR Rept.: Life Sci. Biomed. and Behavioral Sci., No. 13 (JPRS-79639) 10 Dec. 1981 p 16-18 Transl. into ENGLISH from Mikrobiol. Zh. (Kiev), v. 43, no. 2, Mar. - Apr. 1981 p 269-270

Avail: Issuing Activity

The basic diseases affecting agricultural ornamental plants in Poland and efforts to identify new viruses and produce resistant varieties of farm crops were reviewed in a conference attended by 70 scientists from 7 countries. Other topics discussed include: (1) the influence of viral diseases of plants and animals on food products and the productivity of livestock; (2) methods for diagnosing viral diseases and their comparative effectiveness; (3) characteristics of new viruses, strains, and isolates of plant viruses in various countries and their distribution in the seeding of cultured plants such as alfalfa, potatoes, peanuts, tomatoes, cucumbers, tobacco, and raspberries; (4) the epidemiology of viral diseases and practical means of combatting them; and (5) advances in photovirology. A.R.H.

**N82-15769\*#** Research Triangle Inst., Research Triangle Park, N. C.

**APPLICATIONS OF AEROSPACE TECHNOLOGY IN BIOLOGY AND MEDICINE**

H. C. Beall, R. L. Beadles, J. N. Brown, Jr., W. H. Clingman, M. W. Courtney, D. J. Rouse, and R. W. Searce, Jr. Hampton, Va. NASA Jul. 1979 128 p refs

(Contract NAS1-14708)

(NASA-CR-159106; RTI/1411/00-05F) Avail: NTIS

HC A07/MF A01 CSCL 06B

Medical products utilizing and incorporating aerospace technology were studied. A bipolar donor-recipient model for medical transfer is presented. The model is designed to: (1) identify medical problems and aerospace technology which constitute opportunities for successful medical products; (2) obtain early participation of industry in the transfer process; and (3) obtain acceptance by medical community of new medical products based on aerospace technology. E.A.K.

**N82-15770\*#** Wisconsin Univ. - Madison.

**NASA BIOMEDICAL APPLICATIONS TEAM ADVISORY CENTER FOR MEDICAL TECHNOLOGY AND SYSTEMS Final Report**

Melvin P. Siedband 28 May 1981 29 p refs

(Contract NAS5-26454)

(NASA-CR-166755) Avail: NTIS HC A03/MF A01 CSCL 06B

Projects carried out by the UW-BATeam are reported. The following subjects were investigated: clinical ophthalmic ultrasound improvements, magnetic cell sorters, hyperthermia treatment for cancer, joystick driving control for the handicapped, qualitative coronary artery imaging (MIPS), and speech autocuers. E.A.K.

**N82-15771#** Naval Ocean Systems Center, San Diego, Calif. Bioengineering Branch.

**REMOTE MEDICAL DIAGNOSIS SYSTEM (RMDS) UTILIZATION STUDY Technical Progress Report, Dec. 1980 - May 1981**

I. Stevens and C. Zekan (WESTEC Services, Inc.) 18 Aug. 1981  
44 p refs  
(Contract N00123-81-D-0353)  
(AD-A105559; NOSC-TR-700) Avail: NTIS HC A03/MF A01  
CSCL 06/5

Remote medical diagnosis systems are being successfully utilized for consultation in rural health care programs and private radiology practices. Consultation over RMDS-type systems reduces medical referrals and evaluations and assists in making triage decisions with a greater degree of confidence. RMDS-type systems can be used effectively for teleradiology consultations. The utilization of RMDS on ships and at remote shore sites has the potential for improved diagnoses. Nonphysician health care providers are more inclined to use telemedicine than physicians.  
GRA

**N82-15772#** Brookhaven National Lab., Upton, N. Y. Medical Research Center.

**APPLICATIONS OF NUCLEAR TECHNIQUES FOR IN VIVO BODY COMPOSITION STUDIES AT BROOKHAVEN NATIONAL LABORATORY**

S. H. Cohn, K. J. Ellis, D. Vartsky, A. N. Vaswani, and L. Wielopolski 1981 42 p refs Presented at the IAEA Conf. on Nucl. Based Tech. for In Vivo Study of Human Body Composition, Upton, N.Y., 22 Jun. 1981  
(Contract DE-AC02-76CH-00016)  
(DE81-029922; BNL-29959; CONF-8106151-1) Avail: NTIS HC A03/MF A01

A series of technical developments and their clinical application in various nuclear technologies is described. These include the development of a portable neutron activation facility for measuring cadmium in vivo in kidney and liver, a technique for the measurement of body iron utilizing nuclear resonant scattering of gamma rays, a noninvasive measure of the skeletal levels of lead by an X-ray fluorescence technique, and the development of a pulsed Van de Graaff generator as a source of pulsed neutrons for the measurement of lung silicon.  
DOE

**N82-15773#** Massachusetts Inst. of Tech., Cambridge.  
**MYOCARDIAL PERFUSION SCINTIGRAPHY USING A NEW TECHNIQUE, THE MESH CHAMBER Progress Report, 1 Sep. 1978 - 1 May 1981**

Louis S. Osborne and B. Leonard Holman Aug. 1981 16 p  
Prepared in cooperation with Harvard Medical School  
(Contract DE-AS02-78EV-04969)  
(DE81-027995; DOE/EV-04969/3) Avail: NTIS HC A02/MF A01

Myocardial perfusion scintigraphy performed after the injection of a potassium analogue during exercise to detect transiently ischemic myocardium due to coronary artery disease was examined. The limitation in the implementation of the technique for the screening of patients with coronary artery disease is the lack of a high resolution, positron detecting system. The positron multiwire proportional counter solves this problem. The dispersion of the absorbing material is achieved by stringing wires of high Z material, such as tungsten, in a cross pattern. The wire layers are at graded voltages, the ionization from the photoelectrons is drifted through the stack and picked up by sense wires operating in the proportional mode. Positron annihilation detectors are self collimating. The acquisition of events over a multiplicity of angles allows 3 dimensional reconstruction. The combination of large solid angle, high efficiency and a short source half life minimizes radiation dose to the patient.  
DOE

**N82-15774#** Pacific Northwest Lab., Richland, Wash.  
**PROBLEMS IN EVALUATING HEALTH EFFECTS OF OCCUPATIONAL AND ENVIRONMENTAL EXPOSURES**

Ethel S. Gilbert 1981 23 p refs Presented at the Conf. on Statistical and Epidemiological Methods in Ionizing Radiation, Berkeley Springs, W. Va., 6-10 Jul. 1981  
(Contract DE-AC06-76RL-01830)  
(DE81-028440; PNL-SA-9632; CONF-810755-1) Avail: NTIS HC A02/MF A01

The problems involved in analyzing and interpreting radiation exposure data are addressed. Existing standards for exposure are based primarily on estimates of health effects obtained by extrapolation from effects of high level exposures. Occupational and environmental exposures provide one source of data.

Populations exposed in this manner were studied. Because of the size of most of the groups and the magnitude of the exposures received the amount that can be learned from such populations is severely limited. Many of these problems are illustrated by study of the effects on mortality of occupational exposure to radiation at the Hanford plant.  
DOE

**N82-15775#** Bureau of Radiological Health, Rockville, Md. Div. of Electronic Products.

**AIRBORNE ULTRASOUND: MEASUREMENT AND POSSIBLE ADVERSE EFFECTS**

Bruce A. Herman and David Powell May 1981 19 p refs  
Prepared in cooperation with Rensselaer Polytechnic Inst., Troy, N.Y.  
(PB81-240459; DHHS/PUB/FDA-81-8163) Avail: NTIS MF A01; SOD HC CSCL 06R

Ultrasound energy in the range of 16 kHz to 100 kHz which is used in a variety of consumer and industrial applications is discussed. For consumer devices the intended transmitting medium is usually air while industrial processes usually use liquid or solid materials as propagating media. In the latter situation attendant acoustic energy is radiated into the surrounding atmosphere.  
GRA

**N82-15776#** Colorado Univ., Denver. Health Sciences Center.

**NON-INVASIVE PULMONARY ARTERIAL PRESSURE MEASUREMENT Final Report, 1 Jun. 1976 - 30 Nov. 1980**

John T. Reeves 8 Jun. 1981 124 p  
(Contract NO1-HR-6-2920)  
(PB81-239410; NIH-NO1-HR-62920-1F) Avail: NTIS HC A06/MF A01 CSCL 06P

Pulmonary arterial pressure by noninvasive means based on measurement of hemodynamic variables, particularly pulse wave velocity, instantaneous blood flow and pulmonary arterial diameter was measured. An esophageal approach showed good pulmonary arterial flow patterns from the esophagus. A dual range gated Doppler from the front obtained Doppler flow pulses in the main pulmonary artery. A body plethysmographic technique recorded flow at the most distal part of the pulmonary vascular bed, the microcirculation. In humans undergoing right heart catheterization, pulse wave velocity was an excellent correlation of pressure in the low range. It is suggested that the scatter at higher pressures is due to variations in artery diameter and wall stiffness. It is concluded that a hemodynamic approach is feasible using known techniques if the problem of measuring pulse wave velocity can be solved.  
GRA

**N82-15777#** National Bureau of Standards, Washington, D.C. National Engineering Lab.

**A HEAT TRANSFER ANALYSIS OF SCALD INJURY Final Report**

Robert L. Palla, Jr. Jul. 1981 69 p refs  
(PB81-238503; NBSIR-81-2320) Avail: NTIS HC A04/MF A01 CSCL 06E

Numerical solutions for skin tissues temperature during scald injury events are obtained and utilized in conjunction with a thermal injury criterion, to predict critical exposure levels for various heated fluids. A one dimensional tissue model of the type used by Love is employed to determine the initial tissue temperature distribution. The bio-heat equation for tissue heat transfer is then solved via an implicit finite difference technique, subject to convective heating and cooling at the surface. The sensitivity of the critical exposure level to variation in tissue properties and convective heating coefficients is investigated. Thermal injury thresholds are presented for various fluids along with bounds to reflect uncertainty in assumed tissue properties. The results obtained are in good agreement with existing experimental scald injury data.  
GRA

**N82-15778#** National Inst. on Drug Abuse, Rockville, Md. Div. of Research.

**NEW APPROACHES TO TREATMENT OF CHRONIC PAIN: A REVIEW OF MULTIDISCIPLINARY PAIN CLINICS AND PAIN CENTERS**

Lorenz K. Y. Ng, ed. May 1981 212 p refs Presented at a Conf. held at Bethesda, Md., 20-21 Jun. 1980  
(Contract NIDA-271-79-3607)  
(PB81-240913; DHHS/PUB/ADM-81-1089; NIDA/DRO81-03;

## N82-15779

LC-81-60060; NIDA/RM-36) Avail: NTIS HC A10/MF A01 CSCL 06E

Chronic pain treatment is discussed including multidisciplinary pain clinics and centers and their staffing and organization, the problems for which patients are treated, drugs taken by entering patients, therapeutic approaches used, costs of treatment, and methods for long-term evaluation of treatment effectiveness. Goals for future research and professional and public education are also presented. GRA

### **N82-15779#** Assessment Systems Corp., St. Paul, Minn. **METHODS FOR LINKING ITEM PARAMETERS Final Report**

C. David Vale, Vincent A. Maurelli, Kathleen A. Gialluca, David J. Weiss, and Malcolm James Ree Brooks AFB, Tex. AFHRL Aug. 1981 190 p refs  
(Contract F33615-80-C-0008)  
(AD-A105509; AFHRL-TR-81-10) Avail: NTIS HC A09/MF A01 CSCL 05/9

A simulation study to determine appropriate linking methods for adaptive testing items was designed. Responses of examinees of three group sizes for four test lengths were simulated. Three basic data sets were created: (a) randomly sampled data set, (b) systematically sampled data set, and (c) selected data set. Three categories of evaluative criteria were used: fidelity of parameter estimation, asymptotic ability estimates, root-mean-square error of estimates, and the correlation between true and estimated ability. Test length appeared to be relatively more important to calibration effectiveness than was sample size, efficiency analyses suggested that increases in test length were at least three to four times as effective in improving calibration efficiency as proportionate increases in calibration sample sizes. The asymptotic ability analyses suggested that the linking procedures based on Bayesian ability estimation (an equivalent-groups procedure) were somewhat more effective than the others and that the equivalent-tests method was typically no better than not linking at all. Analyses using the relative efficiency criteria suggested that the equivalent-groups procedures were superior to the equivalent-tests procedures and that those using Bayesian scoring procedures were slightly superior to the others tested. Efficiency loss due to linking error was always less than that due to item calibration error and although test length and sample size had a definite effect on calibration efficiency, no strong effects appear with respect to linking efficiency. For the systematically sampled data set, the anchor-test and anchor-group methods were considered along with the equivalence methods. GRA

### **N82-15780\*#** Life Systems, Inc., Cleveland, Ohio. **PREPROTOTYPE NITROGEN SUPPLY SUBSYSTEM DEVELOPMENT Interim Report, Jun. 1981**

D. B. Heppner, T. M. Mallick, and F. H. Schubert Jun. 1981 50 p refs  
(Contract NAS2-10673)  
(NASA-CR-166192; LSI-TR-410-4) Avail: NTIS HC A03/MF A01 CSCL 06K

A nitrogen supply subsystem based on the dissociation of hydrazine into a mixture of hydrogen and nitrogen is developed. The latter is separated to provide makeup nitrogen to control the composition of spacecraft atmospheres. Specific hardware developments resulted in the design and fabrication of a nominal 3.6 kg/d nitrogen generation module. The design integrates a hydrazine catalytic dissociator, three ammonia dissociation stages and four hydrogen separation stages into a 33 kg, 14 cu dm module. A technique was devised to alternate the ammonia dissociation and hydrogen separation stages to give high nitrogen purity in the end product stream. Tests show the product stream to contain less than 0.5 percent hydrogen and 10 parts per million ammonia. The design and development of a test stand for the nitrogen generation module and a series of tests which verified its operation and performance capability are described. S.L.

### **N82-15781#** Luitpoldhuetten A.G., Amberg (West Germany). **HUMANIZATION OF WORKING PLACES IN THE FOUNDRY BY USE OF AN AUTOMATIC FETTLING EQUIPMENT Final Report**

Hanns Helge Bølle Bonn Bundesministerium fuer Forschung und Technologie Feb. 1981 64 p refs In GERMAN; ENGLISH summary Sponsored by Bundesministerium fuer Forschung und Technologie

(BMFT-FB-HA-81-004; ISSN-0171-7618) Avail: NTIS HC A04/MF A01; Fachinformationszentrum, Karlsruhe, West Germany DM 13,40

Operation of a pilot plant using an industrial robot in the fettling shop of a foundry is described. A continuous path 5 axis robot was employed to steer the pneumatic grinding equipment while the castings remained in a fixed position. Satisfactory removal of edges from the castings was achieved. Ergonomic analysis revealed a reduction of stress for human workers in the foundry. Problems encountered require an automatic change of tools and investigation of the wear of abrasives. J.D.H.

**N82-15782#** Institute for Perception RVO-TNO, Soesterberg (Netherlands).

### **A CRITERION FOR THE DISPOSAL OF M58 SLEEPING BAGS**

W. A. Lotens and E. J. M. Smienk 1979 23 p refs In DUTCH; ENGLISH summary  
(Contract A77/KL/156)  
(IZF-1979-15; TDCK-73398) Avail: NTIS HC A02/MF A01

In order to separate sufficiently insulating from non-sufficiently insulating sleeping bags, a convenient criterion was developed. Physical measurements showed that the thickness of the material under a pressure of 15 N/sq m gives a good correlation with insulating power. By means of a heat conduction model of a man in a bag (based on experiments with subjects) a relation between minimum tolerable outside temperature and thickness of the bag was established. It turns out that with optimal use of all personal equipment a new sleeping bag (26 mm thickness) will fail to keep a man warm in 3% of the man-nights and an old one (12 mm thickness) in 6%. It is recommended to dispose of bags with a thickness less than 20 mm. This result, however, is highly dependent on the insulative suit that is worn. M.G.

**N82-15783#** Institute for Perception RVO-TNO, Soesterberg (Netherlands).

### **HEARING PROTECTION**

G. F. Smoorenburg, A. M. Mimpen, and H. A. vanLeeuwen 1980 17 p refs In DUTCH; ENGLISH summary  
(Contract A76/K/104)  
(IZF-1980-2; TDCK-73415) Avail: NTIS HC A02/MF A01

The acoustic attenuation of 20 types of ear plugs and 20 types of ear muffs was surveyed. Important design aspects, the maximum attenuation possible closing the ear canal, the attenuation of plug plus muff, and measuring methods are discussed. To determine the attenuation for practical purposes, differences in hearing protector fitting, temporary removal of protectors, and the noise spectrum must be considered. The effect of wearing hearing protectors on speech intelligibility is discussed. Speech intelligibility does not decrease for people with normal hearing exposed to steady state noise but it may decrease in relatively silent periods of fluctuating or intermittent noise and for all noises if one has a perceptive hearing loss. Author

**N82-15784#** Institute for Perception RVO-TNO, Soesterberg (Netherlands).

### **EVALUATION OF CHEMICAL PROTECTIVE FACELETS AND COMPARISON OF FOUR PROTOTYPES**

W. A. Lotens 1980 21 p In DUTCH; ENGLISH summary  
(Contract A79/KL/111)

(IZF-1980-15; TDCK-75013) Avail: NTIS HC A02/MF A01

In a controlled field experiment four prototypes of chemical protective facelets were tested to determine the effect on physical and mental performance, and the chemical protection and ergonomic properties. Wearing facelets decreases the physical performance on running 400 m resp. 3 km by 3.5 resp. 7.5 percent. When worn during 24 hr. physical performance is variable and mental performance decreases by ca. 10 percent. There is no indication for adaptation within a one-week period. Chemical protection is sufficient for all four types after a while of wearing, however, one of four is highly sensitive for rain. Ergonomic tests show only slight differences between the facelets but there is a marked difference in comfort. Because of this the subjects preferred two types above the other two. Protection during sleep is far from optimal. Author

**N82-15785#** Institute for Perception RVO-TNO, Soesterberg (Netherlands).

### **THE LINK-MILES DRIVER TRAINING SIMULATOR FOR**

**TRACKED VEHICLES: INFLUENCE OF CABIN MOTION ON GEAR-CHANGE LEARNING**

K. J. Poll 1980 15 p refs In DUTCH; ENGLISH summary (Contract A76/KL/148) (IZF-1980-24; TDCK-75017) Avail: NTIS HC A02/MF A01

The influence of the moving base from the Leopard driving simulator on gear-change learning was studied. Twelve trainees were trained with motion and twelve others without motion. All trainees were constantly accompanied by the instructor and after the training on the simulator, all trained on the tank. No differences between both groups were found in learning time on the simulator and in learning time on the tank. This means that the information, given by the motion, can be replaced by good instruction.

Author

**N82-15786# Sandia Labs., Albuquerque, N. Mex. SIMULATOR DATA ON HUMAN ERROR PROBABILITIES**

E. J. Kozinsky (General Physics Corp.) and H. E. Guttmann 1981 7 p refs Presented at the ANS/ENS Topical Meeting on Probabilistic Risk Assessment, Port Chester, N.Y., 20 Sep. 1981 (Contract DE-AC04-76DP-00789) (DE81-026094; SAND-81-1707C; CONF-810905-4) Avail: NTIS HC A02/MF A01

Analysis of operator errors on NPP simulators was used to determine human error probabilities (HEP). Simulator data tapes are analyzed for operator error rates. The tapes collected, using performance measurement system software, contain a history of all operator manipulations during simulated casualties. Analysis yields a time history or operational sequence diagram and a manipulation summary, both stored in computer data files. Data searches yield information on operator errors of omission and commission. This work experimentally determined HEP's for probabilistic risk assessment calculations. DOE

**N82-15787# Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Bonn (West Germany). Inst. fuer Flugmedizin.**

**USE OF A TELEVISION MULTIPOINT x-y TRACKER FOR DETERMINING THE TRANSMISSION OF VIBRATIONS ON HUMAN BEINGS [UEBER DIE ANWENDUNG EINES 'TV-MULTIPOINT x-y TRACKERS' ZUR BESTIMMUNG DER SCHWINGUNGSUEBERTRAGUNG AUF DEN MENSCHEN]**  
L. Vogt and E. Schwartz 1980 10 p In GERMAN  
Avail: NTIS HC A02/MF A01

A television multipoint x-y tracker was used to study the influence of mechanical vibrations on the human body, in a project on human factors in man machine systems. A mechanical model of a human being seated on a shaker was employed on which the mechanical impedance and the vibration transmission (transmissibility) were investigated as a function of vibration frequency. The multipoint x-y tracker provides contactless registration of the motions of the head. The system is based on a television camera, and allows the simultaneous and continuous registration of the x and y coordinates of three points of a moving object. Author (ESA)

**N82-15788# Rexnord, Inc., Milwaukee, Wis. Environmental Research Center.**

**EVALUATION OF AIR CLEANING AND MONITORING EQUIPMENT USED IN RECIRCULATION SYSTEMS**

Mark L. Holcomb and Robert C. Scholz Apr. 1981 200 p refs (Contract PHS-NIOSH-210-78-0011)

(PB81-242695; DHHS/PUB/NIOSH-81-113) Avail: NTIS HC A01; SOD HC CSCL 06J

Several pilot scale air cleaners and monitors were evaluated to determine their performance characteristics, maintenance requirements, and reliability for use in a recirculating exhaust system. A set of evaluation criteria for recirculation system components were developed. Then, selected system components (including an electrostatically augmented fabric filter, electrostatic precipitator, aspirated cartridge filter, four different extractive type particulate air monitors, three different extractive ozone monitors and a safety monitoring filter were installed and tested on a welding process exhaust. The results indicate that many factors must be evaluated before a decision can be reached concerning the use of a particular device. Additionally, components of a complete recirculation monitoring system were identified and the need for the development of commercial devices incorporating all of these components was evidenced by the fact that each of

the commercially available devices tested lacked one or more of these components. GRA


**N82-15789# National Inst. for Occupational Safety and Health, Cincinnati, Ohio. Div. of Physical Sciences and Engineering. AN EVALUATION OF ENGINEERING CONTROL TECHNOLOGY FOR SPRAY PAINTING**

Dennis M. OBrien and Donald E. Hurley Jun. 1981 185 p refs (PB81-243123; DHHS/PUB/NIOSH-81-121) Avail: NTIS MF A01; HC SOD CSCL 06J

Field surveys of 11 finishing operations provided information for an evaluation of control technology for spray painting and coating processes. Studies were conducted in the automobile refinishing, wood and metal furniture, transportation equipment (nonautomotive), heavy machinery, and appliance finishing industries. Processes selected provide representative coverage of spray finishing operations relative to the number of exposed workers, different control techniques, physical size of the workpiece, and the coating systems that are typically used. Control of selected health hazards is discussed; available control options evaluated. Case study summaries include analysis of: hazards, engineering controls and work practices, ventilation measurements, air sampling data and personal protective equipment. Results should be usable as a reference source. GRA

# SUBJECT INDEX

## Typical Subject Index Listing



The title is used to provide a description of the subject matter. When the title is insufficiently descriptive of the document content, a title extension is added, separated from the title by three hyphens. The NASA or AIAA accession number is included in each entry to assist the user in locating the abstract in the abstract section of this supplement. If applicable, a report number is also included as an aid in identifying the document.

## A

- ABDOMEN**  
Oxygen tension in albino rat abdominal cavity organs in normo- and hyperoxybaria A82-16969
- ABIOTENESIS**  
'Hot spots' in the problem of the origin of life A82-17360  
Organic compounds in space and the problem of the origin of life A82-17362
- ABUNDANCE**  
The mass extinctions of the late Mesozoic --- iridium abundance as geologic evidence for celestial body impact A82-17620
- ACCELERATION (PHYSICS)**  
Early directional influence of visual motion cues on postural control in the falling monkey A82-17459  
Fundamentals of aeronautical and aerospace medical science [AD-A102298] N82-15736
- ACCELERATION PROTECTION**  
Injury and protection of overweightness N82-15741
- ACCELERATION STRESSES (PHYSIOLOGY)**  
Nauseogenic properties of various dynamic and static force environments --- in space A82-16938  
Ocular torsion on earth and in weightlessness A82-17435  
Crew cardiovascular profile N82-15720  
Fundamentals of aeronautical and aerospace medical science [AD-A102298] N82-15736  
Medical problems of gravitational changes and powered flight N82-15740  
Injury and protection of overweightness N82-15741
- ACETAZOLAMIDE**  
The effect of acetazolamide on the proteinuria of altitude A82-18739
- ACOUSTIC ATTENUATION**  
Hearing protection [IZP-1980-2] N82-15783
- ACTIVITY (BIOLOGY)**  
Concerning a model of human activity A82-16704
- ADAPTATION**  
Changes in Hageman factor system indicators during human adaptation to intense physical loading A82-16816  
Visually induced self-motion sensation adapts rapidly to left-right reversal of vision A82-17455
- ADAPTIVE CONTROL**  
The 'Error' signals subserving adaptive gain control in the primate vestibulo-ocular reflex A82-17468  
Methods for linking item parameters [AD-A105509] N82-15779
- ADRENAL METABOLISM**  
Functional characteristics of the pilot hypothalamus-hypophysis-adrenal cortex system A82-16275
- AERODYNAMIC NOISE**  
Medical problems of gravitational changes and powered flight N82-15740
- AEROSPACE ENVIRONMENTS**  
Dangers of explosive decompression N82-15750
- AEROSPACE MEDICINE**  
Concerning the rationalization of the work and rest schedule of cosmonauts A82-16724  
Basic environmental problems of man in space; Proceedings of the Sixth International Symposium, Bonn, West Germany, November 3-6, 1980 A82-16926  
Summary of medical investigations in the U.S.S.R. manned space missions A82-16928  
Current views and future programs in cardiovascular physiology in space A82-16931  
Ion regulatory function of the human kidney in prolonged space flights A82-16936  
Informational need of emotional stress --- effect on operator performance of visual tasks A82-16943  
The effects of hypokinesia in primates and bone strength A82-16946  
Bone effects of space flight - Analysis by quantum concept of bone remodelling A82-16947  
Anesthesia, surgical aid and resuscitation in manned space missions A82-16950  
Characteristics of loading hypoxia A82-16968  
Oxygen tension in albino rat abdominal cavity organs in normo- and hyperoxybaria A82-16969  
Some characteristics of thermal adaptation in small laboratory animals A82-16971  
Experimental biology and medicine in space A82-17123  
Active head rotations and eye-head coordination A82-17469  
Different effects involved in the interaction of saccades and the vestibulo-ocular reflex A82-17480  
Study of the discrimination capacity of the auditory analyzer in flight personnel A82-18523  
Hepato-splenic injury in aircraft accidents A82-18735

## AEROSPACE TECHNOLOGY TRANSFER

## SUBJECT INDEX

Forensic dentistry --- in aircraft accident fatalities identification	A82-18737	Check your oxygen --- oxygen supply equipment and aircraft safety	A82-18736
Surgical treatment of recurrent frontal sinus barotrauma - A case report	A82-18743	Forensic dentistry --- in aircraft accident fatalities identification	A82-18737
USSR Space Life Sciences Digest [NASA-TM-84080]	N82-15708	Harmfulness of violent impact and airflow shocks	N82-15742
Fundamentals of aeronautical and aerospace medical science [AD-A102298]	N82-15736	<b>AIRCRAFT HAZARDS</b>	
The developmental history of aeronautical and aerospace medical science	N82-15737	Human body reaction to vibration	N82-15743
Environmental conditions of aviation and space navigation	N82-15738	<b>AIRCRAFT NOISE</b>	
General laws of aviation and space navigation environmental effects on the human body	N82-15739	Noise and sense of hearing	N82-15747
Medical problems of gravitational changes and powered flight	N82-15740	<b>AIRCRAFT PILOTS</b>	
Injury and protection of overweightness	N82-15741	Functional characteristics of the pilot hypothalamus-hypophysis-adrenal cortex system	A82-16275
Human body reaction to vibration	N82-15743	Recent life change measurement in Canadian Forces pilots	A82-18733
The effects of rotation and oscillation: Aerial sickness	N82-15744	Visual scanning behavior and mental workload in aircraft pilots	A82-18741
Man's adaptation to weightlessness and low weight	N82-15746	<b>AIRCRAFT SAFETY</b>	
The physiological effect of low-air-pressure anoxia	N82-15748	Check your oxygen --- oxygen supply equipment and aircraft safety	A82-18736
Caisson disease	N82-15749	<b>ALBUMINS</b>	
Dangers of explosive decompression	N82-15750	The effect of acetazolamide on the proteinuria of altitude	A82-18739
Oxygen toxication	N82-15751	<b>ALTITUDE ACCLIMATIZATION</b>	
The relationship of body temperature to environmental temperature	N82-15752	An investigation of memory during the process of adaptation to mountain conditions	A82-17138
Comfortable temperature and tolerable temperature	N82-15753	Caisson disease	N82-15749
Space navigation life guarantees	N82-15759	<b>ALTITUDE SICKNESS</b>	
Cabin pollution	N82-15760	The effect of acetazolamide on the proteinuria of altitude	A82-18739
Aviation medical guarantees	N82-15761	<b>ALTITUDE TOLERANCE</b>	
Space navigation medical guarantees and medical supervision	N82-15762	Effect of altitude exposure on induction of Streptococcal endocarditis in young and middle-aged rats	A82-18740
Applications of aerospace technology in biology and medicine [NASA-CR-159106]	N82-15769	Caisson disease	N82-15749
<b>AEROSPACE TECHNOLOGY TRANSFER</b>		<b>ALVEOLAR AIR</b>	
NASA biomedical applications team. Applications of aerospace technology in biology and medicine [NASA-CR-152663]	N82-15710	The state of the air-blood barrier in hyperoxia	A82-16970
Applications of aerospace technology in biology and medicine [NASA-CR-159106]	N82-15769	<b>AMINES</b>	
<b>AGE FACTOR</b>		Biogenic monoamine concentrations in autonomic nervous system ganglia during acute experimental emotional stress	A82-16817
The age characteristics of physical thermoregulation	A82-16808	Carcinogenic effects of coal-conversion materials [DE81-028108]	N82-14803
<b>AGRICULTURE</b>		<b>AMINO ACIDS</b>	
Conference on plant virology	N82-15767	The effects of bicycle ergometer exercise on plasma amino acid contents in athletes	A82-17145
<b>AIR FILTERS</b>		The effects of hypokinesia on the spectral characteristics of free amino acids in the skeletal muscles and the blood	A82-18661
Evaluation of air cleaning and monitoring equipment used in recirculation systems [PB81-242695]	N82-15788	Free amino acid concentrations in the livers of animals subjected to certain extremal factors	A82-18662
<b>AIR TRAFFIC CONTROLLERS (PERSONNEL)</b>		All-Union Conference on New Sources of Food Protein and Their Application	N82-15765
The dynamics of cardiac rhythm parameters during work under various loads --- by air traffic controllers	A82-17146	<b>ANEMIAS</b>	
<b>AIRCRAFT ACCIDENT INVESTIGATION</b>		Inborn anemias in mice [DE81-029128]	N82-14795
Methodological principles of the investigation of pilot error	A82-16709	<b>ANESTHESIA</b>	
<b>AIRCRAFT ACCIDENTS</b>		Anesthesia, surgical aid and resuscitation in manned space missions	A82-16950
Liver pathology in aircrew	A82-18734	<b>ANGULAR ACCELERATION</b>	
Hepato-splenic injury in aircraft accidents	A82-18735	Nonlinear characteristics of single neurons in the vestibular nuclei	A82-17438
		Medical problems of gravitational changes and powered flight	N82-15740

- ANGULAR VELOCITY**  
 Determination of the angular orientation of the body of a walking machine A82-16288  
 Vestibular habituation in man and monkey during sinusoidal rotation A82-17453
- ANIMALS**  
 A compendium of hypokinetic and hypodynamic animal studies [NASA-CR-3485] N82-15709
- ANOXIA**  
 The physiological effect of low-air-pressure anoxia N82-15748
- ANTARCTIC REGIONS**  
 The reorganization of EEG structure during adaptation to the Antarctic A82-16810  
 The circadian organization of the circulatory and respiratory systems of Antarctic workers A82-17139
- ANTIOXIDANTS**  
 Prevention of hypoxic heart damage by the use of oxyppyridine-class antioxidants A82-16821
- ARCTIC REGIONS**  
 Northern pulmonary arterial hypertension A82-17143
- ARTERIES**  
 Northern pulmonary arterial hypertension A82-17143  
 Non-invasive pulmonary arterial pressure measurement [PB81-239410] N82-15776
- ARTERIOSCLEROSIS**  
 The effects of immobilization on the development of experimental atherosclerosis in rabbits A82-16815
- ARTIFICIAL GRAVITY**  
 Biomedical aspects of artificial gravity A82-16951
- ASTRONAUT LOCOMOTION**  
 The design of extravehicular propulsion units A82-16716
- ASTRONAUT PERFORMANCE**  
 Astronaut activity in flight and enhancement of its efficiency --- Russian book A82-16701  
 Basic principles and methods for assuring the efficiency of astronaut activity in flight A82-16702  
 Current problems in the psychophysiology of space work /status and future prospects/ A82-16703  
 Psychophysiological correlates of the control activity of the astronaut A82-16707  
 Certain aspects of the visual activity of astronauts A82-16708  
 Problems of the control of operator state A82-16710  
 Optimization of astronaut operator activity and systems of semiautomatic control of manned spacecraft on the basis of probabilistic criteria A82-16711  
 Investigation of the statistical characteristics of astronaut operator activity directed towards the control of a manned spacecraft A82-16712  
 Information model of the dynamics of autonomous extravehicular activity A82-16718  
 Simulation of manual autonomous control of an extravehicular propulsion unit /EPU/ A82-16719  
 Investigation of the functions of an astronaut operator in information systems A82-16721  
 The effect of emotional stress on astronaut activity in a radio-telegraphy system A82-16722  
 Concerning the rationalization of the work and rest schedule of cosmonauts A82-16724
- ASTRONAUT TRAINING**  
 Certain theoretical features of astronaut preparation A82-16705
- Investigation of astronaut activity under conditions of the hydrosimulation of weightlessness A82-16713  
 Crew medical training N82-15717
- ASTRONAUTS**  
 STS-1 medical report [NASA-TM-58240] N82-15711  
 Evaluation of crew health N82-15712  
 Inflight observations N82-15713  
 Crew medical debriefing N82-15714  
 Health stabilization program N82-15715  
 Crew medical training N82-15717  
 Validation of predictive tests and countermeasures for space motion sickness N82-15719  
 Crew cardiovascular profile N82-15720  
 Biochemistry and endocrinology results N82-15721  
 Hematological and immunological analyses N82-15722  
 Medical microbiology of crewmembers N82-15723  
 Radiological health N82-15727  
 Space navigation medical guarantees and medical supervision N82-15762
- ASTRONOMICAL SPECTROSCOPY**  
 Prospects for the detection of interstellar biological molecules A82-17361
- ATHLETES**  
 Effect of physical fitness and training on physiological responses to hypogravity A82-16933
- ATMOSPHERIC PRESSURE**  
 Caisson disease N82-15749  
 Dangers of explosive decompression N82-15750
- ATOMIC BEAMS**  
 Field-ion-microscope observations of radiation effects [DE81-030934] N82-14802
- ATROPHY**  
 Effects of disuse by limb immobilization on different muscle fiber types A82-16830
- ATTITUDE (INCLINATION)**  
 Human orientation in space [AIAA PAPER 82-0422] A82-17940
- AUDITORY PERCEPTION**  
 Study of the discrimination capacity of the auditory analyzer in flight personnel A82-18523  
 Hearing protection [IZF-1980-2] N82-15783
- AUDITORY SIGNALS**  
 Study of the discrimination capacity of the auditory analyzer in flight personnel A82-18523
- AUDITORY STIMULI**  
 Acoustic-induced eye movements A82-17476  
 Modifications of vestibular nystagmus produced by fixation of visual and nonvisual targets A82-17477
- AUTOKINESIS**  
 Visually induced self-motion sensation adapts rapidly to left-right reversal of vision A82-17455
- AUTOMATIC TEST EQUIPMENT**  
 Trial of an automated EKG analysis system in a cardiological clinic A82-16804
- AUTONOMIC NERVOUS SYSTEM**  
 Biogenic monoamine concentrations in autonomic nervous system ganglia during acute experimental emotional stress A82-16817

**AUTORADIOGRAPHY**  
 A transsynaptic autoradiographic study of the pathways controlling the extraocular eye muscles, using /I-124/B-IIb Tetanus toxin fragment  
 A82-17441

**AVOIDANCE**  
 Piribedil-induced anti-hypoxic protection in rats  
 A82-18738

**B**

**BACKGROUND NOISE**  
 The effects of a light blue background on the operator visual analyzer  
 A82-16727

**BACTERIOLOGY**  
 Effect of altitude exposure on induction of Streptococcal endocarditis in young and middle-aged rats  
 A82-18740

**BARORECEPTORS**  
 Cardiovascular reflexes during rest and exercise modified by gravitational stresses  
 A82-16932

**BAROTRAUMA**  
 Surgical treatment of recurrent frontal sinus barotrauma - A case report  
 A82-18743

**BED REST**  
 Status of vestibular function after prolonged bedrest  
 A82-16940

**BEDDING EQUIPMENT**  
 A criterion for the disposal of M58 sleeping bags [IZF-1979-15]  
 N82-15782

**BINARY CODES**  
 INTDOS: A computer code for estimating internal radiation dose using recommendations of the International Commission on Radiological Protection [DE82-000507]  
 N82-14799

**BINOCULAR VISION**  
 Binocular counterrolling in humans with unilateral labyrinthectomy and in normal controls  
 A82-17434  
 Natural retinal image motion - Origin and change  
 A82-17452

**BIOASSAY**  
 Inborn anemias in mice [DE81-029128]  
 N82-14795  
 Evaluation of short-term bioassays to predict functional impairment. development of pulmonary bioassays in small animals: Directory of Institutions; individuals involved in Intization [AD-A103767]  
 N82-14798

**BIOASTRONAUTICS**  
 Basic environmental problems of man in space; Proceedings of the Sixth International Symposium, Bonn, West Germany, November 3-6, 1980  
 A82-16926

U.S. manned space flight: The first twenty years - A biomedical status report  
 A82-16927

Summary of experiments onboard Soviet biosatellites  
 A82-16929

U.S. biological experiments in space  
 A82-16930  
 Hematological and immunological changes during space flight  
 A82-16937

Coping with space motion sickness in Spacelab missions  
 A82-16939

Pathophysiology of motor functions in prolonged manned space flights  
 A82-16945

Bone effects of space flight - Analysis by quantum concept of bone remodelling  
 A82-16947

Biomedical aspects of artificial gravity  
 A82-16951

Trends in space life support  
 A82-16953

Future investigations onboard Soviet biosatellites of the Cosmos series  
 A82-16954

Experimental biology and medicine in space  
 A82-17123

USSR Space Life Sciences Digest [NASA-TM-84080]  
 N82-15708

Fundamentals of aeronautical and aerospace medical science [AD-A102298]  
 N82-15736

Environmental conditions of aviation and space navigation  
 N82-15738

General laws of aviation and space navigation environmental effects on the human body  
 N82-15739

**BIOCHEMISTRY**  
 The effects of immobilization stress on diacyl and plasmogenic phospholipids in various organs and tissues of the rat  
 A82-16802

Microdisc gel electrophoresis in sodium dodecyl sulfate of organic material from rat otoconial complexes  
 A82-17482

Biochemistry and endocrinology results  
 N82-15721

USSR report: Life sciences biomedical and behavioral sciences, no. 13 [JPRS-79639]  
 N82-15763

**BIODEGRADATION**  
 Ecological and technological problem of biodamages  
 N82-15766

**BIODYNAMICS**  
 Concerning a model of human activity  
 A82-16704

Possible model representations of the neurophysiological mechanisms for the analysis of the direction and speed of a moving visual object  
 A82-16807

A modified kinetic model of muscular contraction  
 A82-16818

The effects of hypokinesia in primates and bone strength  
 A82-16946

A physical model of human postural dynamics  
 A82-17478

NASA biomedical Applications Team Advisory Center for Medical Technology and Systems [NASA-CR-166755]  
 N82-15770

**BIOELECTRIC POTENTIAL**  
 Dipole localization of average and single visual evoked potentials  
 A82-17570

Functional model of the temporal and amplitude characteristics of the cardiac electric field  
 A82-18699

**BIOENGINEERING**  
 Fabrication and wear test of a continuous fiber/particulate composite total surface hip replacement [ASLE PREPRINT 81-LC-2D-1]  
 A82-18402

NASA biomedical applications team. Applications of aerospace technology in biology and medicine [NASA-CR-152663]  
 N82-15710

**BIOGENY**  
 Biogenic monoamine concentrations in autonomic nervous system ganglia during acute experimental emotional stress  
 A82-16817

**BIOGEOCHEMISTRY**  
 'Hot spots' in the problem of the origin of life  
 A82-17360

**BIOINSTRUMENTATION**  
 Evaluation of the parallel conductor theory for measuring human limb blood flow by electrical admittance plethysmography  
 A82-17568

**BIOLOGICAL EFFECTS**  
 Future investigations onboard Soviet biosatellites of the Cosmos series  
 A82-16954

Evaluation of short-term bioassays to predict functional impairment. Selected short-term pulmonary toxicity tests [AD-A103766]  
 N82-14797

Ionizing radiation and its biological effects  
 N82-15756

Other biological effects of radiation  
 N82-15757

- BIOLOGICAL EVOLUTION**  
Organic compounds in space and the problem of the origin of life  
A82-17362
- BIOLOGICAL MODELS (MATHEMATICS)**  
Possible model representations of the neurophysiological mechanisms for the analysis of the direction and speed of a moving visual object  
A82-16807  
A modified kinetic model of muscular contraction  
A82-16818  
Analysis of retinal work in the discrimination of a contour signal  
A82-16819  
Model for the perception of moving and fixed objects  
A82-16820  
A physical model of human postural dynamics  
A82-17478  
Functional model of the temporal and amplitude characteristics of the cardiac electric field  
A82-18699  
Problems of the regulation of hemodynamics during a passive orthostatic test - Study of a mathematical model  
A82-18700
- BIOMEDICAL DATA**  
U.S. manned space flight: The first twenty years - A biomedical status report  
A82-16927  
Monitoring the condition of the organism under hyperoxic conditions  
A82-17141  
NASA biomedical applications team. Applications of aerospace technology in biology and medicine [NASA-CR-152663]  
N82-15710  
STS-1 medical report [NASA-TM-58240]  
N82-15711  
NASA biomedical Applications Team Advisory Center for Medical Technology and Systems [NASA-CR-166755]  
N82-15770
- BIOMETRICS**  
Inflight observations  
N82-15713
- BIONICS**  
Robot with sense of touch  
A82-17133
- BIOSATELLITES**  
Summary of experiments onboard Soviet biosatellites  
A82-16929  
Future investigations onboard Soviet biosatellites of the Cosmos series  
A82-16954
- BIOSYNTHESIS**  
Effects of the diet on brain function  
A82-16942
- BIOTELEMETRY**  
Experience with the development and application of telemetric computing systems in cardiology  
A82-16806
- BIRDS**  
Organization of the avian accessory optic system  
A82-17445
- BLACKOUT PREVENTION**  
Man's adaptation to weightlessness and low weight  
N82-15746
- BLOOD**  
Changes in blood indicators upon the inclusion of trace elements in the diet  
A82-16274  
The state of the air-blood barrier in hyperoxia  
A82-16970
- BLOOD FLOW**  
Evaluation of the parallel conductor theory for measuring human limb blood flow by electrical admittance plethysmography  
A82-17568
- BLOOD PLASMA**  
Changes in Hageman factor system indicators during human adaptation to intense physical loading  
A82-16816  
The effects of bicycle ergometer exercise on plasma amino acid contents in athletes  
A82-17145  
Plasma erythropoietins during training for hyperoxic conditions  
A82-17147
- The effects of hypokinesia on the spectral characteristics of free amino acids in the skeletal muscles and the blood  
A82-18661  
Biochemistry and endocrinology results  
N82-15721
- BLOOD PRESSURE**  
Cardiovascular reflexes during rest and exercise modified by gravitational stresses  
A82-16932  
Crew cardiovascular profile  
N82-15720  
Non-invasive pulmonary arterial pressure measurement [PB81-239410]  
N82-15776
- BLOOD VOLUME**  
Magnetic measurement of cardiac volume changes  
A82-17569  
Hematological and immunological analyses  
N82-15722
- BODY FLUIDS**  
Current views and future programs in cardiovascular physiology in space  
A82-16931
- BODY SWAY TEST**  
A physical model of human postural dynamics  
A82-17478  
The role of the plantar mechanoreceptor in equilibrium control  
A82-17483  
Use of a television multipoint x-y tracker for determining the transmission of vibrations on human beings --- human factors in man machine systems  
N82-15787
- BODY TEMPERATURE**  
The relationship of body temperature to environmental temperature  
N82-15752  
Comfortable temperature and tolerable temperature  
N82-15753  
The physiological effect of heat and its prevention  
N82-15754  
The effect of cold and the cold prevention  
N82-15755
- BODY WEIGHT**  
How important are changes in body weight for mass perception  
A82-16944  
The role of the plantar mechanoreceptor in equilibrium control  
A82-17483
- BONE DEMINERALIZATION**  
Bone effects of space flight - Analysis by quantum concept of bone remodelling  
A82-16947
- BONES**  
The effects of hypokinesia in primates and bone strength  
A82-16946  
Fabrication and wear test of a continuous fiber/particulate composite total surface hip replacement [ASLE PREPRINT 81-LC-2D-1]  
A82-18402
- BRAIN**  
Effects of the diet on brain function  
A82-16942
- BRAIN CIRCULATION**  
The functional state of some subcortical cerebral structures during adaptation and deadaptation to physical loading  
A82-16823
- BRAIN DAMAGE**  
The differential diagnosis of an asymmetrical trend in vestibular responses in peripheral and central hemispheric lesions  
A82-16813  
Input-output activity of the primate flocculus during visual-vestibular interaction  
A82-17466  
Effect of frontal-eye-field lesion on eye-head coordination in squirrel monkeys  
A82-17475
- BRAIN STEM**  
Cat medial pontine neurons in vestibular nystagmus  
A82-17443
- BURNS (INJURIES)**  
A heat transfer analysis of scald injury [PB81-238503]  
N82-15777

## C

- CABIN ATMOSPHERES**  
Environmental conditions of aviation and space navigation  
N82-15738
- CARBON MONOXIDE POISONING**  
Evaluation of short-term bioassays to predict functional impairment. development of pulmonary bioassays in small animals: Directory of Institutions; individuals involved in utilization [AD-A103767]  
N82-14798
- CARCINOGENS**  
Repair of radiation damage in mammalian cells [DE81-030824]  
N82-14800  
Carcinogenic effects of coal-conversion materials [DE81-028108]  
N82-14803
- CARDIOGRAMS**  
Computer-enhanced thallium scintigrams in asymptomatic men with abnormal exercise tests  
A82-16167
- CARDIOLOGY**  
The ergometric determination of myocardial reserves  
A82-16805  
Experience with the development and application of telemetric computing systems in cardiology  
A82-16806  
The role of physical training in the prevention of ischemic heart disease  
A82-18525
- CARDIOVASCULAR SYSTEM**  
Current views and future programs in cardiovascular physiology in space  
A82-16931  
Cardiovascular reflexes during rest and exercise modified by gravitational stresses  
A82-16932  
Functional model of the temporal and amplitude characteristics of the cardiac electric field  
A82-18699  
Problems of the regulation of hemodynamics during a passive orthostatic test - Study of a mathematical model  
A82-18700
- CELLS (BIOLOGY)**  
The function of the endolymphatic duct - An experimental study using ionic lanthanum as a tracer: A preliminary report  
A82-17428  
Visual-vestibular interactions in visual cortical cells in the cat  
A82-17448  
Estimating cell populations  
A82-18684  
Studies in in vivo electrochemistry  
N82-14793  
Inborn anemias in mice [DE81-029128]  
N82-14795
- CENTRAL NERVOUS SYSTEM**  
Investigation of physiological compensation processes following the surgical destruction of the labyrinth  
A82-16811  
Nonlinear characteristics of single neurons in the vestibular nuclei  
A82-17438
- CEREBELLUM**  
The brain-stem projection to the cerebellar flocculus relevant to optokinetic responses in cats  
A82-17463  
Mossy fiber activation of the cerebellar flocculus from the visual system  
A82-17465  
Directional plasticity of the vestibulo-ocular reflex in the cat  
A82-17467  
The interaction between accuracy of gaze with and without head movements in patients with cerebellar ataxia  
A82-17472
- CEREBRAL CORTEX**  
The functional state of some subcortical cerebral structures during adaptation and deadaptation to physical loading  
A82-16823
- Visual-vestibular interactions in visual cortical cells in the cat  
A82-17448
- CHROMOSOMES**  
Polyploidization delay in rat hepatocytes under liver growth inhibition by hypokinesia [NASA-TM-76515]  
N82-14794
- CHRONIC CONDITIONS**  
New approaches to treatment of chronic pain: A review of multidisciplinary pain clinics and pain centers [PB81-240913]  
N82-15778
- CIRCADIAN RHYTHMS**  
The circadian organization of the circulatory and respiratory systems of Antarctic workers  
A82-17139  
The effects of operator activity on the diurnal rhythm of physiological functions  
A82-17142
- CIRCULATORY SYSTEM**  
The circadian organization of the circulatory and respiratory systems of Antarctic workers  
A82-17139
- CLINICAL MEDICINE**  
Trial of an automated EKG analysis system in a cardiological clinic  
A82-16804  
The ergometric determination of myocardial reserves  
A82-16805  
Investigation of the otolith apparatus in clinical practice  
A82-16812  
Monitoring the condition of the organism under hyperoxic conditions  
A82-17141  
NASA biomedical applications team. Applications of aerospace technology in biology and medicine [NASA-CR-152663]  
N82-15710  
NASA biomedical Applications Team Advisory Center for Medical Technology and Systems [NASA-CR-166755]  
N82-15770  
New approaches to treatment of chronic pain: A review of multidisciplinary pain clinics and pain centers [PB81-240913]  
N82-15778
- COCHLEA**  
Reissner's membrane and the spiral ligament in normal rats and those treated with ethacrynic acid  
A82-16833  
The function of the endolymphatic duct - An experimental study using ionic lanthanum as a tracer: A preliminary report  
A82-17428
- COCKPIT SIMULATORS**  
Influence of display and control compatibility on pilot-induced oscillations [NASA-TP-1936]  
N82-14804
- COHERENT RADIATION**  
Other biological effects of radiation  
N82-15757
- COLD ACCLIMATIZATION**  
The reorganization of EEG structure during adaptation to the Antarctic  
A82-16810  
The circadian organization of the circulatory and respiratory systems of Antarctic workers  
A82-17139  
Northern pulmonary arterial hypertension  
A82-17143  
The effect of cold and the cold prevention  
N82-15755
- COLD TOLERANCE**  
The physiological effect of heat and its prevention  
N82-15754  
The effect of cold and the cold prevention  
N82-15755
- COLLIMATION**  
Other biological effects of radiation  
N82-15757
- COLOR VISION**  
Disappearance of stabilized chromatic gratings --- visual contrast sensitivity  
A82-16125
- COMBUSTION PRODUCTS**  
Plan of action and milestones for Navy combustion toxicity [AD-A105623]  
N82-14796

- COMFORT**  
Comfortable temperature and tolerable temperature  
N82-15753
- COMMAND AND CONTROL**  
Initiation into the utilization of programmable  
industrial robots: Grafset --- graphic  
engineering language  
N82-14805
- COMPENSATION**  
Investigation of physiological compensation  
processes following the surgical destruction of  
the labyrinth  
A82-16811
- COMPRESSION LOADS**  
The effects of hypokinesia in primates and bone  
strength  
A82-16946
- COMPUTER SYSTEMS DESIGN**  
Experience with the development and application of  
telemetric computing systems in cardiology  
A82-16806
- COMPUTER TECHNIQUES**  
Computer-enhanced thallium scintigrams in  
asymptomatic men with abnormal exercise tests  
A82-16167  
Trial of an automated EKG analysis system in a  
cardiological clinic  
A82-16804
- COMPUTERIZED SIMULATION**  
Simulation of human reactions under extreme  
conditions  
A82-16934
- CONCENTRATION (COMPOSITION)**  
Free amino acid concentrations in the livers of  
animals subjected to certain extremal factors  
A82-18662
- CONDITIONING (LEARNING)**  
Piribedil-induced anti-hypoxic protection in rats  
A82-18738
- CONFERENCES**  
Basic environmental problems of man in space;  
Proceedings of the Sixth International  
Symposium, Bonn, West Germany, November 3-6, 1980  
A82-16926  
Vestibular and oculomotor physiology; Proceedings  
of the International Meeting, New York, NY,  
September 22-25, 1980  
A82-17426
- CONSUMABLES (SPACECREW SUPPLIES)**  
STS-1 medical report  
[NASA-TM-58240]  
N82-15711  
Food and nutrition  
N82-15724
- CONTAMINANTS**  
Cabin pollution  
N82-15760
- CONTRACTION**  
A modified kinetic model of muscular contraction  
A82-16818
- COORDINATION**  
Active head rotations and eye-head coordination  
A82-17469  
Disturbances of eye-head coordination during  
lateral gaze in labyrinthine disease  
A82-17471  
The interaction between accuracy of gaze with and  
without head movements in patients with  
cerebellar ataxia  
A82-17472
- CORIOLIS EFFECT**  
Vestibular tests in the selection of cosmonauts  
A82-16941  
Validation of predictive tests and countermeasures  
for space motion sickness  
N82-15719
- CORONARY ARTERY DISEASE**  
Computer-enhanced thallium scintigrams in  
asymptomatic men with abnormal exercise tests  
A82-16167  
Myocardial perfusion scintigraphy using a new  
technique, the mesh chamber  
[DE81-027995]  
N82-15773
- CORROSION PREVENTION**  
Ecological and technological problem of biodamages  
N82-15766
- COSMIC RAYS**  
The role of HZE particles in space flight -  
Results from spaceflight and ground-based  
experiments  
A82-16949
- COSMONAUTS**  
Astronaut activity in flight and enhancement of  
its efficiency --- Russian book  
A82-16701  
Basic principles and methods for assuring the  
efficiency of astronaut activity in flight  
A82-16702  
Current problems in the psychophysiology of space  
work /status and future prospects/  
A82-16703  
Certain theoretical features of astronaut  
preparation  
A82-16705  
Psychophysiological correlates of the control  
activity of the astronaut  
A82-16707  
Certain aspects of the visual activity of astronauts  
A82-16708  
Problems of the control of operator state  
A82-16710  
Optimization of astronaut operator activity and  
systems of semiautomatic control of manned  
spacecraft on the basis of probabilistic criteria  
A82-16711  
Investigation of the statistical characteristics  
of astronaut operator activity directed towards  
the control of a manned spacecraft  
A82-16712  
Investigation of astronaut activity under  
conditions of the hydrosimulation of  
weightlessness  
A82-16713  
Information model of the dynamics of autonomous  
extravehicular activity  
A82-16718  
Investigation of the functions of an astronaut  
operator in information systems  
A82-16721  
Concerning the rationalization of the work and  
rest schedule of cosmonauts  
A82-16724  
Vestibular tests in the selection of cosmonauts  
A82-16941  
Radiation - Risk and protection in manned space  
flight  
A82-16948  
USSR Space Life Sciences Digest  
[NASA-TM-84080]  
N82-15708
- COSMOS SATELLITES**  
Future investigations onboard Soviet biosatellites  
of the Cosmos series  
A82-16954
- COSMOS 782 SATELLITE**  
Biomedical aspects of artificial gravity  
A82-16951
- COSMOS 936 SATELLITE**  
Biomedical aspects of artificial gravity  
A82-16951
- COUNTERMEASURES**  
Validation of predictive tests and countermeasures  
for space motion sickness  
N82-15719
- CRASH INJURIES**  
Hepato-splenic injury in aircraft accidents  
A82-18735
- CREWS**  
The work capacity of sailors under conditions of  
varying work-rest cycles  
A82-18524
- CRITICAL FLICKER FUSION**  
A procedure for the measurement of the critical  
flicker fusion frequency  
A82-16809  
Human vertical fusional response under open and  
closed loop stimulation to predictable and  
unpredictable disparity presentations  
A82-17571
- CYTOLOGY**  
Estimating cell populations  
A82-18684  
Spectrophotometric studies of the RNA structure in  
-E.coli ribosomes. Part 2: Influence of ions  
and proteins on the RNA secondary structure  
[ISS-R-80/3-PT-2]  
N82-15735

## D

## DARKNESS

Modifications of vestibular nystagmus produced by fixation of visual and nonvisual targets  
A82-17477

## DATA PROCESSING

Monitoring the condition of the organism under hyperoxic conditions  
A82-17141

## DATA TRANSMISSION

Investigation of the functions of an astronaut operator in information systems  
A82-16721

## DECELERATION

Harmfulness of violent impact and airflow shocks  
N82-15742

## DECOMPRESSION SICKNESS

The physiological effect of low-air-pressure anoxia  
N82-15748

Caisson disease  
N82-15749

Dangers of explosive decompression  
N82-15750

## DECONTAMINATION

Shuttle toxicology  
N82-15726

## DENTISTRY

Forensic dentistry --- in aircraft accident fatalities identification  
A82-18737

## DEOXYRIBONUCLEIC ACID

Damage and repair of heart muscle DNA during emotional-pain stress  
A82-16822

Repair of radiation damage in mammalian cells [DE81-030824]  
N82-14800

Spectrophotometric studies on the RNA structure in E.coli ribosomes. Part 1: Fundamentals of ultraviolet spectrophotometry of nuclei acids [ISS-R-80/2-PT-1]  
N82-15734

## DESIGN ANALYSIS

The design of extravehicular propulsion units  
A82-16716

## DIAGNOSIS

Remote Medical Diagnosis System (RMDS) utilization study [AD-A105559]  
N82-15771

## DIETS

Changes in blood indicators upon the inclusion of trace elements in the diet  
A82-16274

Effects of the diet on brain function  
A82-16942

## DIFFERENCE EQUATIONS

A heat transfer analysis of scald injury [PB81-238503]  
N82-15777

## DIFFUSE RADIATION

Myocardial perfusion scintigraphy using a new technique, the mesh chamber [DE81-027995]  
N82-15773

## DIRECTIONAL CONTROL

How do we avoid confounding the direction we are looking and the direction we are moving  
A82-18024

## DISEASES

Disturbances of eye-head coordination during lateral gaze in labyrinthine disease  
A82-17471

## DISPLAY DEVICES

Is recognition accuracy really impaired when the target is repeated in the display  
A82-16893

## DISPOSAL

A criterion for the disposal of M58 sleeping bags [IZF-1979-15]  
N82-15782

## DIURETICS

Reissner's membrane and the spiral ligament in normal rats and those treated with ethacrynic acid  
A82-16833

## DOSIMETERS

Repair of radiation damage in mammalian cells [DE81-030824]  
N82-14800

Radiological health  
N82-15727

## DYNAMIC CHARACTERISTICS

Dynamics of vestibulo-ocular, vestibulocollic, and cervicocollic reflexes  
A82-17458

## DYNAMIC MODELS

Information model of the dynamics of autonomous extravehicular activity  
A82-16718

Simulation of manual autonomous control of an extravehicular propulsion unit /EPU/  
A82-16719

A physical model of human postural dynamics  
A82-17478

## E

## EAR PROTECTORS

Hearing protection [IZF-1980-2]  
N82-15783

## EARTH ATMOSPHERE

Environmental conditions of aviation and space navigation  
N82-15738

## EARTH PLANETARY STRUCTURE

The mass extinctions of the late Mesozoic --- iridium abundance as geologic evidence for celestial body impact  
A82-17620

## ECOLOGY

Ecological and technological problem of biodamages  
N82-15766

## EFFERENT NERVOUS SYSTEMS

Pathophysiology of motor functions in prolonged manned space flights  
A82-16945

## EJECTION

Harmfulness of violent impact and airflow shocks  
N82-15742

## EJECTION SEATS

Harmfulness of violent impact and airflow shocks  
N82-15742

## ELECTRIC STIMULI

Neuronal interaction between ipsilateral medial and lateral vestibular nuclei  
A82-17436

Reticulovestibular organization participating in generation of horizontal fast eye movement  
A82-17439

## ELECTRICAL IMPEDANCE

Evaluation of the parallel conductor theory for measuring human limb blood flow by electrical admittance plethysmography  
A82-17568

Measurement of systolic time intervals by electrical plethysmography Validation with invasive and noninvasive methods  
A82-18742

## ELECTROCARDIOGRAPHY

Computer-enhanced thallium scintigrams in asymptomatic men with abnormal exercise tests  
A82-16167

Trial of an automated EKG analysis system in a cardiological clinic  
A82-16804

Experience with the development and application of telemetric computing systems in cardiology  
A82-16806

Functional model of the temporal and amplitude characteristics of the cardiac electric field  
A82-18699

## ELECTROCHEMISTRY

Studies in in vivo electrochemistry  
N82-14793

## ELECTROENCEPHALOGRAPHY

The effects of hyperventilation on EEG alpha-rhythm depression induced by a suggested visual representation  
A82-16801

The reorganization of EEG structure during adaptation to the Antarctic  
A82-16810

Monitoring the condition of the organism under hyperoxic conditions  
A82-17141

## ELECTROLYTE METABOLISM

Ion regulatory function of the human kidney in prolonged space flights  
A82-16936

## SUBJECT INDEX

## EXTRAVEHICULAR MOBILITY UNITS

- ELECTROLYTIC CELLS**  
Studies in in vivo electrochemistry  
A82-14793
- ELECTROMYOGRAPHY**  
Early directional influence of visual motion cues  
on postural control in the falling monkey  
A82-17459
- ELECTROPHORESIS**  
Microdisc gel electrophoresis in sodium dodecyl  
sulfate of organic material from rat otoconial  
complexes  
A82-17482
- ELECTROPHYSIOLOGY**  
Neuronal interaction between ipsilateral medial  
and lateral vestibular nuclei  
A82-17436  
The brain-stem projection to the cerebellar  
flocculus relevant to optokinetic responses in  
cats  
A82-17463  
Mossy fiber activation of the cerebellar flocculus  
from the visual system  
A82-17465  
Studies in in vivo electrochemistry  
A82-14793
- ELECTROPLETHYSMOGRAPHY**  
Evaluation of the parallel conductor theory for  
measuring human limb blood flow by electrical  
admittance plethysmography  
A82-17568  
Magnetic measurement of cardiac volume changes  
A82-17569
- EMERGENCIES**  
Emergency Medical Services System (EMSS)  
A82-15716
- EMOTIONAL FACTORS**  
The effect of emotional stress on astronaut  
activity in a radio-telegraphy system  
A82-16722  
Biogenic monoamine concentrations in autonomic  
nervous system ganglia during acute experimental  
emotional stress  
A82-16817
- EMOTIONS**  
Informational need of emotional stress --- effect  
on operator performance of visual tasks  
A82-16943
- ENDOCRINE GLANDS**  
An overview of the endocrine and metabolic changes  
in manned space flight  
A82-16935
- ENDOCRINE SYSTEMS**  
Biochemistry and endocrinology results  
A82-15721
- ENDOLYMPH**  
The function of the endolymphatic duct - An  
experimental study using ionic lanthanum as a  
tracer: A preliminary report  
A82-17428
- ENERGETIC PARTICLES**  
The role of HZE particles in space flight -  
Results from spaceflight and ground-based  
experiments  
A82-16949
- EPIDEMIOLOGY**  
Conference on plant virology  
A82-15767
- EPINEPHRINE**  
The response of the hematic system of  
adrenalectomized mice to stressor activity  
A82-16814
- EPITHELIUM**  
The effects of heat stress on the morphogenetic  
potencies of the nephron epithelium  
A82-16825  
The function of the endolymphatic duct - An  
experimental study using ionic lanthanum as a  
tracer: A preliminary report  
A82-17428
- EPOXY MATRIX COMPOSITES**  
Fabrication and wear test of a continuous  
fiber/particulate composite total surface hip  
replacement  
[ASLE PREPRINT 81-LC-2D-1]  
A82-18402
- ERGOMETERS**  
The ergometric determination of myocardial reserves  
A82-16805
- ERROR ANALYSIS**  
Estimating cell populations  
A82-18684  
Simulator data on human error probabilities  
[DE81-026094]  
A82-15786
- ERROR SIGNALS**  
The 'Error' signals subserving adaptive gain  
control in the primate vestibulo-ocular reflex  
A82-17468
- ERYTHROCYTES**  
Extra-erythrocytic hemoglobin and iron-bearing  
hemoglobin destruction products - A system for  
the amplification of the toxic effects of  
hyperoxia  
A82-16803  
Plasma erythropoietins during training for  
hyperoxic conditions  
A82-17147
- ESCHERICHIA**  
Spectrophotometric studies on the RNA structure in  
E.coli ribosomes. Part 1: Fundamentals of  
ultraviolet spectrophotometry of nuclei acids  
[ISS-R-80/2-PT-1]  
A82-15734  
Spectrophotometric studies of the RNA structure in  
E.coli ribosomes. Part 2: Influence of ions  
and proteins on the RNA secondary structure  
[ISS-R-80/3-PT-2]  
A82-15735
- EVOKED RESPONSE (PSYCHOPHYSIOLOGY)**  
Dipole localization of average and single visual  
evoked potentials  
A82-17570
- EVOLUTION (DEVELOPMENT)**  
Human roles in future space operations  
A82-16955
- EXERCISE PHYSIOLOGY**  
Cardiovascular reflexes during rest and exercise  
modified by gravitational stresses  
A82-16932  
Effect of physical fitness and training on  
physiological responses to hypogravity  
A82-16933  
The effects of bicycle ergometer exercise on  
plasma amino acid contents in athletes  
A82-17145
- EXHAUST SYSTEMS**  
Evaluation of air cleaning and monitoring  
equipment used in recirculation systems  
[PB81-242695]  
A82-15788
- EXOBIOLOGY**  
Summary of experiments onboard Soviet biosatellites  
A82-16929  
U.S. biological experiments in space  
A82-16930  
Trends in space life support  
A82-16953  
Experimental biology and medicine in space  
A82-17123  
Prospects for the detection of interstellar  
biological molecules  
A82-17361  
Organic compounds in space and the problem of the  
origin of life  
A82-17362  
USSR Space Life Sciences Digest  
[NASA-TM-84080]  
A82-15708  
Feasibility study (phase A) for a Life Science  
Double Rack envisaged for the Spacelab mission D1  
[BMFT-FB-W-81-037]  
A82-15732  
Concept study of a life sciences payload element  
(PLE) for the SL-D1 mission  
[BMFT-FB-W-81-038]  
A82-15733
- EXPLOSIVE DECOMPRESSION**  
Dangers of explosive decompression  
A82-15750
- EXPOSURE**  
Health stabilization program  
A82-15715  
Problems in evaluating health effects of  
occupational and environmental exposures  
[DE81-028440]  
A82-15774
- EXTRATERRESTRIAL RADIATION**  
Radiation - Risk and protection in manned space  
flight  
A82-16948
- EXTRAVEHICULAR MOBILITY UNITS**  
The design of extravehicular propulsion units  
A82-16716

## EYE (ANATOMY)

## SUBJECT INDEX

- Information model of the dynamics of autonomous extravehicular activity  
A82-16718
- Simulation of manual autonomous control of an extravehicular propulsion unit /EPU/  
A82-16719
- EYE (ANATOMY)**
- Eye-muscle geometry and compensatory eye movements in lateral-eyed and frontal-eyed animals  
A82-17429
- A transsynaptic autoradiographic study of the pathways controlling the extraocular eye muscles, using /I-124/B-IIb Tetanus toxin fragment  
A82-17441
- Organization of the avian accessory optic system  
A82-17445
- EYE MOVEMENTS**
- Eye-muscle geometry and compensatory eye movements in lateral-eyed and frontal-eyed animals  
A82-17429
- Physiological mechanisms of the nystagmus produced by rotations about an earth-horizontal axis  
A82-17431
- Effects of gravity on rotatory nystagmus in monkeys  
A82-17432
- Dynamic characteristics of the otolithic oculomotor system  
A82-17433
- Binocular counterrolling in humans with unilateral labyrinthectomy and in normal controls  
A82-17434
- Ocular torsion on earth and in weightlessness  
A82-17435
- The ascending tract of Deiters' and horizontal gaze --- maintenance during head movement via neurons  
A82-17437
- Reticulovestibular organization participating in generation of horizontal fast eye movement  
A82-17439
- Horizontal eye movement signals in second-order vestibular nuclei neurons in the cat  
A82-17440
- Some thoughts about the three neurons in the vestibular ocular reflex  
A82-17442
- Visual-vestibular interaction in vestibular neurons - Functional pathway organization  
A82-17446
- Neural activity in the nucleus reticularis tegmenti pontis in the monkey related to eye movements and visual stimulation  
A82-17447
- Circularvection - Psychophysics and single-unit recordings in the monkey --- vestibular effects of rotation  
A82-17449
- Sigma-movement and Sigma-nystagmus - A new tool to investigate the gaze-pursuit system and visual-movement perception in man and monkey  
A82-17450
- Velocity storage, nystagmus, and visual-vestibular interactions in humans  
A82-17460
- The role of the dentate nucleus and  $\gamma$ -group in the generation of vertical smooth eye movements  
A82-17462
- The brain-stem projection to the cerebellar flocculus relevant to optokinetic responses in cats  
A82-17463
- Visual mossy fiber inputs to the flocculus of the monkey  
A82-17464
- Input-output activity of the primate flocculus during visual-vestibular interaction  
A82-17466
- Directional plasticity of the vestibulo-ocular reflex in the cat  
A82-17467
- The 'Error' signals subserving adaptive gain control in the primate vestibulo-ocular reflex  
A82-17468
- Active head rotations and eye-head coordination  
A82-17469
- Disturbances of eye-head coordination during lateral gaze in labyrinthine disease  
A82-17471
- Nystagmus, gaze shift, and self-motion perception during sinusoidal head and neck rotation  
A82-17473
- A hypothetical explanation for periodic alternating nystagmus - Instability in the optokinetic-vestibular system  
A82-17474
- Effect of frontal-eye-field lesion on eye-head coordination in squirrel monkeys  
A82-17475
- Acoustic-induced eye movements  
A82-17476
- Ocular torsion in the cat after lesions of the interstitial nucleus of Cajal  
A82-17484
- F**
- FACE (ANATOMY)**
- Evaluation of chemical protective facelets and comparison of four prototypes  
[IZF-1980-15]  
N82-15784
- FARM CROPS**
- Conference on plant virology  
N82-15767
- FEEDBACK**
- Effects of task feedback and stringency of external pacing on mental load and work performance  
A82-18325
- FEEDBACK CONTROL**
- The use of a psychophysiological feedback system for purposes of activity optimization  
A82-16706
- Robot with sense of touch  
A82-17133
- FIBROSIS**
- Morphology of experimental pneumoconiosis arising from the effects of lunar soil  
A82-16824
- FIELD EMISSION**
- Field-ion-microscope observations of radiation effects  
[DE81-030934]  
N82-14802
- FINITE DIFFERENCE THEORY**
- A heat transfer analysis of scald injury  
[PB81-238503]  
N82-15777
- FIRE PREVENTION**
- Oxygen toxication  
N82-15751
- FIRST AID**
- Shuttle orbital medical system  
N82-15718
- FITNESS**
- Evaluation of crew health  
N82-15712
- FLIGHT CREWS**
- Liver pathology in aircrew  
A82-18734
- Aviation medical guarantees  
N82-15761
- FLIGHT HAZARDS**
- Harmfulness of violent impact and airflow shocks  
N82-15742
- Caisson disease  
N82-15749
- FLIGHT SAFETY**
- Psychophysiological safety control in long-duration space flights  
A82-16726
- Aviation medical guarantees  
N82-15761
- Space navigation medical guarantees and medical supervision  
N82-15762
- FLIGHT SIMULATORS**
- Human orientation in space  
[AIAA PAPER 82-0422]  
A82-17940
- FLIGHT STRESS (BIOLOGY)**
- Fundamentals of aeronautical and aerospace medical science  
[AD-A102298]  
N82-15736
- General laws of aviation and space navigation environmental effects on the human body  
N82-15739
- FLUID FLOW**
- Current views and future programs in cardiovascular physiology in space  
A82-16931

## FLYING PERSONNEL

Study of the discrimination capacity of the auditory analyzer in flight personnel A82-18523

## FOOD PROCESSING

All-Union Conference on New Sources of Food Protein and Their Application N82-15765

## FOULING

Ecological and technological problem of biodamages N82-15766

## FREE FALL

Early directional influence of visual motion cues on postural control in the falling monkey A82-17459

## FREQUENCY RESPONSE

A procedure for the measurement of the critical flicker fusion frequency A82-16809

## G

## GANGLIA

Biogenic monoamine concentrations in autonomic nervous system ganglia during acute experimental emotional stress A82-16817

## GAS DISSOCIATION

Preprototype nitrogen supply subsystem development [NASA-CR-166192] N82-15780

## GASEOUS DIFFUSION

Pulmonary diffusing capacity under conditions of restricted motor activity A82-17140

## GEARS

The Link-Miles driver training simulator for tracked vehicles: Influence of cabin motion on gear-change learning [IZF-1980-24] N82-15785

## GEOCHRONOLOGY

The mass extinctions of the late Mesozoic --- iridium abundance as geologic evidence for celestial body impact A82-17620

## GNOTOBIOTICS

Medical microbiology of crewmembers N82-15723

## GRATINGS (SPECTRA)

Disappearance of stabilized chromatic gratings --- visual contrast sensitivity A82-16125

## GRAVITATIONAL EFFECTS

Cardiovascular reflexes during rest and exercise modified by gravitational stresses A82-16932

How important are changes in body weight for mass perception A82-16944

Effects of gravity on rotatory nystagmus in monkeys A82-17432

Medical problems of gravitational changes and powered flight N82-15740

Injury and protection of overweightness N82-15741

## GRINDING (MATERIAL REMOVAL)

Humanization of working places in the foundry by use of an automatic fettling equipment [BMPT-FB-HA-81-004] N82-15781

## GROUND SUPPORT SYSTEMS

Emergency Medical Services System (EMSS) N82-15716

## H

## HABITUATION (LEARNING)

Vestibular habituation in man and monkey during sinusoidal rotation A82-17453

Unilateral habituation of vestibulo-ocular responses in the cat A82-17454

## HAZARDS

Airborne ultrasound: Measurement and possible adverse effects [PB81-240459] N82-15775

## HEAD MOVEMENT

Dynamic characteristics of the otolithic oculomotor system A82-17433

Binocular counterrolling in humans with unilateral labyrinthectomy and in normal controls A82-17434

The ascending tract of Deiters' and horizontal gaze --- maintenance during head movement via neurons A82-17437

Some thoughts about the three neurons in the vestibular ocular reflex A82-17442

The role of the dentate nucleus and  $\gamma$ -group in the generation of vertical smooth eye movements A82-17462

Directional plasticity of the vestibulo-ocular reflex in the cat A82-17467

The 'Error' signals subserving adaptive gain control in the primate vestibulo-ocular reflex A82-17468

Active head rotations and eye-head coordination A82-17469

Vestibular influence upon head-eye coordination A82-17470

Disturbances of eye-head coordination during lateral gaze in labyrinthine disease A82-17471

The interaction between accuracy of gaze with and without head movements in patients with cerebellar ataxia A82-17472

Nystagmus, gaze shift, and self-motion perception during sinusoidal head and neck rotation A82-17473

Effect of frontal-eye-field lesion on eye-head coordination in squirrel monkeys A82-17475

Modifications of vestibular nystagmus produced by fixation of visual and nonvisual targets A82-17477

Different effects involved in the interaction of saccades and the vestibulo-ocular reflex A82-17480

Ocular torsion in the cat after lesions of the interstitial nucleus of Cajal A82-17484

## HEALTH

STS-1 medical report [NASA-TM-58240] N82-15711

Evaluation of crew health N82-15712

Health stabilization program N82-15715

## HEALTH PHYSICS

Radiological health N82-15727

Problems in evaluating health effects of occupational and environmental exposures [DE81-028440] N82-15774

Airborne ultrasound: Measurement and possible adverse effects [PB81-240459] N82-15775

## HEARING

Noise and sense of hearing N82-15747

## HEART DISEASES

Trial of an automated EKG analysis system in a cardiological clinic A82-16804

Prevention of hypoxic heart damage by the use of oxypridine-class antioxidants A82-16821

Damage and repair of heart muscle DNA during emotional-pain stress A82-16822

The role of physical training in the prevention of ischemic heart disease A82-18525

Effect of altitude exposure on induction of Streptococcal endocarditis in young and middle-aged rats A82-18740

## HEART FUNCTION

Characteristics of indicators of cardiac rhythm in the norm and in mental maladjustment A82-17144

## HEART RATE

The dynamics of cardiac rhythm parameters during work under various loads --- by air traffic controllers  
A82-17146

Functional model of the temporal and amplitude characteristics of the cardiac electric field  
A82-18699

Problems of the regulation of hemodynamics during a passive orthostatic test - Study of a mathematical model  
A82-18700

**HEART RATE**  
Magnetic measurement of cardiac volume changes  
A82-17569

Crew cardiovascular profile  
N82-15720

**HEART VALVES**  
Effect of altitude exposure on induction of Streptococcal endocarditis in young and middle-aged rats  
A82-18740

**HEAT ACCLIMATIZATION**  
Some characteristics of thermal adaptation in small laboratory animals  
A82-16971

The physiological effect of heat and its prevention  
N82-15754

**HEAT STROKE**  
The physiological effect of heat and its prevention  
N82-15754

**HEAT TOLERANCE**  
The effects of heat stress on the morphogenetic potencies of the nephron epithelium  
A82-16825

The physiological effect of heat and its prevention  
N82-15754

**HEAT TRANSFER**  
A heat transfer analysis of scald injury [PB81-238503]  
N82-15777

**HEAT TRANSFER COEFFICIENTS**  
A heat transfer analysis of scald injury [PB81-238503]  
N82-15777

**HEMATOLOGY**  
The response of the hematic system of adrenalectomized mice to stressor activity  
A82-16814

Hematological and immunological changes during space flight  
A82-16937

Hematological and immunological analyses  
N82-15722

**HEMATOPOIESIS**  
Plasma erythropoietins during training for hyperoxic conditions  
A82-17147

**HEMATOPOIETIC SYSTEM**  
Changes in blood indicators upon the inclusion of trace elements in the diet  
A82-16274

**HEMODYNAMIC RESPONSES**  
Changes in Hageman factor system indicators during human adaptation to intense physical loading  
A82-16816

Cardiovascular reflexes during rest and exercise modified by gravitational stresses  
A82-16932

Status of vestibular function after prolonged bedrest  
A82-16940

Problems of the regulation of hemodynamics during a passive orthostatic test - Study of a mathematical model  
A82-18700

Crew cardiovascular profile  
N82-15720

Non-invasive pulmonary arterial pressure measurement [PB81-239410]  
N82-15776

**HEMOGLOBIN**  
Extra-erythrocytic hemoglobin and iron-bearing hemoglobin destruction products - A system for the amplification of the toxic effects of hyperoxia  
A82-16803

**HEREDITY**  
Inborn anemias in mice [DE81-029128]  
N82-14795

## SUBJECT INDEX

**HEURISTIC METHODS**  
Simulation of human reactions under extreme conditions  
A82-16934

**HIGH GRAVITY ENVIRONMENTS**  
Injury and protection of overweightness  
N82-15741

**HISTOCHEMICAL ANALYSIS**  
Inborn anemias in mice [DE81-029128]  
N82-14795

**HISTORIES**  
The developmental history of aeronautical and aerospace medical science  
N82-15737

**HORIZONTAL ORIENTATION**  
The ascending tract of Deiters' and horizontal gaze --- maintenance during head movement via neurons  
A82-17437

Horizontal eye movement signals in second-order vestibular nuclei neurons in the cat  
A82-17440

**HUMAN BEINGS**  
Human roles in future space operations  
A82-16955

**HUMAN BODY**  
The age characteristics of physical thermoregulation  
A82-16808

A physical model of human postural dynamics  
A82-17478

**HUMAN FACTORS ENGINEERING**  
Basic principles and methods for assuring the efficiency of astronaut activity in flight  
A82-16702

A physical model of human postural dynamics  
A82-17478

Harmfulness of violent impact and airflow shocks  
N82-15742

Human body reaction to vibration  
N82-15743

The effects of rotation and oscillation: Aerial sickness  
N82-15744

A criterion for the disposal of M58 sleeping bags [IZP-1979-15]  
N82-15782

Hearing protection [IZP-1980-2]  
N82-15783

Evaluation of chemical protective facelets and comparison of four prototypes [IZP-1980-15]  
N82-15784

Simulator data on human error probabilities [DE81-026094]  
N82-15786

Use of a television multipoint x-y tracker for determining the transmission of vibrations on human beings --- human factors in man machine systems  
N82-15787

**HUMAN PATHOLOGY**  
Disturbances of eye-head coordination during lateral gaze in labyrinthine disease  
A82-17471

A hypothetical explanation for periodic alternating nystagmus - Instability in the optokinetic-vestibular system  
A82-17474

Temporal bone characteristics in Meniere's disease  
A82-17481

Liver pathology in aircrew  
A82-18734

Forensic dentistry --- in aircraft accident fatalities identification  
A82-18737

**HUMAN PERFORMANCE**  
Changes in blood indicators upon the inclusion of trace elements in the diet  
A82-16274

Concerning a model of human activity  
A82-16704

An investigation of memory during the process of adaptation to mountain conditions  
A82-17138

Sigma-movement and Sigma-nystagmus - A new tool to investigate the gaze-pursuit system and visual-movement perception in man and monkey  
A82-17450

**HUMAN REACTIONS**  
Simulation of human reactions under extreme conditions  
A82-16934

- Nausogenic properties of various dynamic and static force environments --- in space  
A82-16938
- Informational need of emotional stress --- effect on operator performance of visual tasks  
A82-16943
- Vestibular influence upon head-eye coordination  
A82-17470
- Human vertical fusional response under open and closed loop stimulation to predictable and unpredictable disparity presentations  
A82-17571
- HUMAN TOLERANCES**
- Changes in Hageman factor system indicators during human adaptation to intense physical loading  
A82-16816
- Repair of radiation damage in mammalian cells [DE81-030824]  
N82-14800
- Noise and sense of hearing  
N82-15747
- The physiological effect of low-air-pressure anoxia  
N82-15748
- Dangers of explosive decompression  
N82-15750
- The relationship of body temperature to environmental temperature  
N82-15752
- HYDRAZINES**
- Preprototype nitrogen supply subsystem development [NASA-CR-166192]  
N82-15780
- HYDROGEN**
- Preprototype nitrogen supply subsystem development [NASA-CR-166192]  
N82-15780
- HYGIENE**
- The potable water  
N82-15725
- HYPERBARIC CHAMBERS**
- Oxygen tension in albino rat abdominal cavity organs in normo- and hyperoxybaria  
A82-16969
- HYPEROXIA**
- Extra-erythrocytic hemoglobin and iron-bearing hemoglobin destruction products - A system for the amplification of the toxic effects of hyperoxia  
A82-16803
- Oxygen tension in albino rat abdominal cavity organs in normo- and hyperoxybaria  
A82-16969
- The state of the air-blood barrier in hyperoxia  
A82-16970
- Monitoring the condition of the organism under hyperoxic conditions  
A82-17141
- Plasma erythropoietins during training for hyperoxic conditions  
A82-17147
- HYPERTENSION**
- Northern pulmonary arterial hypertension  
A82-17143
- HYPERVENTILATION**
- The effects of hyperventilation on EEG alpha-rhythm depression induced by a suggested visual representation  
A82-16801
- HYPNOSIS**
- Comparative psychophysiological evaluation of the effectiveness of psychic models of body hypo- and hyperconsciousness  
A82-16723
- The activity of psychic models of hypogravity during 30-day experiments  
A82-16725
- HYPODYNAMIA**
- A compendium of hypokinetic and hypodynamic animal studies [NASA-CR-3485]  
N82-15709
- HYPOKINESIA**
- The effects of immobilization stress on diacyl and plasmogenic phospholipids in various organs and tissues of the rat  
A82-16802
- The effects of immobilization on the development of experimental atherosclerosis in rabbits  
A82-16815
- Effects of disuse by limb immobilization on different muscle fiber types  
A82-16830
- Status of vestibular function after prolonged bedrest  
A82-16940
- The effects of hypokinesia in primates and bone strength  
A82-16946
- Pulmonary diffusing capacity under conditions of restricted motor activity  
A82-17140
- The effects of hypokinesia on the spectral characteristics of free amino acids in the skeletal muscles and the blood  
A82-18661
- Polyplodization delay in rat hepatocytes under liver growth inhibition by hypokinesia [NASA-TM-76515]  
N82-14794
- A compendium of hypokinetic and hypodynamic animal studies [NASA-CR-3485]  
N82-15709
- HYPOTHALAMUS**
- Functional characteristics of the pilot hypothalamus-hypophysis-adrenal cortex system  
A82-16275
- HYPOTHERMIA**
- The effect of cold and the cold prevention  
N82-15755
- HYPOXEMIA**
- Oxygen tension in albino rat abdominal cavity organs in normo- and hyperoxybaria  
A82-16969
- HYPOXIA**
- Prevention of hypoxic heart damage by the use of oxypyridine-class antioxidants  
A82-16821
- Characteristics of loading hypoxia  
A82-16968
- Check your oxygen --- oxygen supply equipment and aircraft safety  
A82-18736
- Piribedil-induced anti-hypoxic protection in rats  
A82-18738
- The effect of acetazolamide on the proteinuria of altitude  
A82-18739
- ILLUSIONS**
- Flight illusions  
N82-15745
- IMAGE ENHANCEMENT**
- Evaluative studies in nuclear medicine research. Emission-computed tomography assessment [DE81-030168]  
N82-14801
- IMAGE MOTION COMPENSATION**
- Natural retinal image motion - Origin and change  
A82-17452
- IMMOBILIZATION**
- The effects of immobilization stress on diacyl and plasmogenic phospholipids in various organs and tissues of the rat  
A82-16802
- The response of the hematic system of adrenalectomized mice to stressor activity  
A82-16814
- The effects of immobilization on the development of experimental atherosclerosis in rabbits  
A82-16815
- IMMUNOLOGY**
- Hematological and immunological changes during space flight  
A82-16937
- Hematological and immunological analyses  
N82-15722
- IMPAIRMENT**
- Evaluation of short-term bioassays to predict functional impairment. Selected short-term pulmonary toxicity tests [AD-A103766]  
N82-14797
- IN-FLIGHT MONITORING**
- Inflight observations  
N82-15713
- INDEXES (DOCUMENTATION)**
- Evaluation of short-term bioassays to predict functional impairment. development of pulmonary bioassays in small animals: Directory of Institutions; individuals involved in utilization [AD-A103767]  
N82-14798

## INTERFERENCE

**INTERFERENCE**  
Is recognition accuracy really impaired when the target is repeated in the display  
A82-16893

**INTERSTELLAR MATTER**  
Prospects for the detection of interstellar biological molecules  
A82-17361

**INTOXICATION**  
Liver pathology in aircrew  
A82-18734

**ION MICROSCOPES**  
Field-ion-microscope observations of radiation effects  
[DE81-030934] N82-14802

**IONIZING RADIATION**  
Ionizing radiation and its biological effects  
N82-15756

**IONS**  
Spectrophotometric studies of the RNA structure in E.coli ribosomes. Part 2: Influence of ions and proteins on the RNA secondary structure  
[ISS-R-80/3-PT-2] N82-15735

**IRIDIUM ISOTOPES**  
The mass extinctions of the late Mesozoic --- iridium abundance as geologic evidence for celestial body impact  
A82-17620

**IRON**  
Extra-erythrocytic hemoglobin and iron-bearing hemoglobin destruction products - A system for the amplification of the toxic effects of hyperoxia  
A82-16803

**ISCHEMIA**  
The role of physical training in the prevention of ischemic heart disease  
A82-18525

Myocardial perfusion scintigraphy using a new technique, the mesh chamber  
[DE81-027995] N82-15773

**J**

**JOINTS (ANATOMY)**  
Fabrication and wear test of a continuous fiber/particulate composite total surface hip replacement  
[ASLE PREPRINT 81-LC-2D-1] A82-18402

**K**

**KIDNEYS**  
Applications of nuclear techniques for in vivo body composition studies at Brookhaven National Laboratory  
[DE81-029922] N82-15772

**L**

**LABYRINTH**  
Disturbances of eye-head coordination during lateral gaze in labyrinthine disease  
A82-17471

Temporal bone characteristics in Meniere's disease  
A82-17481

The role of the plantar mechanoreceptor in equilibrium control  
A82-17483

**LABYRINTHECTOMY**  
Investigation of physiological compensation processes following the surgical destruction of the labyrinth  
A82-16811

Binocular counterrolling in humans with unilateral labyrinthectomy and in normal controls  
A82-17434

**LANTHANUM**  
The function of the endolymphatic duct - An experimental study using ionic lanthanum as a tracer: A preliminary report  
A82-17428

**LASER APPLICATIONS**  
Other biological effects of radiation  
N82-15757

**LAW (JURISPRUDENCE)**  
Forensic dentistry --- in aircraft accident fatalities identification  
A82-18737

## SUBJECT INDEX

**LESIONS**  
The differential diagnosis of an asymmetrical trend in vestibular responses in peripheral and central hemispheric lesions  
A82-16813

Ocular torsion in the cat after lesions of the interstitial nucleus of Cajal  
A82-17484

**LIFE SCIENCES**  
'Hot spots' in the problem of the origin of life  
A82-17360

Feasibility study (phase A) for a Life Science Double Back envisaged for the Spacelab mission D1  
[BMFT-FB-W-81-037] N82-15732

USSR report: Life sciences biomedical and behavioral sciences, no. 13  
[JPRS-79639] N82-15763

**LIFE SUPPORT SYSTEMS**  
Trends in space life support  
A82-16953

Evaluation of chemical protective facelets and comparison of four prototypes  
[IZP-1980-15] N82-15784

**LIGHT (VISIBLE RADIATION)**  
Visual problems in aviation and space navigation  
N82-15758

**LIMBS (ANATOMY)**  
Effects of disuse by limb immobilization on different muscle fiber types  
A82-16830

Evaluation of the parallel conductor theory for measuring human limb blood flow by electrical admittance plethysmography  
A82-17568

**LIPID METABOLISM**  
The effects of immobilization stress on diacyl and plasmogenic phospholipids in various organs and tissues of the rat  
A82-16802

The effects of immobilization on the development of experimental atherosclerosis in rabbits  
A82-16815

**LIVER**  
Free amino acid concentrations in the livers of animals subjected to certain extremal factors  
A82-18662

Liver pathology in aircrew  
A82-18734

Hepato-splenic injury in aircraft accidents  
A82-18735

Polyploidization delay in rat hepatocytes under liver growth inhibition by hypokinesia  
[NASA-TM-76515] N82-14794

Applications of nuclear techniques for in vivo body composition studies at Brookhaven National Laboratory  
[DE81-029922] N82-15772

**LOAD TESTS**  
The effects of hypokinesia in primates and bone strength  
A82-16946

**LOCOMOTION**  
How do we avoid confounding the direction we are looking and the direction we are moving  
A82-18024

**LONG DURATION SPACE FLIGHT**  
Psychophysiological safety control in long-duration space flights  
A82-16726

Basic environmental problems of man in space; Proceedings of the Sixth International Symposium, Bonn, West Germany, November 3-6, 1980  
A82-16926

An overview of the endocrine and metabolic changes in manned space flight  
A82-16935

Ion regulatory function of the human kidney in prolonged space flights  
A82-16936

Hematological and immunological changes during space flight  
A82-16937

Status of vestibular function after prolonged bedrest  
A82-16940

Pathophysiology of motor functions in prolonged manned space flights  
A82-16945

- The effects of hypokinesia in primates and bone strength  
A82-16946
- Bone effects of space flight - Analysis by quantum concept of bone remodelling  
A82-16947
- The role of HZE particles in space flight - Results from spaceflight and ground-based experiments  
A82-16949
- Biomedical aspects of artificial gravity  
A82-16951
- Trends in space life support  
A82-16953
- USSR Space Life Sciences Digest [NASA-TM-84080]  
N82-15708
- LOW PRESSURE**
- The physiological effect of low-air-pressure anoxia  
N82-15748
- Caisson disease  
N82-15749
- LUNAR SOIL**
- Morphology of experimental pneumoconiosis arising from the effects of lunar soil  
A82-16824
- LUNG MORPHOLOGY**
- Morphology of experimental pneumoconiosis arising from the effects of lunar soil  
A82-16824
- The state of the air-blood barrier in hyperoxia  
A82-16970
- Applications of nuclear techniques for in vivo body composition studies at Brookhaven National Laboratory [DE81-029922]  
N82-15772
- LUNGS**
- Simulation of human reactions under extreme conditions  
A82-16934
- INTDOS: A computer code for estimating internal radiation dose using recommendations of the International Commission on Radiological Protection [DE82-000507]  
N82-14799
- M**
- MAGNETIC MEASUREMENT**
- Magnetic measurement of cardiac volume changes  
A82-17569
- MAGNETIC PERMEABILITY**
- Magnetic measurement of cardiac volume changes  
A82-17569
- MAN MACHINE SYSTEMS**
- Astronaut activity in flight and enhancement of its efficiency --- Russian book  
A82-16701
- Basic principles and methods for assuring the efficiency of astronaut activity in flight  
A82-16702
- The use of a psychophysiological feedback system for purposes of activity optimization  
A82-16706
- Problems of the control of operator state  
A82-16710
- Investigation of the statistical characteristics of astronaut operator activity directed towards the control of a manned spacecraft  
A82-16712
- Visual scanning behavior and mental workload in aircraft pilots  
A82-18741
- Simulator data on human error probabilities [DE81-026094]  
N82-15786
- Use of a television multipoint x-y tracker for determining the transmission of vibrations on human beings --- human factors in man machine systems  
N82-15787
- MANNED SPACE FLIGHT**
- Astronaut activity in flight and enhancement of its efficiency --- Russian book  
A82-16701
- Basic principles and methods for assuring the efficiency of astronaut activity in flight  
A82-16702
- Current problems in the psychophysiology of space work /status and future prospects/  
A82-16703
- Basic environmental problems of man in space; Proceedings of the Sixth International Symposium, Bonn, West Germany, November 3-6, 1980  
A82-16926
- U.S. manned space flight: The first twenty years - A biomedical status report  
A82-16927
- Summary of medical investigations in the U.S.S.R. manned space missions  
A82-16928
- An overview of the endocrine and metabolic changes in manned space flight  
A82-16935
- Radiation - Risk and protection in manned space flight  
A82-16948
- Anesthesia, surgical aid and resuscitation in manned space missions  
A82-16950
- MANNED SPACECRAFT**
- Optimization of astronaut operator activity and systems of semiautomatic control of manned spacecraft on the basis of probabilistic criteria  
A82-16711
- Investigation of the statistical characteristics of astronaut operator activity directed towards the control of a manned spacecraft  
A82-16712
- MANUAL CONTROL**
- Simulation of manual autonomous control of an extravehicular propulsion unit /EPU/  
A82-16719
- MASKS**
- Evaluation of chemical protective facelets and comparison of four prototypes [IZP-1980-15]  
N82-15784
- MASS**
- How important are changes in body weight for mass perception  
A82-16944
- MATRIX THEORY**
- Determination of the angular orientation of the body of a walking machine  
A82-16288
- MECHANORECEPTORS**
- The role of the plantar mechanoreceptor in equilibrium control  
A82-17483
- MEDICAL ELECTRONICS**
- Trial of an automated EKG analysis system in a cardiological clinic  
A82-16804
- Remote Medical Diagnosis System (RMDS) utilization study [AD-A105559]  
N82-15771
- MEDICAL EQUIPMENT**
- Shuttle orbital medical system  
N82-15718
- MEDICAL SCIENCE**
- Ocular torsion in the cat after lesions of the interstitial nucleus of Cajal  
A82-17484
- Crew medical training  
N82-15717
- Fundamentals of aeronautical and aerospace medical science [AD-A102298]  
N82-15736
- The developmental history of aeronautical and aerospace medical science  
N82-15737
- USSR report: Life sciences biomedical and behavioral sciences, no. 13 [JPRS-79639]  
N82-15763
- NASA biomedical Applications Team Advisory Center for Medical Technology and Systems [NASA-CR-166755]  
N82-15770
- Myocardial perfusion scintigraphy using a new technique, the mesh chamber [DE81-027995]  
N82-15773
- MEDICAL SERVICES**
- Emergency Medical Services System (EMSS)  
N82-15716
- MEMBRANE STRUCTURES**
- Reissner's membrane and the spiral ligament in normal rats and those treated with ethacrynic acid  
A82-16833

**MEMORY**

**SUBJECT INDEX**

**MEMORY**  
 An investigation of memory during the process of adaptation to mountain conditions A82-17138

**MENTAL HEALTH**  
 Characteristics of indicators of cardiac rhythm in the norm and in mental maladjustment A82-17144

**MENTAL PERFORMANCE**  
 An investigation of memory during the process of adaptation to mountain conditions A82-17138  
 Effects of task feedback and stringency of external pacing on mental load and work performance A82-18325

**METABOLISM**  
 An overview of the endocrine and metabolic changes in manned space flight A82-16935

**METAL WORKING**  
 Humanization of working places in the foundry by use of an automatic fettling equipment [BMFT-PB-HA-81-004] N82-15781

**METEOROLIDS**  
 Dangers of explosive decompression N82-15750

**MICROBIOLOGY**  
 Medical microbiology of crewmembers N82-15723  
 USSR report: Life sciences biomedical and behavioral sciences, no. 13 [JPRS-79639] N82-15763

**MICROORGANISMS**  
 Ecological and technological problem of biodamages N82-15766

**MILITARY AVIATION**  
 Recent life change measurement in Canadian Forces pilots A82-18733

**MINERAL METABOLISM**  
 Changes in blood indicators upon the inclusion of trace elements in the diet A82-16274

**MITOSIS**  
 Polyploidization delay in rat hepatocytes under liver growth inhibition by hypokinesia [NASA-TM-76515] N82-14794

**MOLECULAR GASES**  
 Prospects for the detection of interstellar biological molecules A82-17361

**MOLECULAR STRUCTURE**  
 Spectrophotometric studies of the RNA structure in E.coli ribosomes. Part 2: Influence of ions and proteins on the RNA secondary structure [ISS-R-80/3-PT-2] N82-15735

**MONITORS**  
 Evaluation of air cleaning and monitoring equipment used in recirculation systems [PB81-242695] N82-15788

**MORPHOLOGY**  
 Polyploidization delay in rat hepatocytes under liver growth inhibition by hypokinesia [NASA-TM-76515] N82-14794

**MOTION PERCEPTION**  
 Possible model representations of the neurophysiological mechanisms for the analysis of the direction and speed of a moving visual object A82-16807  
 Model for the perception of moving and fixed objects A82-16820  
 Directional sensitivity of individual vertebrate hair cells to controlled deflection of their hair bundles --- in frog vestibules A82-17427  
 Circularvection - Psychophysics and single-unit recordings in the monkey --- vestibular effects of rotation A82-17449  
 Visually induced self-motion sensation adapts rapidly to left-right reversal of vision A82-17455  
 Early directional influence of visual motion cues on postural control in the falling monkey A82-17459

How do we avoid confounding the direction we are looking and the direction we are moving A82-18024

**MOTION SICKNESS**  
 Nauseogenic properties of various dynamic and static force environments --- in space A82-16938  
 Coping with space motion sickness in Spacelab missions A82-16939  
 Vestibular tests in the selection of cosmonauts A82-16941  
 Motion sickness due to vision reversal - Its absence in stroboscopic light A82-17451  
 Vestibular habituation in man and monkey during sinusoidal rotation A82-17453  
 Human orientation in space [AIAA PAPER 82-0422] A82-17940  
 STS-1 medical report [NASA-TM-58240] N82-15711  
 Validation of predictive tests and countermeasures for space motion sickness N82-15719  
 The effects of rotation and oscillation: Aerial sickness N82-15744

**MOTION SICKNESS DRUGS**  
 Coping with space motion sickness in Spacelab missions A82-16939  
 The effects of rotation and oscillation: Aerial sickness N82-15744

**MOTION SIMULATORS**  
 The Link-Miles driver training simulator for tracked vehicles: Influence of cabin motion on gear-change learning [IZF-1980-24] N82-15785

**MUSCLES**  
 Effects of disuse by limb immobilization on different muscle fiber types A82-16830  
 Eye-muscle geometry and compensatory eye movements in lateral-eyed and frontal-eyed animals A82-17429

**MUSCULAR FUNCTION**  
 A modified kinetic model of muscular contraction A82-16818  
 A transsynaptic autoradiographic study of the pathways controlling the extraocular eye muscles, using /I-124/B-Iib Tetanus toxin fragment A82-17441

**MUSCULAR STRENGTH**  
 Pathophysiology of motor functions in prolonged manned space flights A82-16945

**MUSCULOSKELETAL SYSTEM**  
 The effects of hypokinesia on the spectral characteristics of free amino acids in the skeletal muscles and the blood A82-18661  
 Applications of nuclear techniques for in vivo body composition studies at Brookhaven National Laboratory [DE81-029922] N82-15772

**MYOCARDIAL INFARCTION**  
 The ergometric determination of myocardial reserves A82-16805

**MYOCARDIUM**  
 Damage and repair of heart muscle DNA during emotional-pain stress A82-16822

**N**

**NASA PROGRAMS**  
 U.S. biological experiments in space A82-16930

**NAUSEA**  
 Nauseogenic properties of various dynamic and static force environments --- in space A82-16938  
 Coping with space motion sickness in Spacelab missions A82-16939

- NECK (ANATOMY)**  
 Patterns of vestibular and neck responses and their interaction - A comparison between cat cortical neurons and human psychophysics A82-17456  
 Responses of vestibulospinal neurons to neck and macular vestibular inputs in the presence or absence of the paleocerebellum A82-17457  
 Nystagmus, gaze shift, and self-motion perception during sinusoidal head and neck rotation A82-17473
- NERVES**  
 Phasic components of frog semicircular canal A82-17430  
 Neuronal interaction between ipsilateral medial and lateral vestibular nuclei A82-17436  
 Reticulovestibular organization participating in generation of horizontal fast eye movement A82-17439
- NERVOUS SYSTEM**  
 Studies in in vivo electrochemistry N82-14793
- NEUROLOGY**  
 Studies in in vivo electrochemistry N82-14793
- NEURONS**  
 Neuronal interaction between ipsilateral medial and lateral vestibular nuclei A82-17436  
 The ascending tract of Deiters' and horizontal gaze --- maintenance during head movement via neurons A82-17437  
 Nonlinear characteristics of single neurons in the vestibular nuclei A82-17438  
 Reticulovestibular organization participating in generation of horizontal fast eye movement A82-17439  
 Horizontal eye movement signals in second-order vestibular nuclei neurons in the cat A82-17440  
 Some thoughts about the three neurons in the vestibular ocular reflex A82-17442  
 Cat medial pontine neurons in vestibular nystagmus A82-17443  
 Visual-vestibular interaction in vestibular neurons - Functional pathway organization A82-17446  
 Neural activity in the nucleus reticularis tegmenti pontis in the monkey related to eye movements and visual stimulation A82-17447  
 Patterns of vestibular and neck responses and their interaction - A comparison between cat cortical neurons and human psychophysics A82-17456  
 Responses of vestibulospinal neurons to neck and macular vestibular inputs in the presence or absence of the paleocerebellum A82-17457  
 The role of the dentate nucleus and y-group in the generation of vertical smooth eye movements A82-17462
- NEUROPHYSIOLOGY**  
 The effects of hyperventilation on EEG alpha-rhythm depression induced by a suggested visual representation A82-16801  
 Possible model representations of the neurophysiological mechanisms for the analysis of the direction and speed of a moving visual object A82-16807  
 Cat medial pontine neurons in vestibular nystagmus A82-17443  
 Is transmission between the vestibular type I hair cell and its primary afferent chemical A82-17444  
 Circularvection - Psychophysics and single-unit recordings in the monkey --- vestibular effects of rotation A82-17449  
 Visual mossy fiber inputs to the flocculus of the monkey A82-17464
- Mossy fiber activation of the cerebellar flocculus from the visual system A82-17465  
 A hypothetical explanation for periodic alternating nystagmus - Instability in the optokinetic-vestibular system A82-17474
- NEUROTRANSMITTERS**  
 Effects of the diet on brain function A82-16942
- NEUTRON ACTIVATION ANALYSIS**  
 Applications of nuclear techniques for in vivo body composition studies at Brookhaven National Laboratory [DE81-029922] N82-15772
- NEUTRON IRRADIATION**  
 USSR report: Life sciences biomedical and behavioral sciences, no. 13 [JPRS-79639] N82-15763
- NITROGEN**  
 Preprototype nitrogen supply subsystem development [NASA-CR-166192] N82-15780
- NOISE (SOUND)**  
 Noise and sense of hearing N82-15747
- NOISE POLLUTION**  
 Noise and sense of hearing N82-15747
- NUMERICAL CONTROL**  
 Robot with sense of touch A82-17133  
 Initiation into the utilization of programmable industrial robots: Grafcet --- graphic engineering language N82-14805  
 Methods for linking item parameters [AD-A105509] N82-15779
- NUTRITION**  
 Effects of the diet on brain function A82-16942
- NUTRITIONAL REQUIREMENTS**  
 STS-1 medical report [NASA-TM-58240] N82-15711  
 Food and nutrition N82-15724
- NYSTAGMUS**  
 Sigma-movement and Sigma-nystagmus - A new tool to investigate the gaze-pursuit system and visual-movement perception in man and monkey A82-17450  
 Velocity storage, nystagmus, and visual-vestibular interactions in humans A82-17460  
 Nystagmus, gaze shift, and self-motion perception during sinusoidal head and neck rotation A82-17473  
 Effect of frontal-eye-field lesion on eye-head coordination in squirrel monkeys A82-17475
- OCULOMOTOR NERVES**  
 Vestibular and oculomotor physiology; Proceedings of the International Meeting, New York, NY, September 22-25, 1980 A82-17426  
 Eye-muscle geometry and compensatory eye movements in lateral-eyed and frontal-eyed animals A82-17429  
 Dynamic characteristics of the otolithic oculomotor system A82-17433  
 A transsynaptic autoradiographic study of the pathways controlling the extraocular eye muscles, using /I-124/B-IIb Tetanus toxin fragment A82-17441  
 Organization of the avian accessory optic system A82-17445  
 The role of the dentate nucleus and y-group in the generation of vertical smooth eye movements A82-17462  
 Directional plasticity of the vestibulo-ocular reflex in the cat A82-17467
- ONBOARD EQUIPMENT**  
 Shuttle orbital medical system N82-15718

**OPERATIONAL HAZARDS**

**SUBJECT INDEX**

**OPERATIONAL HAZARDS**

An evaluation of engineering control technology for spray painting [PB81-243123] N82-15789

**OPERATOR PERFORMANCE**

The use of a psychophysiological feedback system for purposes of activity optimization A82-16706

Experimental study of the characteristics of the detection of objects on a TV display by an operator under conditions of time deficit A82-16714

Simulation of operator activity in a system for the technical servicing of a space station A82-16717

The influence of certain habitation conditions on the physiological functions, work capacity, and dream dynamics of man A82-16720

The effects of a light blue background on the operator visual analyzer A82-16727

Informational need of emotional stress --- effect on operator performance of visual tasks. A82-16943

The effects of operator activity on the diurnal rhythm of physiological functions A82-17142

Functional model of the temporal and amplitude characteristics of the cardiac electric field A82-18699

**OPTICAL MEASURING INSTRUMENTS**

A procedure for the measurement of the critical flicker fusion frequency A82-16809

**OPTICAL TRACKING**

The role of the dentate nucleus and y-group in the generation of vertical smooth eye movements A82-17462

Modifications of vestibular nystagmus produced by fixation of visual and nonvisual targets A82-17477

**OPTIMAL CONTROL**

The use of a psychophysiological feedback system for purposes of activity optimization A82-16706

Optimization of astronaut operator activity and systems of semiautomatic control of manned spacecraft on the basis of probabilistic criteria A82-16711

**ORGANIC COMPOUNDS**

Organic compounds in space and the problem of the origin of life A82-17362

Microdisc gel electrophoresis in sodium dodecyl sulfate of organic material from rat otoconial complexes A82-17482

**ORTHOSTATIC TOLERANCE**

Effect of physical fitness and training on physiological responses to hypogravity A82-16933

Problems of the regulation of hemodynamics during a passive orthostatic test - Study of a mathematical model A82-18700

**OSCILLATIONS**

Influence of display and control compatibility on pilot-induced oscillations [NASA-TP-1936] N82-14804

**OTOLITH ORGANS**

Investigation of the otolith apparatus in clinical practice A82-16812

Nauseogenic properties of various dynamic and static force environments --- in space A82-16938

Physiological mechanisms of the nystagmus produced by rotations about an earth-horizontal axis A82-17431

Dynamic characteristics of the otolithic oculomotor system A82-17433

Binocular counterrolling in humans with unilateral labyrinthectomy and in normal controls A82-17434

Ocular torsion on earth and in weightlessness A82-17435

Microdisc gel electrophoresis in sodium dodecyl sulfate of organic material from rat otoconial complexes A82-17482

Ocular torsion in the cat after lesions of the interstitial nucleus of Cajal A82-17484

Human orientation in space [AIAA PAPER 82-0422] A82-17940

**OTOLOGY**

Reissner's membrane and the spiral ligament in normal rats and those treated with ethacrynic acid A82-16833

Temporal bone characteristics in Meniere's disease A82-17481

**OUTGASSING**

Shuttle toxicology N82-15726

**OXYGEN CONSUMPTION**

The physiological effect of low-air-pressure anoxia N82-15748

**OXYGEN METABOLISM**

Oxygen toxication N82-15751

**OXYGEN SUPPLY EQUIPMENT**

Check your oxygen --- oxygen supply equipment and aircraft safety A82-18736

**OXYGEN TENSION**

Oxygen tension in albino rat abdominal cavity organs in normo- and hyperoxybaria A82-16969

**P**

**PAIN**

New approaches to treatment of chronic pain: A review of multidisciplinary pain clinics and pain centers [PB81-240913] N82-15778

**PAINTS**

An evaluation of engineering control technology for spray painting [PB81-243123] N82-15789

**PALEONTOLOGY**

The mass extinctions of the late Mesozoic --- iridium abundance as geologic evidence for celestial body impact A82-17620

**PARABOLIC FLIGHT**

Ocular torsion on earth and in weightlessness A82-17435

**PARAMETERIZATION**

Methods for linking item parameters [AD-A105509] N82-15779

**PARTICLE DIFFUSION**

Myocardial perfusion scintigraphy using a new technique, the mesh chamber [DE81-027995] N82-15773

**PARTICULATE SAMPLING**

Carcinogenic effects of coal-conversion materials [DE81-028108] N82-14803

**PATHOGENESIS**

Surgical treatment of recurrent frontal sinus barotrauma - A case report A82-18743

**PATHOLOGICAL EFFECTS**

Prevention of hypoxic heart damage by the use of oxypyridine-class antioxidants A82-16821

Morphology of experimental pneumoconiosis arising from the effects of lunar soil A82-16824

The effects of heat stress on the morphogenetic potencies of the nephron epithelium A82-16825

**PATTERN RECOGNITION**

Principles of feature integration in visual perception A82-16892

Is recognition accuracy really impaired when the target is repeated in the display A82-16893

**PERFORMANCE TESTS**

Methods for linking item parameters [AD-A105509] N82-15779

- PERIODIC VARIATIONS**  
The work capacity of sailors under conditions of varying work-rest cycles  
A82-18524
- PERIPHERAL VISION**  
Visual problems in aviation and space navigation  
N82-15758
- PERSONNEL**  
Problems in evaluating health effects of occupational and environmental exposures [DE81-028440]  
N82-15774
- PERSONNEL SELECTION**  
Vestibular tests in the selection of cosmonauts  
A82-16941
- PHOSPHORUS METABOLISM**  
The effects of immobilization stress on diacyl and plasmogenic phospholipids in various organs and tissues of the rat  
A82-16802
- PHYSICAL EXAMINATIONS**  
Evaluation of crew health  
N82-15712
- PHYSICAL EXERCISE**  
Computer-enhanced thallium scintigrams in asymptomatic men with abnormal exercise tests  
A82-16167  
Ion regulatory function of the human kidney in prolonged space flights  
A82-16936  
Characteristics of loading hypoxia  
A82-16968  
The role of physical training in the prevention of ischemic heart disease  
A82-18525
- PHYSICAL FITNESS**  
Effect of physical fitness and training on physiological responses to hypogravity  
A82-16933
- PHYSICAL WORK**  
Changes in Hageman factor system indicators during human adaptation to intense physical loading  
A82-16816  
The functional state of some subcortical cerebral structures during adaptation and deadaptation to physical loading  
A82-16823
- PHYSIOCHEMISTRY**  
Trends in space life support  
A82-16953  
Is transmission between the vestibular type I hair cell and its primary afferent chemical  
A82-17444
- PHYSIOLOGICAL EFFECTS**  
Concerning the rationalization of the work and rest schedule of cosmonauts  
A82-16724  
The response of the hematic system of adrenalectomized mice to stressor activity  
A82-16814  
Prevention of hypoxic heart damage by the use of oxypridine-class antioxidants  
A82-16821  
Effects of disuse by limb immobilization on different muscle fiber types  
A82-16830  
Reissner's membrane and the spiral ligament in normal rats and those treated with ethacrynic acid  
A82-16833  
Summary of medical investigations in the U.S.S.R. manned space missions  
A82-16928  
U.S. biological experiments in space  
A82-16930  
Current views and future programs in cardiovascular physiology in space  
A82-16931  
Effect of physical fitness and training on physiological responses to hypogravity  
A82-16933  
Hematological and immunological changes during space flight  
A82-16937  
Effects of the diet on brain function  
A82-16942  
Bone effects of space flight - Analysis by quantum concept of bone remodelling  
A82-16947  
Characteristics of loading hypoxia  
A82-16968
- The state of the air-blood barrier in hyperoxia  
A82-16970  
Some characteristics of thermal adaptation in small laboratory animals  
A82-16971  
Experimental biology and medicine in space  
A82-17123  
Neuronal interaction between ipsilateral medial and lateral vestibular nuclei  
A82-17436  
Piribedil-induced anti-hypoxic protection in rats  
A82-18738  
The effect of acetazolamide on the proteinuria of altitude  
A82-18739  
A compendium of hypokinetic and hypodynamic animal studies  
[NASA-CR-3485]  
N82-15709  
Fundamentals of aeronautical and aerospace medical science  
[AD-A102298]  
N82-15736  
General laws of aviation and space navigation environmental effects on the human body  
N82-15739  
Human body reaction to vibration  
N82-15743  
Man's adaptation to weightlessness and low weight  
N82-15746  
Noise and sense of hearing  
N82-15747  
The physiological effect of low-air-pressure anoxia  
N82-15748  
Caisson disease  
N82-15749  
Dangers of explosive decompression  
N82-15750  
Oxygen toxication  
N82-15751  
The relationship of body temperature to environmental temperature  
N82-15752  
Comfortable temperature and tolerable temperature  
N82-15753  
The physiological effect of heat and its prevention  
N82-15754  
The effect of cold and the cold prevention  
N82-15755  
Ionizing radiation and its biological effects  
N82-15756  
Airborne ultrasound: Measurement and possible adverse effects  
[PB81-240459]  
N82-15775
- PHYSIOLOGICAL FACTORS**  
Certain theoretical features of astronaut preparation  
A82-16705
- PHYSIOLOGICAL RESPONSES**  
Functional characteristics of the pilot hypothalamus-hypophysis-adrenal cortex system  
A82-16275  
The reorganization of EEG structure during adaptation to the Antarctic  
A82-16810  
Investigation of physiological compensation processes following the surgical destruction of the labyrinth  
A82-16811  
Damage and repair of heart muscle DNA during emotional-pain stress  
A82-16822  
An overview of the endocrine and metabolic changes in manned space flight  
A82-16935  
The effects of operator activity on the diurnal rhythm of physiological functions  
A82-17142  
Vestibular and oculomotor physiology; Proceedings of the International Meeting, New York, NY, September 22-25, 1980  
A82-17426  
Directional sensitivity of individual vertebrate hair cells to controlled deflection of their hair bundles --- in frog vestibules  
A82-17427  
Phasic components of frog semicircular canal  
A82-17430  
Physiological mechanisms of the nystagmus produced by rotations about an earth-horizontal axis  
A82-17431

**PHYSIOLOGICAL TESTS**

**SUBJECT INDEX**

Effects of gravity on rotatory nystagmus in monkeys  
A82-17432

Dynamic characteristics of the otolithic oculomotor system  
A82-17433

Nonlinear characteristics of single neurons in the vestibular nuclei  
A82-17438

Some thoughts about the three neurons in the vestibular ocular reflex  
A82-17442

Cat medial pontine neurons in vestibular nystagmus  
A82-17443

Vestibular habituation in man and monkey during sinusoidal rotation  
A82-17453

Patterns of vestibular and neck responses and their interaction - A comparison between cat cortical neurons and human psychophysics  
A82-17456

Early directional influence of visual motion cues on postural control in the falling monkey  
A82-17459

Human vertical fusional response under open and closed loop stimulation to predictable and unpredictable disparity presentations  
A82-17571

The effect of cold and the cold prevention  
N82-15755

**PHYSIOLOGICAL TESTS**

Investigation of the otolith apparatus in clinical practice  
A82-16812

Pulmonary diffusing capacity under conditions of restricted motor activity  
A82-17140

The effects of bicycle ergometer exercise on plasma amino acid contents in athletes  
A82-17145

Plasma erythropoietins during training for hyperoxic conditions  
A82-17147

Neural activity in the nucleus reticularis tegmenti pontis in the monkey related to eye movements and visual stimulation  
A82-17447

Unilateral habituation of vestibulo-ocular responses in the cat  
A82-17454

Aftereffects of vestibular and optokinetic stimulation and their interaction  
A82-17461

The brain-stem projection to the cerebellar flocculus relevant to optokinetic responses in cats  
A82-17463

**PILOT ERROR**

Methodological principles of the investigation of pilot error  
A82-16709

Recent life change measurement in Canadian Forces pilots  
A82-18733

**PILOT PERFORMANCE**

Functional characteristics of the pilot hypothalamus-hypophysis-adrenal cortex system  
A82-16275

How do we avoid confounding the direction we are looking and the direction we are moving  
A82-18024

Visual scanning behavior and mental workload in aircraft pilots  
A82-18741

**PILOT SELECTION**

Recent life change measurement in Canadian Forces pilots  
A82-18733

Surgical treatment of recurrent frontal sinus barotrauma - A case report  
A82-18743

Flight illusions  
N82-15745

**PILOT TRAINING**

Flight illusions  
N82-15745

**PILOTS (PERSONNEL)**

Aviation medical guarantees  
N82-15761

**PLANETARY COMPOSITION**

The mass extinctions of the late Mesozoic --- iridium abundance as geologic evidence for celestial body impact  
A82-17620

**PLANTAR TISSUES**

The role of the plantar mechanoreceptor in equilibrium control  
A82-17483

**PLANTS (BOTANY)**

Conference on plant virology  
N82-15767

**PLASTICS**

Plan of action and milestones for Navy combustion toxicity  
[AD-A105623]  
N82-14796

**PLETHYSMOGRAPHY**

Measurement of systolic time intervals by electrical plethysmography Validation with invasive and noninvasive methods  
A82-18742

Non-invasive pulmonary arterial pressure measurement  
[PB81-239410]  
N82-15776

**POPULATIONS**

Estimating cell populations  
A82-18684

**POSITRONS**

Evaluative studies in nuclear medicine research. Emission-computed tomography assessment  
[DE81-030168]  
N82-14801

**POSTFLIGHT ANALYSIS**

Crew medical debriefing  
N82-15714

**POTABLE WATER**

The potable water  
N82-15725

Space navigation life guarantees  
N82-15759

**PREDICTIONS**

Validation of predictive tests and countermeasures for space motion sickness  
N82-15719

**PRESSURE EFFECTS**

Oxygen toxication  
N82-15751

**PRESSURE REDUCTION**

Check your oxygen --- oxygen supply equipment and aircraft safety  
A82-18736

**PRESSURE SUITS**

Man's adaptation to weightlessness and low weight  
N82-15746

**PRESSURIZED CABINS**

Check your oxygen --- oxygen supply equipment and aircraft safety  
A82-18736

Oxygen toxication  
N82-15751

**PROBABILITY THEORY**

Optimization of astronaut operator activity and systems of semiautomatic control of manned spacecraft on the basis of probabilistic criteria  
A82-16711

**PROGRAMMING LANGUAGES**

INTDOS: A computer code for estimating internal radiation dose using recommendations of the International Commission on Radiological Protection  
[DE82-000507]  
N82-14799

**PROPRICEPTION**

Nystagmus, gaze shift, and self-motion perception during sinusoidal head and neck rotation  
A82-17473

**PROTECTIVE CLOTHING**

Human body reaction to vibration  
N82-15743

Evaluation of chemical protective facelets and comparison of four prototypes  
[IZP-1980-15]  
N82-15784

**PROTEINS**

A modified kinetic model of muscular contraction  
A82-16818

Microdisc gel electrophoresis in sodium dodecyl sulfate of organic material from rat otoconial complexes  
A82-17482

- Spectrophotometric studies of the RNA structure in E.coli ribosomes. Part 2: Influence of ions and proteins on the RNA secondary structure [ISS-R-80/3-PT-2] N82-15735  
All-Union Conference on New Sources of Food Protein and Their Application N82-15765
- PSYCHOLOGICAL FACTORS**  
Certain theoretical features of astronaut preparation A82-16705  
Methodological principles of the investigation of pilot error A82-16709  
The effects of hyperventilation on EEG alpha-rhythm depression induced by a suggested visual representation A82-16801
- PSYCHOMETRICS**  
Comparative psychophysiological evaluation of the effectiveness of psychic models of body hypo- and hyperpnderousness A82-16723
- PSYCHOPHYSICS**  
Circularvection - Psychophysics and single-unit recordings in the monkey --- vestibular effects of rotation A82-17449  
Patterns of vestibular and neck responses and their interaction - A comparison between cat cortical neurons and human psychophysics A82-17456
- PSYCHOPHYSIOLOGY**  
The use of a psychophysiological feedback system for purposes of activity optimization A82-16706  
Psychophysiological correlates of the control activity of the astronaut A82-16707  
Problems of the control of operator state A82-16710  
The influence of certain habitation conditions on the physiological functions, work capacity, and dream dynamics of man A82-16720  
The effect of emotional stress on astronaut activity in a radio-telegraphy system A82-16722  
Comparative psychophysiological evaluation of the effectiveness of psychic models of body hypo- and hyperpnderousness A82-16723  
The activity of psychic models of hypogravity during 30-day experiments A82-16725  
Psychophysiological safety control in long-duration space flights A82-16726  
An investigation of memory during the process of adaptation to mountain conditions A82-17138  
Characteristics of indicators of cardiac rhythm in the norm and in mental maladjustment A82-17144  
Visually induced self-motion sensation adapts rapidly to left-right reversal of vision A82-17455  
Acoustic-induced eye movements A82-17476
- PSYCHOSOMATICS**  
Comparative psychophysiological evaluation of the effectiveness of psychic models of body hypo- and hyperpnderousness A82-16723
- PULMONARY CIRCULATION**  
Simulation of human reactions under extreme conditions A82-16934  
The state of the air-blood barrier in hyperoxia A82-16970  
Northern pulmonary arterial hypertension A82-17143  
Non-invasive pulmonary arterial pressure measurement [PB81-2394 10] N82-15776
- PULMONARY FUNCTIONS**  
Pulmonary diffusing capacity under conditions of restricted motor activity A82-17140
- Evaluation of short-term bioassays to predict functional impairment. Selected short-term pulmonary toxicity tests [AD-A103766] N82-14797  
Evaluation of short-term bioassays to predict functional impairment. development of pulmonary bioassays in small animals: Directory of Institutions; individuals involved in utilization [AD-A103767] N82-14798  
INTDOS: A computer code for estimating internal radiation dose using recommendations of the International Commission on Radiological Protection [DE82-000507] N82-14799
- PURSUIT TRACKING**  
Visual mossy fiber inputs to the flocculus of the monkey A82-17464
- PYRIDINES**  
Prevention of hypoxic heart damage by the use of oxyppridine-class antioxidants A82-16821
- R**
- RACKS (FRAMES)**  
Feasibility study (phase A) for a Life Science Double Rack envisaged for the Spacelab mission D1 [BNFT-FB-W-81-037] N82-15732
- RADIATION DAMAGE**  
Ionizing radiation and its biological effects N82-15756
- RADIATION DOSAGE**  
INTDOS: A computer code for estimating internal radiation dose using recommendations of the International Commission on Radiological Protection [DE82-000507] N82-14799  
STS-1 medical report [NASA-TM-58240] N82-15711  
Radiological health N82-15727  
Ionizing radiation and its biological effects N82-15756  
Problems in evaluating health effects of occupational and environmental exposures [DE81-028440] N82-15774
- RADIATION EFFECTS**  
The role of HZE particles in space flight - Results from spaceflight and ground-based experiments A82-16949  
Repair of radiation damage in mammalian cells [DE81-030824] N82-14800  
Field-ion-microscope observations of radiation effects [DE81-030934] N82-14802  
Ionizing radiation and its biological effects N82-15756  
Other biological effects of radiation N82-15757
- RADIATION HAZARDS**  
Radiation - Risk and protection in manned space flight A82-16948  
Problems in evaluating health effects of occupational and environmental exposures [DE81-028440] N82-15774
- RADIATION MEASUREMENT**  
Problems in evaluating health effects of occupational and environmental exposures [DE81-028440] N82-15774
- RADIATION MEASURING INSTRUMENTS**  
Myocardial perfusion scintigraphy using a new technique, the mesh chamber [DE81-027995] N82-15773
- RADIATION MEDICINE**  
Applications of nuclear techniques for in vivo body composition studies at Brookhaven National Laboratory [DE81-029922] N82-15772
- RADIATION PROTECTION**  
Radiation - Risk and protection in manned space flight A82-16948  
Other biological effects of radiation N82-15757

- RADIATION SHIELDING**  
Ionizing radiation and its biological effects  
N82-15756
- RADIO TELEGRAPHY**  
The effect of emotional stress on astronaut activity in a radio-telegraphy system  
A82-16722
- RADIOBIOLOGY**  
The role of HZE particles in space flight - Results from spaceflight and ground-based experiments  
A82-16949
- RADIOLOGY**  
Evaluative studies in nuclear medicine research. Emission-computed tomography assessment [DE81-030168]  
N82-14801  
Remote Medical Diagnosis System (RMDS) utilization study [AD-A105559]  
N82-15771
- RECEPTORS (PHYSIOLOGY)**  
Directional sensitivity of individual vertebrate hair cells to controlled deflection of their hair bundles --- in frog vestibules  
A82-17427  
Is transmission between the vestibular type I hair cell and its primary afferent chemical  
A82-17444  
Responses of vestibulospinal neurons to neck and macular vestibular inputs in the presence or absence of the paleocerebellum  
A82-17457
- REDUCED GRAVITY**  
The activity of psychic models of hypogravity during 30-day experiments  
A82-16725  
Summary of experiments onboard Soviet biosatellites  
A82-16929  
Effect of physical fitness and training on physiological responses to hypogravity  
A82-16933  
Nauseogenic properties of various dynamic and static force environments --- in space  
A82-16938
- REFLEXES**  
Some thoughts about the three neurons in the vestibular ocular reflex  
A82-17442  
Unilateral habituation of vestibulo-ocular responses in the cat  
A82-17454  
Dynamics of vestibulo-ocular, vestibulocollic, and cervicocollic reflexes  
A82-17458
- RENAL FUNCTION**  
Ion regulatory function of the human kidney in prolonged space flights  
A82-16936
- RESONANCE SCATTERING**  
Applications of nuclear techniques for in vivo body composition studies at Brookhaven National Laboratory [DE81-029922]  
N82-15772
- RESPIRATION**  
Carcinogenic effects of coal-conversion materials [DE81-028108]  
N82-14803
- RESPIRATORY DISEASES**  
Morphology of experimental pneumoconiosis arising from the effects of lunar soil  
A82-16824
- RESPIRATORY PHYSIOLOGY**  
The state of the air-blood barrier in hyperoxia  
A82-16970  
The circadian organization of the circulatory and respiratory systems of Antarctic workers  
A82-17139
- RESPIRATORY SYSTEM**  
Evaluation of short-term bioassays to predict functional impairment. Selected short-term pulmonary toxicity tests [AD-A103766]  
N82-14797
- RESUSCITATION**  
Anesthesia, surgical aid and resuscitation in manned space missions  
A82-16950
- RETINA**  
Analysis of retinal work in the discrimination of a contour signal  
A82-16819
- Sigma-movement and Sigma-nystagmus - A new tool to investigate the gaze-pursuit system and visual-movement perception in man and monkey  
A82-17450
- RETINAL IMAGES**  
Disappearance of stabilized chromatic gratings --- visual contrast sensitivity  
A82-16125  
Natural retinal image motion - Origin and change  
A82-17452  
Responses of vestibulospinal neurons to neck and macular vestibular inputs in the presence or absence of the paleocerebellum  
A82-17457  
Directional plasticity of the vestibulo-ocular reflex in the cat  
A82-17467
- RHYTHM (BIOLOGY)**  
Concerning the rationalization of the work and rest schedule of cosmonauts  
A82-16724  
The effects of hyperventilation on EEG alpha-rhythm depression induced by a suggested visual representation  
A82-16801  
The reorganization of EEG structure during adaptation to the Antarctic  
A82-16810  
Characteristics of indicators of cardiac rhythm in the norm and in mental maladjustment  
A82-17144  
The dynamics of cardiac rhythm parameters during work under various loads --- by air traffic controllers  
A82-17146
- RIBONUCLEIC ACIDS**  
Spectrophotometric studies on the RNA structure in E.coli ribosomes. Part 1: Fundamentals of ultraviolet spectrophotometry of nuclei acids [ISS-R-80/2-PT-1]  
N82-15734  
Spectrophotometric studies of the RNA structure in E.coli ribosomes. Part 2: Influence of ions and proteins on the RNA secondary structure [ISS-R-80/3-PT-2]  
N82-15735
- ROBOTS**  
Robot with sense of touch  
A82-17133  
Initiation into the utilization of programmable industrial robots: Grafset --- graphic engineering language  
N82-14805  
Humanization of working places in the foundry by use of an automatic fettling equipment [BMFT-PB-HA-81-004]  
N82-15781
- ROOT-MEAN-SQUARE ERRORS**  
Estimating cell populations  
A82-18684
- ROTATING ENVIRONMENTS**  
Biomedical aspects of artificial gravity  
A82-16951  
Dynamics of vestibulo-ocular, vestibulocollic, and cervicocollic reflexes  
A82-17458  
Aftereffects of vestibular and optokinetic stimulation and their interaction  
A82-17461
- ROTATION**  
Physiological mechanisms of the nystagmus produced by rotations about an earth-horizontal axis  
A82-17431  
Effects of gravity on rotatory nystagmus in monkeys  
A82-17432  
Nystagmus, gaze shift, and self-motion perception during sinusoidal head and neck rotation  
A82-17473

## S

- SACCADIC EYE MOVEMENTS**  
Vestibular influence upon head-eye coordination  
A82-17470  
The interaction between accuracy of gaze with and without head movements in patients with cerebellar ataxia  
A82-17472  
Dissociation of the eyes in saccadic movement  
A82-17479

**SUBJECT INDEX**

**SPACE MAINTENANCE**

- Different effects involved in the interaction of saccades and the vestibulo-ocular reflex  
A82-17480
- SALYUT SPACE STATION**  
USSR Space Life Sciences Digest [NASA-TM-84080] N82-15708
- SCINTILLATION**  
Myocardial perfusion scintigraphy using a new technique, the mesh chamber [DE81-027995] N82-15773
- SELF MANEUVERING UNITS**  
The design of extravehicular propulsion units A82-16716
- SEMICIRCULAR CANALS**  
Eye-muscle geometry and compensatory eye movements in lateral-eyed and frontal-eyed animals A82-17429  
Phasic components of frog semicircular canal A82-17430  
Physiological mechanisms of the nystagmus produced by rotations about an earth-horizontal axis A82-17431  
The ascending tract of Deiters' and horizontal gaze --- maintenance during head movement via neurons A82-17437  
Nonlinear characteristics of single neurons in the vestibular nuclei A82-17438  
Human orientation in space [AIAA PAPER 82-0422] A82-17940
- SENSORIMOTOR PERFORMANCE**  
Pathophysiology of motor functions in prolonged manned space flights A82-16945  
Vestibular and oculomotor physiology; Proceedings of the International Meeting, New York, NY, September 22-25, 1980 A82-17426  
Visually induced self-motion sensation adapts rapidly to left-right reversal of vision A82-17455
- SENSORY DISCRIMINATION**  
Study of the discrimination capacity of the auditory analyzer in flight personnel A82-18523
- SENSORY FEEDBACK**  
Motion sickness due to vision reversal - Its absence in stroboscopic light A82-17451
- SENSORY PERCEPTION**  
How important are changes in body weight for mass perception A82-16944  
Directional sensitivity of individual vertebrate hair cells to controlled deflection of their hair bundles --- in frog vestibules A82-17427  
Phasic components of frog semicircular canal A82-17430
- SENSORY STIMULATION**  
Effects of gravity on rotatory nystagmus in monkeys A82-17432  
Effect of frontal-eye-field lesion on eye-head coordination in squirrel monkeys A82-17475
- SHIPS**  
The work capacity of sailors under conditions of varying work-rest cycles A82-18524  
Plan of action and milestones for Navy combustion toxicity [AD-A105623] N82-14796
- SHOCK (PHYSIOLOGY)**  
Free amino acid concentrations in the livers of animals subjected to certain extremal factors A82-18662
- SINUSES**  
Surgical treatment of recurrent frontal sinus barotrauma - A case report A82-18743
- SKIN TEMPERATURE (BIOLOGY)**  
The age characteristics of physical thermoregulation A82-16808
- SKYLAB PROGRAM**  
U.S. manned space flight: The first twenty years - A biomedical status report A82-16927
- SLEEP**  
The influence of certain habitation conditions on the physiological functions, work capacity, and dream dynamics of man A82-16720
- SOUND PROPAGATION**  
Airborne ultrasound: Measurement and possible adverse effects [PB81-240459] N82-15775
- SOUND WAVES**  
Airborne ultrasound: Measurement and possible adverse effects [PB81-240459] N82-15775
- SPACE COLONIES**  
Human roles in future space operations A82-16955
- SPACE FLIGHT**  
The activity of psychic models of hypogravity during 30-day experiments A82-16725
- SPACE FLIGHT FEEDING**  
STS-1 medical report [NASA-TM-58240] N82-15711  
Food and nutrition N82-15724  
The potable water N82-15725  
Space navigation life guarantees N82-15759
- SPACE FLIGHT STRESS**  
Certain theoretical features of astronaut preparation A82-16705  
The influence of certain habitation conditions on the physiological functions, work capacity, and dream dynamics of man A82-16720  
The effect of emotional stress on astronaut activity in a radio-telegraphy system A82-16722  
Comparative psychophysiological evaluation of the effectiveness of psychic models of body hypo- and hyperponderousness A82-16723  
Concerning the rationalization of the work and rest schedule of cosmonauts A82-16724  
Psychophysiological safety control in long-duration space flights A82-16726  
Basic environmental problems of man in space; Proceedings of the Sixth International Symposium, Bonn, West Germany, November 3-6, 1980 A82-16926  
Summary of medical investigations in the U.S.S.R. manned space missions A82-16928  
Summary of experiments onboard Soviet biosatellites A82-16929  
Current views and future programs in cardiovascular physiology in space A82-16931  
An overview of the endocrine and metabolic changes in manned space flight A82-16935  
Ion regulatory function of the human kidney in prolonged space flights A82-16936  
Nausogenic properties of various dynamic and static force environments --- in space A82-16938  
Vestibular tests in the selection of cosmonauts A82-16941  
Bone effects of space flight - Analysis by quantum concept of bone remodelling A82-16947  
A compendium of hypokinetic and hypodynamic animal studies [NASA-CR-3485] N82-15709
- SPACE INDUSTRIALIZATION**  
Human roles in future space operations A82-16955
- SPACE MAINTENANCE**  
Simulation of operator activity in a system for the technical servicing of a space station A82-16717

## SPACE MISSIONS

## SUBJECT INDEX

## SPACE MISSIONS

Summary of medical investigations in the U.S.S.R. manned space missions		Medical microbiology of crewmembers	N82-15723
	A82-16928	Shuttle toxicology	N82-15726
Coping with space motion sickness in Spacelab missions	A82-16939	Cabin pollution	N82-15760
Anesthesia, surgical aid and resuscitation in manned space missions	A82-16950	Preprototype nitrogen supply subsystem development [NASA-CR-166192]	N82-15780
		<b>SPACECRAFT CABINS</b>	
		Dangers of explosive decompression	N82-15750
<b>SPACE ORIENTATION</b>		<b>SPACECRAFT COMMUNICATION</b>	
Determination of the angular orientation of the body of a walking machine	A82-16288	Investigation of the functions of an astronaut operator in information systems	A82-16721
Human orientation in space [AIAA PAPER 82-0422]	A82-17940	<b>SPACECRAFT CONTAMINATION</b>	
How do we avoid confounding the direction we are looking and the direction we are moving	A82-18024	Shuttle toxicology	N82-15726
		<b>SPACECRAFT CONTROL</b>	
<b>SPACE PERCEPTION</b>		Basic principles and methods for assuring the efficiency of astronaut activity in flight	A82-16702
Visual problems in aviation and space navigation	N82-15758	Psychophysiological correlates of the control activity of the astronaut	A82-16707
<b>SPACE SHUTTLE ORBITERS</b>		Optimization of astronaut operator activity and systems of semiautomatic control of manned spacecraft on the basis of probabilistic criteria	A82-16711
Shuttle toxicology	N82-15726	Investigation of the statistical characteristics of astronaut operator activity directed towards the control of a manned spacecraft	A82-16712
<b>SPACE SHUTTLE PAYLOADS</b>		<b>SPACECRAFT ENVIRONMENTS</b>	
Concept study of a life sciences payload element (PLE) for the SL-D1 mission [BMFT-PB-W-81-038]	N82-15733	Environmental conditions of aviation and space navigation	N82-15738
<b>SPACE STATIONS</b>		The relationship of body temperature to environmental temperature	N82-15752
Simulation of operator activity in a system for the technical servicing of a space station	A82-16717	Space navigation life guarantees	N82-15759
<b>SPACE SUITS</b>		<b>SPACECRAFT MODELS</b>	
Space navigation life guarantees	N82-15759	Simulation of operator activity in a system for the technical servicing of a space station	A82-16717
<b>SPACE TRANSPORTATION SYSTEM 1 FLIGHT</b>		<b>SPACECRAFT TRACKING</b>	
STS-1 medical report [NASA-TM-58240]	N82-15711	The effects of a light blue background on the operator visual analyzer	A82-16727
Evaluation of crew health	N82-15712	<b>SPACECREWS</b>	
Inflight observations	N82-15713	Hematological and immunological changes during space flight	A82-16937
Crew medical debriefing	N82-15714	Coping with space motion sickness in Spacelab missions	A82-16939
Health stabilization program	N82-15715	The role of HZE particles in space flight - Results from spaceflight and ground-based experiments	A82-16949
Emergency Medical Services System (EMSS)	N82-15716	STS-1 medical report [NASA-TM-58240]	N82-15711
Crew medical training	N82-15717	Evaluation of crew health	N82-15712
Shuttle orbital medical system	N82-15718	Inflight observations	N82-15713
Validation of predictive tests and countermeasures for space motion sickness	N82-15719	Crew medical debriefing	N82-15714
Crew cardiovascular profile	N82-15720	Health stabilization program	N82-15715
Biochemistry and endocrinology results	N82-15721	Crew medical training	N82-15717
Hematological and immunological analyses	N82-15722	Validation of predictive tests and countermeasures for space motion sickness	N82-15719
Medical microbiology of crewmembers	N82-15723	Crew cardiovascular profile	N82-15720
Food and nutrition	N82-15724	Biochemistry and endocrinology results	N82-15721
The potable water	N82-15725	Hematological and immunological analyses	N82-15722
Shuttle toxicology	N82-15726	Medical microbiology of crewmembers	N82-15723
Radiological health	N82-15727	Radiological health	N82-15727
<b>SPACEBORNE EXPERIMENTS</b>			
U.S. biological experiments in space	A82-16930		
Future investigations onboard Soviet biosatellites of the Cosmos series	A82-16954		
Experimental biology and medicine in space	A82-17123		
Feasibility study (phase A) for a Life Science Double Rack envisaged for the Spacelab mission D1 [BMFT-PB-W-81-037]	N82-15732		
Concept study of a life sciences payload element (PLE) for the SL-D1 mission [BMFT-PB-W-81-038]	N82-15733		
<b>SPACECRAFT CABIN ATMOSPHERES</b>			
STS-1 medical report [NASA-TM-58240]	N82-15711		

- SPACELAB**  
Coping with space motion sickness in Spacelab missions  
A82-16939
- SPACELAB PAYLOADS**  
Feasibility study (phase A) for a Life Science Double Rack envisaged for the Spacelab mission D1 [BMPT-PB-W-81-037] N82-15732  
Concept study of a life sciences payload element (PLB) for the SL-D1 mission [BMPT-PB-W-81-038] N82-15733
- SPECTROPHOTOMETRY**  
Spectrophotometric studies on the RNA structure in E.coli ribosomes. Part 1: Fundamentals of ultraviolet spectrophotometry of nuclei acids [ISS-R-80/2-PT-1] N82-15734  
Spectrophotometric studies of the RNA structure in E.coli ribosomes. Part 2: Influence of ions and proteins on the RNA secondary structure [ISS-R-80/3-PT-2] N82-15735
- SPECTROSCOPIC ANALYSIS**  
Spectrophotometric studies on the RNA structure in E.coli ribosomes. Part 1: Fundamentals of ultraviolet spectrophotometry of nuclei acids [ISS-R-80/2-PT-1] N82-15734  
Spectrophotometric studies of the RNA structure in E.coli ribosomes. Part 2: Influence of ions and proteins on the RNA secondary structure [ISS-R-80/3-PT-2] N82-15735
- SPLEEN**  
Hepato-splenic injury in aircraft accidents  
A82-18735
- SPRAYED COATINGS**  
An evaluation of engineering control technology for spray painting [PB81-243123] N82-15789
- STREPTOCOCCUS**  
Effect of altitude exposure on induction of Streptococcal endocarditis in young and middle-aged rats  
A82-18740
- STRESS (BIOLOGY)**  
The effects of immobilization on the development of experimental atherosclerosis in rabbits  
A82-16815  
Biogenic monoamine concentrations in autonomic nervous system ganglia during acute experimental emotional stress  
A82-16817  
The effects of heat stress on the morphogenetic potencies of the nephron epithelium  
A82-16825
- STRESS (PHYSIOLOGY)**  
The effects of immobilization stress on diacyl and plasmagenic phospholipids in various organs and tissues of the rat  
A82-16802  
The response of the hematic system of adrenalectomized mice to stressor activity  
A82-16814  
Damage and repair of heart muscle DNA during emotional-pain stress  
A82-16822  
Characteristics of loading hypoxia  
A82-16968  
Free amino acid concentrations in the livers of animals subjected to certain extremal factors  
A82-18662  
Recent life change measurement in Canadian Forces pilots  
A82-18733
- STRESS (PSYCHOLOGY)**  
Damage and repair of heart muscle DNA during emotional-pain stress  
A82-16822  
Informational need of emotional stress --- effect on operator performance of visual tasks  
A82-16943  
Recent life change measurement in Canadian Forces pilots  
A82-18733
- STROBOSCOPES**  
Motion sickness due to vision reversal - Its absence in stroboscopic light  
A82-17451
- SUBMERGING**  
Investigation of astronaut activity under conditions of the hydrosimulation of weightlessness  
A82-16713
- SULFATES**  
Microdisc gel electrophoresis in sodium dodecyl sulfate of organic material from rat otoconial complexes  
A82-17482
- SURFACE FINISHING**  
An evaluation of engineering control technology for spray painting [PB81-243123] N82-15789
- SURGERY**  
Anesthesia, surgical aid and resuscitation in manned space missions  
A82-16950  
Surgical treatment of recurrent frontal sinus barotrauma - A case report  
A82-18743
- SYNAPSES**  
Is transmission between the vestibular type I hair cell and its primary afferent chemical  
A82-17444  
Piribedil-induced anti-hypoxic protection in rats  
A82-18738
- SYNTHETIC FOOD**  
All-Union Conference on New Sources of Food Protein and Their Application  
N82-15765
- SYNTHETIC FUELS**  
Carcinogenic effects of coal-conversion materials [DE81-028108] N82-14803
- SYSTEMS ENGINEERING**  
Initiation into the utilization of programmable industrial robots: Grafcet --- graphic engineering language  
N82-14805
- SYSTOLE**  
Measurement of systolic time intervals by electrical plethysmography Validation with invasive and noninvasive methods  
A82-18742
- T**
- TARGET RECOGNITION**  
Is recognition accuracy really impaired when the target is repeated in the display  
A82-16893
- TARS**  
Carcinogenic effects of coal-conversion materials [DE81-028108] N82-14803
- TASK COMPLEXITY**  
Effects of task feedback and stringency of external pacing on mental load and work performance  
A82-18325  
Simulator data on human error probabilities [DE81-026094] N82-15786
- TECHNOLOGY UTILIZATION**  
NASA biomedical applications team. Applications of aerospace technology in biology and medicine [NASA-CR-152663] N82-15710  
Applications of aerospace technology in biology and medicine [NASA-CR-159106] N82-15769
- TELEVISION SYSTEMS**  
Experimental study of the characteristics of the detection of objects on a TV display by an operator under conditions of time deficit  
A82-16714  
Use of a television multipoint x-y tracker for determining the transmission of vibrations on human beings --- human factors in man machine systems  
N82-15787
- TEMPERATURE CONTROL**  
Comfortable temperature and tolerable temperature  
N82-15753
- TEMPERATURE DEPENDENCE**  
The relationship of body temperature to environmental temperature  
N82-15752
- TEMPERATURE EFFECTS**  
The effects of heat stress on the morphogenetic potencies of the nephron epithelium  
A82-16825

**TERMINAL CONFIGURED VEHICLE PROGRAM**

**SUBJECT INDEX**

The relationship of body temperature to environmental temperature  
N82-15752

**TERMINAL CONFIGURED VEHICLE PROGRAM**  
Influence of display and control compatibility on pilot-induced oscillations  
[NASA-TP-1936] N82-14804

**THALLIUM ISOTOPIES**  
Computer-enhanced thallium scintigrams in asymptomatic men with abnormal exercise tests  
A82-16167

**THERMAL CONDUCTIVITY**  
A heat transfer analysis of scald injury  
[PB81-238503] N82-15777

**THERMAL INSULATION**  
A criterion for the disposal of M58 sleeping bags  
[IZP-1979-15] N82-15782

**THERMOREGULATION**  
The age characteristics of physical thermoregulation  
A82-16808  
Some characteristics of thermal adaptation in small laboratory animals  
A82-16971

**THREE DIMENSIONAL MOTION**  
Robot with sense of touch  
A82-17133

**THYMIDINE**  
Polyploidization delay in rat hepatocytes under liver growth inhibition by hypckinesia  
[NASA-TM-76515] N82-14794

**TIME MEASUREMENT**  
Measurement of systolic time intervals by electrical plethysmography Validation with invasive and noninvasive methods  
A82-18742

**TISSUES (BIOLOGY)**  
Inborn anemias in mice  
[DE81-029128] N82-14795

**TOMOGRAPHY**  
Temporal bone characteristics in Meniere's disease  
A82-17481  
Evaluative studies in nuclear medicine research. Emission-computed tomography assessment  
[DE81-030168] N82-14801

**TORSION**  
Ocular torsion on earth and in weightlessness  
A82-17435

**TOUCH**  
Robot with sense of touch  
A82-17133

**TOXIC DISEASES**  
Caisson disease  
N82-15749  
Oxygen toxication  
N82-15751

**TOXIC HAZARDS**  
Extra-erythrocytic hemoglobin and iron-bearing hemoglobin destruction products - A system for the amplification of the toxic effects of hyperoxia  
A82-16803  
Plan of action and milestones for Navy combustion toxicity  
[AD-A105623] N82-14796  
The physiological effect of low-air-pressure anoxia  
N82-15748

**TOXICITY**  
Plan of action and milestones for Navy combustion toxicity  
[AD-A105623] N82-14796  
Evaluation of short-term bioassays to predict functional impairment. Selected short-term pulmonary toxicity tests  
[AD-A103766] N82-14797

**TOXICITY AND SAFETY HAZARD**  
Evaluation of short-term bioassays to predict functional impairment. development of pulmonary bioassays in small animals: Directory of Institutions; individuals involved in utilization  
[AD-A103767] N82-14798

**TOXICOLOGY**  
Shuttle toxicology  
N82-15726

**TOXINS AND ANTITOXINS**  
A transsynaptic autoradiographic study of the pathways controlling the extraocular eye muscles, using /I-124/B-IIB Tetanus toxin fragment  
A82-17441

**TRACE ELEMENTS**  
Changes in blood indicators upon the inclusion of trace elements in the diet  
A82-16274

**TRACERS**  
A transsynaptic autoradiographic study of the pathways controlling the extraocular eye muscles, using /I-124/B-IIB Tetanus toxin fragment  
A82-17441

**TRACKED VEHICLES**  
The Link-Miles driver training simulator for tracked vehicles: Influence of cabin motion on gear-change learning  
[IZP-1980-24] N82-15785

**TRACKING (POSITION)**  
Acoustic-induced eye movements  
A82-17476

**TRAINING SIMULATORS**  
The Link-Miles driver training simulator for tracked vehicles: Influence of cabin motion on gear-change learning  
[IZP-1980-24] N82-15785

**U**

**U.S.S.R.**  
USSR report: Life sciences biomedical and behavioral sciences, no. 13  
[JPRS-79639] N82-15763

**U.S.S.R. SPACE PROGRAM**  
Summary of medical investigations in the U.S.S.R. manned space missions  
A82-16928

**ULTRASONIC RADIATION**  
Airborne ultrasound: Measurement and possible adverse effects  
[PB81-240459] N82-15775

**ULTRAVIOLET SPECTROMETERS**  
Spectrophotometric studies on the RNA structure in E.coli ribosomes. Part 1: Fundamentals of ultraviolet spectrophotometry of nuclei acids  
[ISS-R-80/2-PT-1] N82-15734

**URINE**  
The effect of acetazolamide on the proteinuria of altitude  
A82-18739

**V**

**VERTICAL MOTION SIMULATORS**  
Influence of display and control compatibility on pilot-induced oscillations  
[NASA-TP-1936] N82-14804

**VERTICAL PERCEPTION**  
The role of the dentate nucleus and y-group in the generation of vertical smooth eye movements  
A82-17462  
Human vertical fusional response under open and closed loop stimulation to predictable and unpredictable disparity presentations  
A82-17571

**VERTIGO**  
Flight illusions  
N82-15745

**VESTIBULAR NYSTAGMUS**  
The differential diagnosis of an asymmetrical trend in vestibular responses in peripheral and central hemispheric lesions  
A82-16813  
Vestibular and oculomotor physiology; Proceedings of the International Meeting, New York, NY, September 22-25, 1980  
A82-17426  
Physiological mechanisms of the nystagmus produced by rotations about an earth-horizontal axis  
A82-17431  
Effects of gravity on rotatory nystagmus in monkeys  
A82-17432  
Cat medial pontine neurons in vestibular nystagmus  
A82-17443  
Vestibular habituation in man and monkey during sinusoidal rotation  
A82-17453  
Input-output activity of the primate flocculus during visual-vestibular interaction  
A82-17466  
Directional plasticity of the vestibulo-ocular reflex in the cat  
A82-17467

- The 'Error' signals subserving adaptive gain control in the primate vestibulo-ocular reflex A82-17468
- Active head rotations and eye-head coordination A82-17469
- Vestibular influence upon head-eye coordination A82-17470
- A hypothetical explanation for periodic alternating nystagmus - Instability in the optokinetic-vestibular system A82-17474
- Modifications of vestibular nystagmus produced by fixation of visual and nonvisual targets A82-17477
- Different effects involved in the interaction of saccades and the vestibulo-ocular reflex A82-17480
- VESTIBULAR TESTS**
- The differential diagnosis of an asymmetrical trend in vestibular responses in peripheral and central hemispheric lesions A82-16813
- U.S. manned space flight: The first twenty years - A biomedical status report A82-16927
- Status of vestibular function after prolonged bedrest A82-16940
- Vestibular tests in the selection of cosmonauts A82-16941
- Neuronal interaction between ipsilateral medial and lateral vestibular nuclei A82-17436
- The ascending tract of Deiters' and horizontal gaze --- maintenance during head movement via neurons A82-17437
- Nonlinear characteristics of single neurons in the vestibular nuclei A82-17438
- Circularvection - Psychophysics and single-unit recordings in the monkey --- vestibular effects of rotation A82-17449
- Vestibular habituation in man and monkey during sinusoidal rotation A82-17453
- The role of the dentate nucleus and y-group in the generation of vertical smooth eye movements A82-17462
- Input-output activity of the primate flocculus during visual-vestibular interaction A82-17466
- Effect of frontal-eye-field lesion on eye-head coordination in squirrel monkeys A82-17475
- Validation of predictive tests and countermeasures for space motion sickness N82-15719
- VESTIBULES**
- Reissner's membrane and the spiral ligament in normal rats and those treated with ethacrynic acid A82-16833
- Directional sensitivity of individual vertebrate hair cells to controlled deflection of their hair bundles --- in frog vestibules A82-17427
- Phasic components of frog semicircular canal A82-17430
- Reticulovestibular organization participating in generation of horizontal fast eye movement A82-17439
- Horizontal eye movement signals in second-order vestibular nuclei neurons in the cat A82-17440
- Some thoughts about the three neurons in the vestibular ocular reflex A82-17442
- Is transmission between the vestibular type I hair cell and its primary afferent chemical A82-17444
- Visual-vestibular interaction in vestibular neurons - Functional pathway organization A82-17446
- Neural activity in the nucleus reticularis tegmenti pontis in the monkey related to eye movements and visual stimulation A82-17447
- Visual-vestibular interactions in visual cortical cells in the cat A82-17448
- Natural retinal image motion - Origin and change A82-17452
- Unilateral habituation of vestibulo-ocular responses in the cat A82-17454
- Patterns of vestibular and neck responses and their interaction - A comparison between cat cortical neurons and human psychophysics A82-17456
- Responses of vestibulospinal neurons to neck and macular vestibular inputs in the presence or absence of the paleocerebellum A82-17457
- Dynamics of vestibulo-ocular, vestibulocollic, and cervicocollic reflexes A82-17458
- Aftereffects of vestibular and optokinetic stimulation and their interaction A82-17461
- VIBRATION**
- Human body reaction to vibration N82-15743
- VIRUSES**
- Conference on plant virology N82-15767
- VISUAL ACCOMMODATION**
- Motion sickness due to vision reversal - Its absence in stroboscopic light A82-17451
- VISUAL DISCRIMINATION**
- Disappearance of stabilized chromatic gratings --- visual contrast sensitivity A82-16125
- Analysis of retinal work in the discrimination of a contour signal A82-16819
- Visual problems in aviation and space navigation N82-15758
- VISUAL FIELDS**
- The effects of a light blue background on the operator visual analyzer A82-16727
- VISUAL PERCEPTION**
- Certain aspects of the visual activity of astronauts A82-16708
- The effects of a light blue background on the operator visual analyzer A82-16727
- Possible model representations of the neurophysiological mechanisms for the analysis of the direction and speed of a moving visual object A82-16807
- Model for the perception of moving and fixed objects A82-16820
- Principles of feature integration in visual perception A82-16892
- Visual-vestibular interaction in vestibular neurons - Functional pathway organization A82-17446
- Visual-vestibular interactions in visual cortical cells in the cat A82-17448
- Sigma-movement and Sigma-nystagmus - A new tool to investigate the gaze-pursuit system and visual-movement perception in man and monkey A82-17450
- Visually induced self-motion sensation adapts rapidly to left-right reversal of vision A82-17455
- Velocity storage, nystagmus, and visual-vestibular interactions in humans A82-17460
- Aftereffects of vestibular and optokinetic stimulation and their interaction A82-17461
- The brain-stem projection to the cerebellar flocculus relevant to optokinetic responses in cats A82-17463
- Visual mossy fiber inputs to the flocculus of the monkey A82-17464

**VISUAL SIGNALS**

**SUBJECT INDEX**

Mossy fiber activation of the cerebellar flocculus from the visual system A82-17465

Dissociation of the eyes in saccadic movement A82-17479

Visual scanning behavior and mental workload in aircraft pilots A82-18741

Flight illusions N82-15745

Visual problems in aviation and space navigation N82-15758

**VISUAL SIGNALS**

Analysis of retinal work in the discrimination of a contour signal A82-16819

Visual mossy fiber inputs to the flocculus of the monkey A82-17464

**VISUAL STIMULI**

The effects of hyperventilation on EEG alpha-rhythm depression induced by a suggested visual representation A82-16801

Principles of feature integration in visual perception A82-16892

Circularvection - Psychophysics and single-unit recordings in the monkey --- vestibular effects of rotation A82-17449

Sigma-movement and Sigma-nystagmus - A new tool to investigate the gaze-pursuit system and visual-movement perception in man and monkey A82-17450

Motion sickness due to vision reversal - Its absence in stroboscopic light A82-17451

Early directional influence of visual motion cues on postural control in the falling monkey A82-17459

The interaction between accuracy of gaze with and without head movements in patients with cerebellar ataxia A82-17472

Modifications of vestibular nystagmus produced by fixation of visual and nonvisual targets A82-17477

Dipole localization of average and single visual evoked potentials A82-17570

Human vertical fusional response under open and closed loop stimulation to predictable and unpredictable disparity presentations A82-17571

How do we avoid confounding the direction we are looking and the direction we are moving A82-18024

**VISUAL TASKS**

Experimental study of the characteristics of the detection of objects on a TV display by an operator under conditions of time deficit A82-16714

Informational need of emotional stress --- effect on operator performance of visual tasks A82-16943

**VOICE COMMUNICATION**

Investigation of the functions of an astronaut operator in information systems A82-16721

**W**

**WALKING MACHINES**

Determination of the angular orientation of the body of a walking machine A82-16288

**WASTE DISPOSAL**

Space navigation life guarantees N82-15759

Cabin pollution N82-15760

**WASTE TREATMENT**

Trends in space life support A82-16953

**WATER LOSS**

Caisson disease N82-15749

**WEAR TESTS**

Fabrication and wear test of a continuous fiber/particulate composite total surface hip replacement [ASLE PREPRINT 81-LC-2D-1] A82-18402

**WEIGHT MEASUREMENT**

How important are changes in body weight for mass perception A82-16944

**WEIGHTLESSNESS**

Comparative psychophysiological evaluation of the effectiveness of psychic models of body hypo- and hyperponderousness A82-16723

The activity of psychic models of hypogravity during 30-day experiments A82-16725

Simulation of human reactions under extreme conditions A82-16934

Status of vestibular function after prolonged bedrest A82-16940

Pathophysiology of motor functions in prolonged manned space flights A82-16945

Ocular torsion on earth and in weightlessness A82-17435

A compendium of hypokinetic and hypodynamic animal studies [NASA-CR-3485] N82-15709

The effects of rotation and oscillation: Aerial sickness N82-15744

Man's adaptation to weightlessness and low weight N82-15746

**WEIGHTLESSNESS SIMULATION**

Investigation of astronaut activity under conditions of the hydrosimulation of weightlessness A82-16713

**WORK CAPACITY**

Simulation of operator activity in a system for the technical servicing of a space station A82-16717

The influence of certain habitation conditions on the physiological functions, work capacity, and dream dynamics of man A82-16720

Psychophysiological safety control in long-duration space flights A82-16726

Changes in Hageman factor system indicators during human adaptation to intense physical loading A82-16816

The work capacity of sailors under conditions of varying work-rest cycles A82-18524

**WORK-REST CYCLE**

The influence of certain habitation conditions on the physiological functions, work capacity, and dream dynamics of man A82-16720

Concerning the rationalization of the work and rest schedule of cosmonauts A82-16724

The work capacity of sailors under conditions of varying work-rest cycles A82-18524

**WORKLOADS (PSYCHOPHYSIOLOGY)**

Current problems in the psychophysiology of space work /status and future prospects/ A82-16703

The functional state of some subcortical cerebral structures during adaptation and deadaptation to physical loading A82-16823

The effects of operator activity on the diurnal rhythm of physiological functions A82-17142

The dynamics of cardiac rhythm parameters during work under various loads --- by air traffic controllers A82-17146

Effects of task feedback and stringency of external pacing on mental load and work performance A82-18325

Visual scanning behavior and mental workload in  
aircraft pilots A82-18741

**X****X RAY ANALYSIS**

Evaluative studies in nuclear medicine research.  
Emission-computed tomography assessment  
[DE81-030168] N82-14801

**X RAY FLUORESCENCE**

Applications of nuclear techniques for in vivo  
body composition studies at Brookhaven National  
Laboratory  
[DE81-029922] N82-15772


**Page Intentionally Left Blank**

# PERSONAL AUTHOR INDEX

AEROSPACE MEDICINE AND BIOLOGY/A Continuing Bibliography (Suppl. 231)

APRIL 1982

## Typical Personal Author Index Listing



The title of the document is used to provide the user with a brief description of the subject matter. The NASA or AIAA accession number is included in each entry to assist the user in locating the abstract in the abstract section of this supplement. If applicable, a report number is also included as an aid in identifying the document.

## A

- ABDICALIEV, M. A.**  
Prevention of hypoxic heart damage by the use of oxypyridine-class antioxidants  
A82-16821
- ABE, M.**  
Effect of physical fitness and training on physiological responses to hypogravity  
A82-16933
- ADAMEC, M.**  
Simulation of human reactions under extreme conditions  
A82-16934
- ADLER, B.**  
Sigma-movement and Sigma-nystagmus - A new tool to investigate the gaze-pursuit system and visual-movement perception in man and monkey  
A82-17450
- ADLER, R. E.**  
Plan of action and milestones for Navy combustion toxicity  
[AD-A105623]  
N82-14796
- AGADZHANIAN, M. A.**  
Pulmonary diffusing capacity under conditions of restricted motor activity  
A82-17140
- AKERT, K.**  
A transsynaptic autoradiographic study of the pathways controlling the extraocular eye muscles, using /I-124/B-IIb Tetanus toxin fragment  
A82-17441
- ALAVERDIAN, A. H.**  
The effects of bicycle ergometer exercise on plasma amino acid contents in athletes  
A82-17145
- ALENIKOV, I. U. P.**  
Possible model representations of the neurophysiological mechanisms for the analysis of the direction and speed of a moving visual object  
A82-16807
- ALENIKOVA, T. V.**  
Possible model representations of the neurophysiological mechanisms for the analysis of the direction and speed of a moving visual object  
A82-16807
- ALTLAND, P. D.**  
Effect of altitude exposure on induction of Streptococcal endocarditis in young and middle-aged rats  
A82-18740
- ANDERSON, J. H.**  
Ocular torsion in the cat after lesions of the interstitial nucleus of Cajal  
A82-17484
- ANESTIADI, M. IA.**  
Free amino acid concentrations in the livers of animals subjected to certain extremal factors  
A82-18662
- ARACO, A.**  
Spectrophotometric studies of the RNA structure in E.coli ribosomes. Part 2: Influence of ions and proteins on the RNA secondary structure [ISS-R-80/3-PT-2]  
N82-15735
- ARAI, Y.**  
Disturbances of eye-head coordination during lateral gaze in labyrinthine disease  
A82-17471
- ARROTT, A. P.**  
Ocular torsion on earth and in weightlessness  
A82-17435
- ARTISHCHUK, V. N.**  
The influence of certain habitation conditions on the physiological functions, work capacity, and dream dynamics of man  
A82-16720
- ARUTIUNOV, V. D.**  
Morphology of experimental pneumoconiosis arising from the effects of lunar soil  
A82-16824
- ASTRAUSKAS, A. I.**  
Trial of an automated EKG analysis system in a cardiological clinic  
A82-16804
- AUNON, J. I.**  
Dipole localization of average and single visual evoked potentials  
A82-17570
- AXELROD, P. T.**  
A compendium of hypokinetic and hypodynamic animal studies  
[NASA-CR-3485]  
N82-15709

## B

- BABIN, R. W.**  
Nonlinear characteristics of single neurons in the vestibular nuclei  
A82-17438
- BAKER, R.**  
Some thoughts about the three neurons in the vestibular ocular reflex  
A82-17442
- BAKHABEV, V. D.**  
An investigation of memory during the process of adaptation to mountain conditions  
A82-17138
- BARATOVA, L. A.**  
The effects of bicycle ergometer exercise on plasma amino acid contents in athletes  
A82-17145
- BARIN, K.**  
A physical model of human postural dynamics  
A82-17478
- BARKER, J. E.**  
Inborn anemias in mice  
[DE81-029128]  
N82-14795
- BARNES, C. H.**  
Radiological health  
N82-15727
- BARNES, G. E.**  
Vestibular influence upon head-eye coordination  
A82-17470

- BARRS, D. M.**  
Surgical treatment of recurrent frontal sinus barotrauma - A case report  
A82-18743
- BASAKIN, V. I.**  
The age characteristics of physical thermoregulation  
A82-16808
- BATSURA, IU. D.**  
Morphology of experimental pneumoconiosis arising from the effects of lunar soil  
A82-16824
- BAUR, R.**  
Feasibility study (phase A) for a Life Science Double Rack envisaged for the Spacelab mission D1 [BMFT-PB-W-81-037]  
N82-15732
- BEADLES, R.**  
NASA biomedical applications team. Applications of aerospace technology in biology and medicine [NASA-CR-152663]  
N82-15710
- BEADLES, R. L.**  
Applications of aerospace technology in biology and medicine [NASA-CR-159106]  
N82-15769
- BEALL, H. C.**  
NASA biomedical applications team. Applications of aerospace technology in biology and medicine [NASA-CR-152663]  
N82-15710  
Applications of aerospace technology in biology and medicine [NASA-CR-159106]  
N82-15769
- BECKER, W.**  
Patterns of vestibular and neck responses and their interaction - A comparison between cat cortical neurons and human psychophysics  
A82-17456  
Different effects involved in the interaction of saccades and the vestibulo-ocular reflex  
A82-17480
- BELIAKOVA, L. A.**  
The dynamics of cardiac rhythm parameters during work under various loads  
A82-17146
- BELIANOVA, L. P.**  
The effects of bicycle ergometer exercise on plasma amino acid contents in athletes  
A82-17145
- BELLI, M.**  
Spectrophotometric studies on the RNA structure in E.coli ribosomes. Part 1: Fundamentals of ultraviolet spectrophotometry of nuclei acids [ISS-R-80/2-PT-1]  
N82-15734  
Spectrophotometric studies of the RNA structure in E.coli ribosomes. Part 2: Influence of ions and proteins on the RNA secondary structure [ISS-R-80/3-PT-2]  
N82-15735
- BEREGOVOL, G. T.**  
Astronaut activity in flight and enhancement of its efficiency  
A82-16701  
Basic principles and methods for assuring the efficiency of astronaut activity in flight  
A82-16702  
Certain theoretical features of astronaut preparation  
A82-16705  
Optimization of astronaut operator activity and systems of semiautomatic control of manned spacecraft on the basis of probabilistic criteria  
A82-16711
- BERNSTEIN, S. E.**  
Inborn anemias in mice [DE81-029128]  
N82-14795
- BERRY, M. A.**  
Inflight observations  
N82-15713
- BERTHOZ, A.**  
Horizontal eye movement signals in second-order vestibular nuclei neurons in the cat  
A82-17440
- BEVERLEY, K. I.**  
How do we avoid confounding the direction we are looking and the direction we are moving  
A82-18024
- BILOTTO, G.**  
Dynamics of vestibulo-ocular, vestibulocollic, and cervicocollic reflexes  
A82-17458
- BITZER, K. L.**  
Feasibility study (phase A) for a Life Science Double Rack envisaged for the Spacelab mission D1 [BMFT-PB-W-81-037]  
N82-15732
- BIZZINI, B.**  
A transsynaptic autoradiographic study of the pathways controlling the extraocular eye muscles, using /I-124/B-IIB Tetanus toxin fragment  
A82-17441
- BLAGOVESHCHENSKAIA, M. S.**  
The differential diagnosis of an asymmetrical trend in vestibular responses in peripheral and central hemispheric lesions  
A82-16813
- BLES, W.**  
Nystagmus, gaze shift, and self-motion perception during sinusoidal head and neck rotation  
A82-17473
- BOCK, O. L.**  
Visually induced self-motion sensation adapts rapidly to left-right reversal of vision  
A82-17455
- BOEV, V. M.**  
The functional state of some subcortical cerebral structures during adaptation and deadaptation to physical loading  
A82-16823
- BOGOMOLOV, V. V.**  
Anesthesia, surgical aid and resuscitation in manned space missions  
A82-16950
- BOISHARE, P.**  
Piribedil-induced anti-hypoxic protection in rats  
A82-18738
- BOLLE, H. H.**  
Humanization of working places in the foundry by use of an automatic fettling equipment [BMFT-PB-HA-81-004]  
N82-15781
- BONDE-PETERSEN, P.**  
Cardiovascular reflexes during rest and exercise modified by gravitational stresses  
A82-16932
- BOOTH, F. W.**  
Effects of disuse by limb immobilization on different muscle fiber types  
A82-16830
- BOVENKERR, G.**  
Nystagmus, gaze shift, and self-motion perception during sinusoidal head and neck rotation  
A82-17473
- BOYLE, R.**  
Responses of vestibulospinal neurons to neck and macular vestibular inputs in the presence or absence of the paleocerebellum  
A82-17457
- BRADWELL, A. E.**  
The effect of acetazolamide on the proteinuria of altitude  
A82-18739
- BRECHA, M. C.**  
Organization of the avian accessory optic system  
A82-17445
- BREDBERG, G.**  
The function of the endolymphatic duct - An experimental study using ionic lanthanum as a tracer: A preliminary report  
A82-17428
- BRODSKIY, V. Y.**  
Polyploidization delay in rat hepatocytes under liver growth inhibition by hypokinesia [NASA-TM-76515]  
N82-14794
- BROUILLET, A. O.**  
Trends in space life support  
A82-16953
- BROWN, J. H., JR.**  
NASA biomedical applications team. Applications of aerospace technology in biology and medicine [NASA-CR-152663]  
N82-15710  
Applications of aerospace technology in biology and medicine [NASA-CR-159106]  
N82-15769
- BUECKER, H.**  
The role of HZE particles in space flight - Results from spaceflight and ground-based experiments  
A82-16949

- BUETTNER-ENNEVER, J. A.**  
A transsynaptic autoradiographic study of the pathways controlling the extraocular eye muscles, using /I-124/B-IIb Tetanus toxin fragment  
A82-17441
- BUETTNER, U.**  
Circularvection - Psychophysics and single-unit recordings in the monkey  
A82-17449  
Input-output activity of the primate flocculus during visual-vestibular interaction  
A82-17466
- BULAEV, IU. O.**  
Investigation of physiological compensation processes following the surgical destruction of the labyrinth  
A82-16811  
Investigation of the otolith apparatus in clinical practice  
A82-16812
- BUNGO, M. W.**  
Crew cardiovascular profile  
N82-15720
- BURGEAT, M.**  
Status of vestibular function after prolonged bedrest  
A82-16940
- BURKASHOV, A. B.**  
The effects of bicycle ergometer exercise on plasma amino acid contents in athletes  
A82-17145
- C**
- CASTLEMAN, K. R.**  
Estimating cell populations  
A82-18684
- CETTL, L.**  
Simulation of human reactions under extreme conditions  
A82-16934
- CHAPAEV, A. V.**  
The influence of certain habitation conditions on the physiological functions, work capacity, and dream dynamics of man  
A82-16720
- CHEBAKOV, V. P.**  
Characteristics of indicators of cardiac rhythm in the norm and in mental maladjustment  
A82-17144
- CHEPAITIS, ZH. V.**  
Experience with the development and application of telemetric computing systems in cardiology  
A82-16806
- CHERENKOVA, E. A.**  
Investigation of the functions of an astronaut operator in information systems  
A82-16721
- CHERNUKH, A. M.**  
Changes in Hageman factor system indicators during human adaptation to intense physical loading  
A82-16816
- CHRETIEN, P.**  
Piribedil-induced anti-hypoxic protection in rats  
A82-18738
- CHUBB, M. C.**  
The role of the dentate nucleus and y-group in the generation of vertical smooth eye movements  
A82-17462
- CLEMENT, G.**  
Unilateral habituation of vestibulo-ocular responses in the cat  
A82-17454
- CLINGMAN, W. H.**  
NASA biomedical applications team. Applications of aerospace technology in biology and medicine [NASA-CR-152663] N82-15710  
Applications of aerospace technology in biology and medicine [NASA-CR-159106] N82-15769
- COGOLI, A.**  
Hematological and immunological changes during space flight  
A82-16937
- COHEN, B.**  
Vestibular and oculomotor physiology; Proceedings of the International Meeting, New York, NY, September 22-25, 1980  
A82-17426
- Effects of gravity on rotatory nystagmus in monkeys  
A82-17432  
Velocity storage, nystagmus, and visual-vestibular interactions in humans  
A82-17460
- COHN, S. H.**  
Applications of nuclear techniques for in vivo body composition studies at Brookhaven National Laboratory [DE81-029922] N82-15772
- COLIN, J.**  
Measurement of systolic time intervals by electrical plethysmography Validation with invasive and noninvasive methods  
A82-18742
- COLL, J.**  
Status of vestibular function after prolonged bedrest  
A82-16940
- COLLEWIJN, H.**  
Sigma-movement and Sigma-nystagmus - A new tool to investigate the gaze-pursuit system and visual-movement perception in man and monkey  
A82-17450  
Natural retinal image motion - Origin and change  
A82-17452
- COUREJON, J. H.**  
Unilateral habituation of vestibulo-ocular responses in the cat  
A82-17454
- COURTNEY, M. W.**  
NASA biomedical applications team. Applications of aerospace technology in biology and medicine [NASA-CR-152663] N82-15710  
Applications of aerospace technology in biology and medicine [NASA-CR-159106] N82-15769
- CRANDALL, W. F.**  
Neural activity in the nucleus reticularis tegmenti pontis in the monkey related to eye movements and visual stimulation  
A82-17447
- CRISWELL, D. R.**  
Human roles in future space operations  
A82-16955
- CRITES, T. A.**  
Ocular torsion on earth and in weightlessness  
A82-17435
- CURIO, G.**  
Sigma-movement and Sigma-nystagmus - A new tool to investigate the gaze-pursuit system and visual-movement perception in man and monkey  
A82-17450
- CURTHOYS, I. S.**  
Cat medial pontine neurons in vestibular nystagmus  
A82-17443
- D**
- DAOUST, M.**  
Piribedil-induced anti-hypoxic protection in rats  
A82-18738
- DAVLETIANTS, A. I.**  
Functional model of the temporal and amplitude characteristics of the cardiac electric field  
A82-18699
- DE JONG, J. M. B. V.**  
Nystagmus, gaze shift, and self-motion perception during sinusoidal head and neck rotation  
A82-17473
- DEECKE, L.**  
Patterns of vestibular and neck responses and their interaction - A comparison between cat cortical neurons and human psychophysics  
A82-17456
- DEGIOANNI, J.**  
Evaluation of crew health  
N82-15712  
Crew medical debriefing  
N82-15714
- DELAMERE, J. P.**  
The effect of acetazolamide on the proteinuria of altitude  
A82-18739
- DEMBITSKII, V. M.**  
The effects of immobilization stress on diacyl and plasmogenic phospholipids in various organs and tissues of the rat  
A82-16802

DEMENTEV, E. V.

PERSONAL AUTHOR INDEX

DEMENTEV, E. V.  
Information model of the dynamics of autonomous  
extravehicular activity  
A82-16718  
Simulation of manual autonomous control of an  
extravehicular propulsion unit /EPU/  
A82-16719

DENNETT, D.  
Velocity storage, nystagmus, and visual-vestibular  
interactions in humans  
A82-17460

DERIAGINA, G. P.  
The effects of immobilization on the development  
of experimental atherosclerosis in rabbits  
A82-16815

DIACHKOV, V. A.  
The circadian organization of the circulatory and  
respiratory systems of Antarctic workers  
A82-17139

DIAMOND, S. G.  
Binocular counterrolling in humans with unilateral  
labyrinthectomy and in normal controls  
A82-17434

DICHGANS, J.  
Aftereffects of vestibular and optokinetic  
stimulation and their interaction  
A82-17461

DIETLEIN, L. P.  
U.S. manned space flight: The first twenty years -  
A biomedical status report  
A82-16927

DONNELLY, K. L.  
USSR Space Life Sciences Digest  
[NASA-TM-84080]  
N82-15708

DRILL, S.  
Evaluation of short-term bioassays to predict  
functional impairment. Selected short-term  
pulmonary toxicity tests  
[AD-A103766]  
N82-14797  
Evaluation of short-term bioassays to predict  
functional impairment. development of pulmonary  
bioassays in small animals: Directory of  
Institutions; individuals involved in utilization  
[AD-A103767]  
N82-14798

DURST, R. T.  
Is recognition accuracy really impaired when the  
target is repeated in the display  
A82-16893

DVORAK, J.  
Simulation of human reactions under extreme  
conditions  
A82-16934

E

EDELMAN, E. R.  
Ocular torsion on earth and in weightlessness  
A82-17435

EGOROV, A. D.  
Summary of medical investigations in the U.S.S.R.  
manned space missions  
A82-16928

EGOROVA, L. N.  
The response of the hematic system of  
adrenalectomized mice to stressor activity  
A82-16814

ELLIS, K. J.  
Applications of nuclear techniques for in vivo  
body composition studies at Brookhaven National  
Laboratory  
[DE81-029922]  
N82-15772

EPHRAIM, A. R.  
Visual scanning behavior and mental workload in  
aircraft pilots  
A82-18741

EPISHKIN, A. K.  
The effect of emotional stress on astronaut  
activity in a radio-telegraphy system  
A82-16722

ERIKSEN, C. W.  
Is recognition accuracy really impaired when the  
target is repeated in the display  
A82-16893

EVINGER, C.  
Some thoughts about the three neurons in the  
vestibular ocular reflex  
A82-17442

EVSTAFEV, V. N.  
The work capacity of sailors under conditions of  
varying work-rest cycles  
A82-18524

F

FACIUS, R.  
The role of HZE particles in space flight -  
Results from spaceflight and ground-based  
experiments  
A82-16949

FAKTOB, V. N.  
Polyploidization delay in rat hepatocytes under  
liver growth inhibition by hypokinesia  
[NASA-TM-76515]  
N82-14794

FEDOTOVA, M. I.  
The response of the hematic system of  
adrenalectomized mice to stressor activity  
A82-16814

FEPELOV, N. N.  
Investigation of the functions of an astronaut  
operator in information systems  
A82-16721

FELKEL, H.  
Simulation of human reactions under extreme  
conditions  
A82-16934

FERGUSON, J. K.  
Health stabilization program  
N82-15715

FERNANDEZ, C.  
Physiological mechanisms of the nystagmus produced  
by rotations about an earth-horizontal axis  
A82-17431

FERNSTROM, J. D.  
Effects of the diet on brain function  
A82-16942

FEUERREISL, B.  
Simulation of human reactions under extreme  
conditions  
A82-16934

FIEBIG, R.  
Acoustic-induced eye movements  
A82-17476

FILIPPOV, N. N.  
Characteristics of loading hypoxia  
A82-16968

FISCHER, C. L.  
Evaluation of crew health  
N82-15712  
Crew medical debriefing  
N82-15714

PROLOV, A. IA.  
Certain aspects of the visual activity of astronauts  
A82-16708  
The influence of certain habitation conditions on  
the physiological functions, work capacity, and  
dream dynamics of man  
A82-16720  
Concerning the rationalization of the work and  
rest schedule of cosmonauts  
A82-16724

PROLOV, M. V.  
The use of a psychophysiological feedback system  
for purposes of activity optimization  
A82-16706  
Informational need of emotional stress  
A82-16943

FUCHS, A. P.  
The role of the dentate nucleus and  $\gamma$ -group in the  
generation of vertical smooth eye movements  
A82-17462

FUKUOKA, M.  
Evaluation of the parallel conductor theory for  
measuring human limb blood flow by electrical  
admittance plethysmography  
A82-17568

G

GALLE, R. E.  
Biomedical aspects of artificial gravity  
A82-16951

GARGASAS, L. I.  
Trial of an automated EKG analysis system in a  
cardiological clinic  
A82-16804

- GAVRILOV, V. A.**  
A procedure for the measurement of the critical flicker fusion frequency  
A82-16809
- GAZENKO, O. G.**  
Summary of medical investigations in the U.S.S.R. manned space missions  
A82-16928
- GENIN, A. M.**  
Summary of medical investigations in the U.S.S.R. manned space missions  
A82-16928
- GENQUAN, F.**  
Fundamentals of aeronautical and aerospace medical science  
[AD-A102298] N82-15736
- GIALLUCCA, K. A.**  
Methods for linking item parameters  
[AD-A105509] N82-15779
- GILBERT, E. S.**  
Problems in evaluating health effects of occupational and environmental exposures  
[DE81-028440] N82-15774
- GLAZKOV, I. U. N.**  
The design of extravehicular propulsion units  
A82-16716
- GOLDBERG, J.**  
Dynamics of vestibulo-ocular, vestibulocollic, and cervicocollic reflexes  
A82-17458
- GOLDBERG, J. M.**  
Physiological mechanisms of the nystagmus produced by rotations about an earth-horizontal axis  
A82-17431
- GOLUBEVA, E. N.**  
The effects of bicycle ergometer exercise on plasma amino acid contents in athletes  
A82-17145
- GOLUBEVA, L. I. U.**  
Prevention of hypoxic heart damage by the use of oxypridine-class antioxidants  
A82-16821
- GONAZKOV, O. A.**  
Changes in Hageman factor system indicators during human adaptation to intense physical loading  
A82-16816
- GONCHAROV, I. B.**  
Anesthesia, surgical aid and resuscitation in manned space missions  
A82-16950
- GORGILADZE, G. I.**  
Investigation of physiological compensation processes following the surgical destruction of the labyrinth  
A82-16811
- GORIZONTOV, P. D.**  
The response of the hematic system of adrenalectomized mice to stressor activity  
A82-16814
- GRAP, W.**  
Eye-muscle geometry and compensatory eye movements in lateral-eyed and frontal-eyed animals  
A82-17429
- GRAYBIEL, A.**  
Coping with space motion sickness in Spacelab missions  
A82-16939
- GRIGOREV, A. I.**  
Ion regulatory function of the human kidney in prolonged space flights  
A82-16936
- GRIGOREV, I. U. G.**  
Experimental biology and medicine in space  
A82-17123
- GRIGORIAN, R. D.**  
Problems of the regulation of hemodynamics during a passive orthostatic test - Study of a mathematical model  
A82-18700
- GRIMAK, L. P.**  
Problems of the control of operator state  
A82-16710  
Simulation of manual autonomous control of an extravehicular propulsion unit /EPU/  
A82-16719  
Comparative psychophysiological evaluation of the effectiveness of psychic models of body hypo- and hyperponderousness  
A82-16723
- The activity of psychic models of hypogravity during 30-day experiments  
A82-16725
- GROB, P.**  
A transsynaptic autoradiographic study of the pathways controlling the extraocular eye muscles, using /I-124/B-Iib Tetanus toxin fragment  
A82-17441
- GRUESER, O.-J.**  
Sigma-movement and Sigma-nystagmus - A new tool to investigate the gaze-pursuit system and visual-movement perception in man and monkey  
A82-17450
- GUELL, A.**  
Status of vestibular function after prolonged bedrest  
A82-16940
- GUSAROV, A. S.**  
Study of the discrimination capacity of the auditory analyzer in flight personnel  
A82-18523
- GUTTMANN, H. E.**  
Simulator data on human error probabilities  
[DE81-026094] N82-15786
- ## H
- HAARONSON, M. H.**  
Recent life change measurement in Canadian Forces pilots  
A82-18733
- HAEBEL, W.**  
Concept study of a life sciences payload element (PLE) for the SL-D1 mission  
[BMFT-PB-W-81-038] N82-15733
- HALLICK, T. M.**  
Preprototype nitrogen supply subsystem development  
[NASA-CR-166192] N82-15780
- HARADA, Y.**  
Phasic components of frog semicircular canal  
A82-17430
- HARRIS, R. L., SR.**  
Visual scanning behavior and mental workload in aircraft pilots  
A82-18741  
Influence of display and control compatibility on pilot-induced oscillations  
[NASA-TP-1936] N82-14804
- HENN, V.**  
Effects of gravity on rotatory nystagmus in monkeys  
A82-17432  
Circularvection - Psychophysics and single-unit recordings in the monkey  
A82-17449  
Vestibular habituation in man and monkey during sinusoidal rotation  
A82-17453  
Velocity storage, nystagmus, and visual-vestibular interactions in humans  
A82-17460  
Input-output activity of the primate flocculus during visual-vestibular interaction  
A82-17466
- HEPPNER, D. B.**  
Preprototype nitrogen supply subsystem development  
[NASA-CR-166192] N82-15780
- HERMAN, B. A.**  
Airborne ultrasound: Measurement and possible adverse effects  
[PB81-240459] N82-15775
- HICKMAN, J. R., JR.**  
Computer-enhanced thallium scintigrams in asymptomatic men with abnormal exercise tests  
A82-16167
- HIGHSTEIN, S. M.**  
The ascending tract of Deiters' and horizontal gaze  
A82-17437  
Is transmission between the vestibular type I hair cell and its primary afferent chemical  
A82-17444
- HILL, I. B.**  
Hepato-splenic injury in aircraft accidents  
A82-18735
- HIRATA, K.**  
Phasic components of frog semicircular canal  
A82-17430
- HIRZINGER, G.**  
Robot with sense of touch  
A82-17133

- HIWATASHI, S.  
Dissociation of the eyes in saccadic movement  
A82-17479
- HOLCOMB, M. L.  
Evaluation of air cleaning and monitoring  
equipment used in recirculation systems  
[PB81-242695] N82-15788
- HOLMAN, B. L.  
Myocardial perfusion scintigraphy using a new  
technique, the mesh chamber  
[DE81-027995] N82-15773
- HOMICK, J. L.  
Validation of predictive tests and countermeasures  
for space motion sickness  
N82-15719
- HORDINSKY, J. R.  
Basic environmental problems of man in space;  
Proceedings of the Sixth International  
Symposium, Bonn, West Germany, November 3-6, 1980  
A82-16926
- HUDSPETH, A. J.  
Directional sensitivity of individual vertebrate  
hair cells to controlled deflection of their  
hair bundles  
A82-17427
- HUGHAN, G. R.  
Effects of disuse by limb immobilization on  
different muscle fiber types  
A82-16830
- HURLEY, D. E.  
An evaluation of engineering control technology  
for spray painting  
[PB81-243123] N82-15789
- I
- IAKOVLEV, A. I.  
Optimization of astronaut operator activity and  
systems of semiautomatic control of manned  
spacecraft on the basis of probabilistic criteria  
A82-16711  
Investigation of the statistical characteristics  
of astronaut operator activity directed towards  
the control of a manned spacecraft  
A82-16712
- IGARASHI, H.  
Effect of frontal-eye-field lesion on eye-head  
coordination in squirrel monkeys  
A82-17475
- IKEDA, S.  
Dynamic characteristics of the otolithic  
oculomotor system  
A82-17433
- IILIN, E. A.  
Summary of experiments onboard Soviet biosatellites  
A82-16929  
Future investigations onboard Soviet biosatellites  
of the Cosmos series  
A82-16954
- INGSTER, I.  
Status of vestibular function after prolonged  
bedrest  
A82-16940
- ITO, H.  
Evaluation of the parallel conductor theory for  
measuring human limb blood flow by electrical  
admittance plethysmography  
A82-17568
- ITO, J.  
Neuronal interaction between ipsilateral medial  
and lateral vestibular nuclei  
A82-17436
- IVANOV, E. A.  
Certain aspects of the visual activity of astronauts  
A82-16708
- J
- JACOBS, R.  
Directional sensitivity of individual vertebrate  
hair cells to controlled deflection of their  
hair bundles  
A82-17427
- JAEGER, J.  
Vestibular habituation in man and monkey during  
sinusoidal rotation  
A82-17453
- JEANNEROD, M.  
Unilateral habituation of vestibulo-ocular  
responses in the cat  
A82-17454
- JIRINA, M.  
Simulation of human reactions under extreme  
conditions  
A82-16934
- JOHNSON, P. C., JR.  
STS-1 medical report  
[NASA-TM-58240] N82-15711
- JOHNSTON, R. S.  
U.S. manned space flight: The first twenty years -  
A biomedical status report  
A82-16927
- JONES, W. R., JR.  
Fabrication and wear test of a continuous  
fiber/particulate composite total surface hip  
replacement  
[ASLE PREPRINT 81-LC-2D-1] A82-18402
- JURGENS, R.  
Different effects involved in the interaction of  
saccades and the vestibulo-ocular reflex  
A82-17480
- JUNK, P.  
Concept study of a life sciences payload element  
(PLE) for the SL-D1 mission  
[BHFPT-PB-W-81-038] N82-15733
- K
- KADYNOVA, M. I.  
Investigation of physiological compensation  
processes following the surgical destruction of  
the labyrinth  
A82-16811
- KALASHAITITE, L. I.  
Trial of an automated EKG analysis system in a  
cardiological clinic  
A82-16804
- KAPLAN, H.  
Plan of action and milestones for Navy combustion  
toxicity  
[AD-A105623] N82-14796
- KARTEN, H. J.  
Organization of the avian accessory optic system  
A82-17445
- KASHANOV, S. I.  
Biogenic monoamine concentrations in autonomic  
nervous system ganglia during acute experimental  
emotional stress  
A82-16817
- KASS, J. R.  
Nauseogenic properties of various dynamic and  
static force environments  
A82-16938
- KATILA, T.  
Magnetic measurement of cardiac volume changes  
A82-17569
- KATO, I.  
The brain-stem projection to the cerebellar  
flocculus relevant to optokinetic responses in  
cats  
A82-17463
- KAWASAKI, T.  
The brain-stem projection to the cerebellar  
flocculus relevant to optokinetic responses in  
cats  
A82-17463
- KAY, T. H.  
Computer-enhanced thallium scintigrams in  
asymptomatic men with abnormal exercise tests  
A82-16167
- KAZARIAN, L. E.  
The effects of hypokinesia in primates and bone  
strength  
A82-16946
- KELLER, E. L.  
Neural activity in the nucleus reticularis  
tegmenti pontis in the monkey related to eye  
movements and visual stimulation  
A82-17447
- KELLY, D. H.  
Disappearance of stabilized chromatic gratings  
A82-16125

- KERTESZ, A. E.**  
Human vertical fusional response under open and closed loop stimulation to predictable and unpredictable disparity presentations  
A82-17571
- KHACHATURIANTS, L. S.**  
Astronaut activity in flight and enhancement of its efficiency  
A82-16701  
Current problems in the psychophysiology of space work /status and future prospects/  
A82-16703  
The use of a psychophysiological feedback system for purposes of activity optimization  
A82-16706  
Psychophysiological correlates of the control activity of the astronaut  
A82-16707  
Problems of the control of operator state  
A82-16710
- KHALIN, M. L.**  
Some characteristics of thermal adaptation in small laboratory animals  
A82-16971
- KHLUDZEV, E. N.**  
The effects of a light blue background on the operator visual analyzer  
A82-16727
- KHUTIN, T. V.**  
The role of physical training in the prevention of ischemic heart disease  
A82-18525
- KIMURA, M.**  
Mossy fiber activation of the cerebellar flocculus from the visual system  
A82-17465
- KIRMONAS, A. A.**  
Trial of an automated EKG analysis system in a cardiological clinic  
A82-16804
- KIRSCH, K. A.**  
Current views and future programs in cardiovascular physiology in space  
A82-16931
- KISHIMOTO, S.**  
Dissociation of the eyes in saccadic movement  
A82-17479
- KLEIN, H. P.**  
U.S. biological experiments in space  
A82-16930
- KLEIN, K. E.**  
Basic environmental problems of man in space; Proceedings of the Sixth International Symposium, Bonn, West Germany, November 3-6, 1980  
A82-16926
- KNIGHT, J. L.**  
Effects of task feedback and stringency of external pacing on mental load and work performance  
A82-18325
- KOENIG, B.**  
Aftereffects of vestibular and optokinetic stimulation and their interaction  
A82-17461
- KOLESHNIKOV, G. M.**  
Concerning a model of human activity  
A82-16704  
Certain theoretical features of astronaut preparation  
A82-16705
- KOMISSAROVA, N. V.**  
Changes in Hageman factor system indicators during human adaptation to intense physical loading  
A82-16816
- KOOZERANANI, S. B.**  
A physical model of human postural dynamics  
A82-17478
- KORCHINSKII, L. A.**  
Plasma erythropoietins during training for hyperoxic conditions  
A82-17147
- KORSAKAS, S. L.**  
Trial of an automated EKG analysis system in a cardiological clinic  
A82-16804
- KOSBERENKO, O. P.**  
Pathophysiology of motor functions in prolonged manned space flights  
A82-16945
- KOTOV, A. N.**  
Pulmonary diffusing capacity under conditions of restricted motor activity  
A82-17140
- KOTOVSKAIA, A. R.**  
Biomedical aspects of artificial gravity  
A82-16951
- KOVAL, E. Z.**  
Ecological and technological problem of biodamages  
N82-15766
- KOVALENKO, T. N.**  
The state of the air-blood barrier in hyperoxia  
A82-16970
- KOVALEV, E. E.**  
Radiation - Risk and protection in manned space flight  
A82-16948
- KOZINSKY, E. J.**  
Simulator data on human error probabilities [DE81-026094]  
N82-15786
- KOZLOVA, I. A.**  
Ecological and technological problem of biodamages  
N82-15766
- KOZLOVSKAIA, I. B.**  
Pathophysiology of motor functions in prolonged manned space flights  
A82-16945
- KRAYEV, V. G.**  
Conference on plant virology  
N82-15767
- KREIDICH, IU. V.**  
Pathophysiology of motor functions in prolonged manned space flights  
A82-16945
- KRUGLIKOV, G. G.**  
Morphology of experimental pneumoconiosis arising from the effects of lunar soil  
A82-16824
- KRZESINSKI, P.**  
Initiation into the utilization of programmable industrial robots: Grafcet  
N82-14805
- KUBICZKOWA, J.**  
Vestibular tests in the selection of cosmonauts  
A82-16941
- KUBO, T.**  
Effect of frontal-eye-field lesion on eye-head coordination in squirrel monkeys  
A82-17475
- KUKES, V. G.**  
The effects of bicycle ergometer exercise on plasma amino acid contents in athletes  
A82-17145
- KULIDZHANOV, A. IU.**  
Functional characteristics of the pilot hypothalamus-hypophysis-adrenal cortex system  
A82-16275
- KURTSEB, B. M.**  
The effects of hypokinesia on the spectral characteristics of free amino acids in the skeletal muscles and the blood  
A82-18661  
Free amino acid concentrations in the livers of animals subjected to certain extremal factors  
A82-18662
- L**
- LACOUR, M.**  
Early directional influence of visual motion cues on postural control in the falling monkey  
A82-17459
- LAGUNOVA, O. N.**  
Some characteristics of thermal adaptation in small laboratory animals  
A82-16971
- LAHUE, R. H., JR.**  
Visual-vestibular interactions in visual cortical cells in the cat  
A82-17448
- LANDOLT, J. P.**  
Visual-vestibular interactions in visual cortical cells in the cat  
A82-17448
- LANTSBERG, L. A.**  
Changes in Hageman factor system indicators during human adaptation to intense physical loading  
A82-16816

- LARIE, V. B.**  
Determination of the angular orientation of the  
body of a walking machine  
A82-16288
- LEACH, C. S.**  
An overview of the endocrine and metabolic changes  
in manned space flight  
A82-16935  
Biochemistry and endocrinology results  
N82-15721
- LEBEDEV, D. G.**  
Analysis of retinal work in the discrimination of  
a contour signal  
A82-16819
- LEIGH, R. J.**  
A hypothetical explanation for periodic  
alternating nystagmus - Instability in the  
optokinetic-vestibular system  
A82-17474
- LEKAKH, V. A.**  
Some characteristics of thermal adaptation in  
small laboratory animals  
A82-16971
- LEWIS, C. S.**  
USSR Space Life Sciences Digest  
[NASA-TM-84080]  
N82-15708
- LI, S. Y.**  
Polyploidization delay in rat hepatocytes under  
liver growth inhibition by hypokinesia  
[NASA-TM-76515]  
N82-14794
- LICHTENBERG, B. K.**  
Ocular torsion on earth and in weightlessness  
A82-17435
- LINDSAY, W. S.**  
Studies in in vivo electrochemistry  
N82-14793
- LING, F. P.**  
Fabrication and wear test of a continuous  
fiber/particulate composite total surface hip  
replacement  
[ASLE PREPRINT 81-LC-2D-1]  
A82-18402
- LISBERGER, S. G.**  
The 'Error' signals subserving adaptive gain  
control in the primate vestibulo-ocular reflex  
A82-17468
- LITSON, A. W.**  
The influence of certain habitation conditions on  
the physiological functions, work capacity, and  
dream dynamics of man  
A82-16720
- LITSOV, A. B.**  
Concerning the rationalization of the work and  
rest schedule of cosmonauts  
A82-16724
- LOOP, G.**  
The function of the endolymphatic duct - An  
experimental study using ionic lanthanum as a  
tracer: A preliminary report  
A82-17428
- LOSEV, I. S.**  
Model for the perception of moving and fixed objects  
A82-16820
- LOTENS, W. A.**  
A criterion for the disposal of M58 sleeping bags  
[IZP-1979-15]  
N82-15782  
Evaluation of chemical protective facelets and  
comparison of four prototypes  
[IZP-1980-15]  
N82-15784
- LOTH, D.**  
Status of vestibular function after prolonged  
bedrest  
A82-16940
- LURASH, A. I.**  
Extra-erythrocytic hemoglobin and iron-bearing  
hemoglobin destruction products - A system for  
the amplification of the toxic effects of  
hyperoxia  
A82-16803
- LURSHENE, D. V.**  
Experience with the development and application of  
telemetric computing systems in cardiology  
A82-16806
- LYTKENS, L.**  
The function of the endolymphatic duct - An  
experimental study using ionic lanthanum as a  
tracer: A preliminary report  
A82-17428
- M**
- MAEKAWA, K.**  
Mossy fiber activation of the cerebellar flocculus  
from the visual system  
A82-17465
- MAGENES, G.**  
Modifications of vestibular nystagmus produced by  
fixation of visual and nonvisual targets  
A82-17477
- MAKEEV, S. M.**  
Functional model of the temporal and amplitude  
characteristics of the cardiac electric field  
A82-18699
- MALIUGIN, V. N.**  
Concerning the rationalization of the work and  
rest schedule of cosmonauts  
A82-16724
- MALYUTIN, V. P.**  
Polyploidization delay in rat hepatocytes under  
liver growth inhibition by hypokinesia  
[NASA-TM-76515]  
N82-14794
- HANDL, G.**  
Motion sickness due to vision reversal - Its  
absence in stroboscopic light  
A82-17451
- MANIEWSKI, R.**  
Magnetic measurement of cardiac volume changes  
A82-17569
- MANUKHIN, B. N.**  
Biogenic monoamine concentrations in autonomic  
nervous system ganglia during acute experimental  
emotional stress  
A82-16817
- MARKHAM, C. H.**  
Binocular counterrolling in humans with unilateral  
labyrinthectomy and in normal controls  
A82-17434  
Cat medial pontine neurons in vestibular  
nystagmus  
A82-17443
- MARIKOVA, H. P.**  
Functional characteristics of the pilot  
hypothalamus-hypophysis-adrenal cortex system  
A82-16275
- MARTINS, A. J.**  
Natural retinal image motion - Origin and change  
A82-17452
- MASAKI, M.**  
Dynamic characteristics of the otolithic  
oculomotor system  
A82-17433
- MASON, J. A.**  
STS-1 medical report  
[NASA-TM-58240]  
N82-15711
- MATSUOKA, I.**  
Neuronal interaction between ipsilateral medial  
and lateral vestibular nuclei  
A82-17436
- MATUZONIS, A. I.**  
Experience with the development and application of  
telemetric computing systems in cardiology  
A82-16806
- MAURELLI, V. A.**  
Methods for linking item parameters  
[AD-A105509]  
N82-15779
- MAZZEI, F.**  
Spectrophotometric studies on the RNA structure in  
E.coli ribosomes. Part 1: Fundamentals of  
ultraviolet spectrophotometry of nuclei acids  
[ISS-R-80/2-PT-1]  
N82-15734  
Spectrophotometric studies of the RNA structure in  
E.coli ribosomes. Part 2: Influence of ions  
and proteins on the RNA secondary structure  
[ISS-R-80/3-PT-2]  
N82-15735
- MCCABE, B. F.**  
Nonlinear characteristics of single neurons in the  
vestibular nuclei  
A82-17438
- MCCABRON, P. M.**  
Recent life change measurement in Canadian Forces  
pilots  
A82-18733
- MCCARTNEY, M.**  
NASA biomedical applications team. Applications  
of aerospace technology in biology and medicine  
[NASA-CR-152663]  
N82-15710

- MCCREA, R. A.  
Some thoughts about the three neurons in the vestibular ocular reflex  
A82-17442
- MDINARADZE, I. U. S.  
The ergometric determination of myocardial reserves  
A82-16805
- MERBSON, F. Z.  
Prevention of hypoxic heart damage by the use of oxyppyridine-class antioxidants  
A82-16821  
Damage and repair of heart muscle DNA during emotional-pain stress  
A82-16822
- MELKOVSKAIA, T. V.  
Possible model representations of the neurophysiological mechanisms for the analysis of the direction and speed of a moving visual object  
A82-16807
- MELVILL JONES, G.  
Motion sickness due to vision reversal - Its absence in stroboscopic light  
A82-17451
- MERGBER, T.  
Patterns of vestibular and neck responses and their interaction - A comparison between cat cortical neurons and human psychophysics  
A82-17456
- MILES, P. A.  
The 'Error' signals subserving adaptive gain control in the primate vestibulo-ocular reflex  
A82-17468
- MILOVANOV, A. P.  
Northern pulmonary arterial hypertension  
A82-17143
- MIMPEN, A. M.  
Hearing protection  
[IZP-1980-2]  
N82-15783
- MISHCHENKO, V. S.  
Psychophysiological safety control in long-duration space flights  
A82-16726
- MIYATA, H.  
Dynamic characteristics of the otolithic oculomotor system  
A82-17433
- MIYOSHI, T.  
Dissociation of the eyes in saccadic movement  
A82-17479
- MIZUKOSHI, K.  
The brain-stem projection to the cerebellar flocculus relevant to optokinetic responses in cats  
A82-17463
- MKRTCHAN, O. Z.  
The effects of heat stress on the morphogenetic potencies of the nephron epithelium  
A82-16825
- MOHEY, K. E.  
Visual-vestibular interactions in visual cortical cells in the cat  
A82-17448
- MOORE, H.  
Piribedil-induced anti-hypoxic protection in rats  
A82-18738
- MORIMOTO, H.  
Neuronal interaction between ipsilateral medial and lateral vestibular nuclei  
A82-17436
- MORLANG, W. H.  
Forensic dentistry  
A82-18737
- MOROSHNIHENKO, G. I.  
Northern pulmonary arterial hypertension  
A82-17143
- MORRIS, H.  
Is recognition accuracy really impaired when the target is repeated in the display  
A82-16893
- MOSKIN, M. P.  
The circadian organization of the circulatory and respiratory systems of Antarctic workers  
A82-17139
- MUKHIN, L. M.  
'Hot spots' in the problem of the origin of life  
A82-17360
- N**
- NAKAO, S.  
Cat medial pontine neurons in vestibular nystagmus  
A82-17443
- NAKAYA, M.  
Effect of physical fitness and training on physiological responses to hypogravity  
A82-16933
- NASOLODIN, V. V.  
Changes in blood indicators upon the inclusion of trace elements in the diet  
A82-16274
- NASONOV, A. S.  
The effects of bicycle ergometer exercise on plasma amino acid contents in athletes  
A82-17145
- NASTAS, I. A.  
Free amino acid concentrations in the livers of animals subjected to certain extremal factors  
A82-18662
- NAUMENKO, K. I.  
Determination of the angular orientation of the body of a walking machine  
A82-16288
- NETUDYKHATKA, O. I. U.  
The work capacity of sailors under conditions of varying work-rest cycles  
A82-18524
- NEUMYVAKIN, I. P.  
Anesthesia, surgical aid and resuscitation in manned space missions  
A82-16950
- NG, L. K. Y.  
New approaches to treatment of chronic pain: A review of multidisciplinary pain clinics and pain centers  
[PB81-240913]  
N82-15778
- NIKOLAEV, S. O.  
Summary of experiments onboard Soviet biosatellites  
A82-16929
- NODA, H.  
Visual mossy fiber inputs to the flocculus of the monkey  
A82-17464
- NOBEIKO, B. V.  
Northern pulmonary arterial hypertension  
A82-17143
- NOVITSKII, A. A.  
Functional characteristics of the pilot hypothalamus-hypophysis-adrenal cortex system  
A82-16275
- O**
- O-UCHI, T.  
Effect of frontal-eye-field lesion on eye-head coordination in squirrel monkeys  
A82-17475
- OBRIEN, D. M.  
An evaluation of engineering control technology for spray painting  
[PB81-243123]  
N82-15789
- OGANOV, V. S.  
Pathophysiology of motor functions in prolonged manned space flights  
A82-16945
- OHARA, W.  
Is recognition accuracy really impaired when the target is repeated in the display  
A82-16893
- OHISHI, K.  
Effect of physical fitness and training on physiological responses to hypogravity  
A82-16933
- OKUBO, J.  
The role of the plantar mechanoreceptor in equilibrium control  
A82-17483
- OHAN, C. M.  
Ocular torsion on earth and in weightlessness  
A82-17435  
Visually induced self-motion sensation adapts rapidly to left-right reversal of vision  
A82-17455

- OHORI, G.  
Spectrophotometric studies on the RNA structure in E.coli ribosomes. Part 1: Fundamentals of ultraviolet spectrophotometry of nuclei acids [ISS-R-80/2-PT-1] N82-15734  
Spectrophotometric studies of the RNA structure in E.coli ribosomes. Part 2: Influence of ions and proteins on the RNA secondary structure [ISS-R-80/3-PT-2] N82-15735
- OSBORNE, L. S.  
Myocardial perfusion scintigraphy using a new technique, the mesh chamber [DE81-027995] N82-15773
- OTT, H.  
Concept study of a life sciences payload element (PLE) for the SL-D1 mission [BMFT-PB-W-81-038] N82-15733

## P

- PALCHUN, V. T.  
Investigation of physiological compensation processes following the surgical destruction of the labyrinth N82-16811
- PALLA, R. L., JR.  
A heat transfer analysis of scald injury [PB81-238503] N82-15777
- PARFITT, A. H.  
Bone effects of space flight - Analysis by quantum concept of bone remodelling N82-16947
- PAUSE, H.  
Sigma-movement and Sigma-nystagmus - A new tool to investigate the gaze-pursuit system and visual-movement perception in man and monkey N82-17450
- PERLMUTTER, A. L.  
Human vertical fusional response under open and closed loop stimulation to predictable and unpredictable disparity presentations N82-17571
- PERSON, L. H., JR.  
Influence of display and control compatibility on pilot-induced oscillations [NASA-TP-1936] N82-14804
- PETERSON, B. W.  
Dynamics of vestibulo-ocular, vestibulocollic, and cervicocollic reflexes N82-17458
- PETROV, V. H.  
Radiation - Risk and protection in manned space flight N82-16948
- PETROVA, M. V.  
Biogenic monoamine concentrations in autonomic nervous system ganglia during acute experimental emotional stress N82-16817
- PIERSON, D. L.  
Medical microbiology of crewmembers N82-15723
- PISH, M. D.  
Plan of action and milestones for Navy combustion toxicity [AD-A105623] N82-14796
- PLEASANT, L. G.  
A compendium of hypokinetic and hypodynamic animal studies [NASA-CR-3485] N82-15709
- POLIANTSEV, V. A.  
The dynamics of cardiac rhythm parameters during work under various loads N82-17146
- POLL, K. J.  
The Link-Miles driver training simulator for tracked vehicles: Influence of cabin motion on gear-change learning [IZP-1980-24] N82-15785
- POMERANTSEV, V. P.  
The ergometric determination of myocardial reserves N82-16805
- POMPEIANO, O.  
Responses of vestibulospinal neurons to neck and macular vestibular inputs in the presence or absence of the paleocerebellum N82-17457

- PONOMARENKO, V. A.  
Methodological principles of the investigation of pilot error N82-16709
- POOL, S. E.  
Emergency Medical Services System (EMSS) N82-15716
- POOL, S. L.  
STS-1 medical report [NASA-TM-58240] N82-15711
- POPOV, A. A.  
Functional model of the temporal and amplitude characteristics of the cardiac electric field N82-18699
- POPOV, A. H.  
The effects of operator activity on the diurnal rhythm of physiological functions N82-17142
- POPOVICH, P. B.  
Certain theoretical features of astronaut preparation N82-16705
- PORTUGALOV, V. V.  
Biogenic monoamine concentrations in autonomic nervous system ganglia during acute experimental emotional stress N82-16817
- POTCHEB, E. J.  
Evaluative studies in nuclear medicine research. Emission-computed tomography assessment [DE81-030168] N82-14801
- POTE, K. G.  
Microdisc gel electrophoresis in sodium dodecyl sulfate of organic material from rat otoconial complexes N82-17482
- POWELL, D.  
Airborne ultrasound: Measurement and possible adverse effects [PB81-240459] N82-15775
- PRECHT, W.  
Visual-vestibular interaction in vestibular neurons - Functional pathway organization N82-17446
- PREISS, H.  
Feasibility study (phase A) for a Life Science Double Rack envisaged for the Spacelab mission D1 [BMFT-PB-W-81-037] N82-15732
- PRINZMETAL, W.  
Principles of feature integration in visual perception N82-16892
- PROKHOROVICH, E. A.  
The ergometric determination of myocardial reserves N82-16805
- PROSSEB, A. J.  
Vestibular influence upon head-eye coordination N82-17470

## Q

- QIAO, C.  
Fundamentals of aeronautical and aerospace medical science [AD-A102298] N82-15736

## R

- RADZHABOV, A. O.  
Investigation of the otolith apparatus in clinical practice N82-16812
- RAFIKOV, A. H.  
Monitoring the condition of the organism under hyperoxic conditions N82-17141
- RAPHAN, T.  
Effects of gravity on rotatory nystagmus in monkeys N82-17432  
Velocity storage, nystagmus, and visual-vestibular interactions in humans N82-17460
- RAPP, R. H.  
Food and nutrition N82-15724

- BARRY, K. E.**  
Microdisc gel electrophoresis in sodium dodecyl sulfate of organic material from rat otoconial complexes  
A82-17482
- BASK-ANDERSEN, H.**  
The function of the endolymphatic duct - An experimental study using ionic lanthanum as a tracer: A preliminary report  
A82-17428  
Temporal bone characteristics in Meniere's disease  
A82-17481
- BAUGALAS, E. I.**  
Experience with the development and application of telemetric computing systems in cardiology  
A82-16806
- REE, H. J.**  
Methods for linking item parameters  
[AD-A105509]  
N82-15779
- BEEVES, J. T.**  
Non-invasive pulmonary arterial pressure measurement  
[PB81-239410]  
N82-15776
- REGAN, D.**  
How do we avoid confounding the direction we are looking and the direction we are moving  
A82-18024
- REINIS, S.**  
Visual-vestibular interactions in visual cortical cells in the cat  
A82-17448
- REISINE, H.**  
The ascending tract of Deiters' and horizontal gaze  
A82-17437
- RENNE, R. A.**  
Carcinogenic effects of coal-conversion materials  
[DE81-028108]  
N82-14803
- RIABININ, V. E.**  
The effects of immobilization stress on diacyl and plasmogenic phospholipids in various organs and tissues of the rat  
A82-16802
- RIEGER, P.**  
Different effects involved in the interaction of saccades and the vestibulo-ocular reflex  
A82-17480
- RIPPSTEIN, W. J.**  
Shuttle toxicology  
N82-15726
- ROBERTS, J. C.**  
Fabrication and wear test of a continuous fiber/particulate composite total surface hip replacement  
[ASLE PREPRINT 81-IC-2D-1]  
A82-18402
- ROBINSON, D. A.**  
Directional plasticity of the vestibulo-ocular reflex in the cat  
A82-17467  
A hypothetical explanation for periodic alternating nystagmus - Instability in the optokinetic-vestibular system  
A82-17474
- ROMANOV, V. V.**  
The effects of operator activity on the diurnal rhythm of physiological functions  
A82-17142
- ROSS, H. E.**  
How important are changes in body weight for mass perception  
A82-16944
- ROSS, H. D.**  
Reissner's membrane and the spiral ligament in normal rats and those treated with ethacrynic acid  
A82-16833  
Microdisc gel electrophoresis in sodium dodecyl sulfate of organic material from rat otoconial complexes  
A82-17482
- ROUSE, D. J.**  
NASA biomedical applications team. Applications of aerospace technology in biology and medicine  
[NASA-CR-152663]  
N82-15710  
Applications of aerospace technology in biology and medicine  
[NASA-CR-159106]  
N82-15769
- RUSIN, V. IA.**  
Changes in blood indicators upon the inclusion of trace elements in the diet  
A82-16274
- RUSSELL, D. A.**  
The mass extinctions of the late Mesozoic  
A82-17620
- RUSSELL, E. S.**  
Inborn anemias in mice  
[DE81-029128]  
N82-14795
- RYAN, H. T.**  
INTDOS: A computer code for estimating internal radiation dose using recommendations of the International Commission on Radiological Protection  
[DE82-000507]  
N82-14799
- RYU, J. H.**  
Nonlinear characteristics of single neurons in the vestibular nuclei  
A82-17438

## S

- SAIKI, A.**  
Effect of physical fitness and training on physiological responses to hypogravity  
A82-16933
- SAIKI, H.**  
Effect of physical fitness and training on physiological responses to hypogravity  
A82-16933
- SAIKI, Y.**  
Effect of physical fitness and training on physiological responses to hypogravity  
A82-16933
- SAKOVICH, V. A.**  
Radiation - Risk and protection in manned space flight  
A82-16948
- SALIGAUT, C.**  
Piribedil-induced anti-hypoxic protection in rats  
A82-18738
- SALVENDY, G.**  
Effects of task feedback and stringency of external pacing on mental load and work performance  
A82-18325
- SAPOZHKOVA, I. P.**  
Monitoring the condition of the organism under hyperoxic conditions  
A82-17141
- SARAEV, I. P.**  
Concerning the rationalization of the work and rest schedule of cosmonauts  
A82-16724
- SASA, H.**  
Neuronal interaction between ipsilateral medial and lateral vestibular nuclei  
A82-17436
- SASAKI, S.**  
Reticulovestibular organization participating in generation of horizontal fast eye movement  
A82-17439
- SATO, Y.**  
The brain-stem projection to the cerebellar flocculus relevant to optokinetic responses in cats  
A82-17463
- SAUER, R. L.**  
Food and nutrition  
The potable water  
N82-15724  
N82-15725
- SCARBCE, R. W.**  
NASA biomedical applications team. Applications of aerospace technology in biology and medicine  
[NASA-CR-152663]  
N82-15710
- SCARBCE, R. W., JR.**  
Applications of aerospace technology in biology and medicine  
[NASA-CR-159106]  
N82-15769
- SCHAEFER, K.-P.**  
Acoustic-induced eye movements  
A82-17476
- SCHESSEL, D. A.**  
Is transmission between the vestibular type I hair cell and its primary afferent chemical  
A82-17444
- SCHILLER, P.**  
Feasibility study (phase A) for a Life Science Double Rack envisaged for the Spacelab mission D1  
[BMFT-FB-W-81-037]  
N82-15732

- SCHMID, R.  
Unilateral habituation of vestibulo-ocular responses in the cat A82-17454  
Modifications of vestibular nystagmus produced by fixation of visual and nonvisual targets A82-17477
- SCHOLZ, R. C.  
Evaluation of air cleaning and monitoring equipment used in recirculation systems [PB81-242695] N82-15788
- SCHREITER, U.  
Sigma-movement and Sigma-nystagmus - A new tool to investigate the gaze-pursuit system and visual-movement perception in man and monkey A82-17450
- SCHUBERT, P. H.  
Preprototype nitrogen supply subsystem development [NASA-CR-166192] N82-15780
- SCHULTHEIS, L. W.  
Directional plasticity of the vestibulo-ocular reflex in the cat A82-17467
- SCHWARTZ, E.  
Use of a television multipoint x-y tracker for determining the transmission of vibrations on human beings N82-15787
- SEIDER, M. J.  
Effects of disuse by limb immobilization on different muscle fiber types A82-16830
- SEIDMAN, D. N.  
Field-ion-microscope observations of radiation effects [DE81-030934] N82-14802
- SELIVRA, A. I.  
Monitoring the condition of the organism under hyperoxic conditions A82-17141
- SENCAJ, R. W.  
Dipole localization of average and single visual evoked potentials A82-17570
- SETLOW, R. B.  
Repair of radiation damage in mammalian cells [DE81-030824] N82-14800
- SHAFRAN, L. M.  
The work capacity of sailors under conditions of varying work-rest cycles A82-18524
- SHAGETS, F. W.  
Surgical treatment of recurrent frontal sinus barotrauma - A case report A82-18743
- SHIMAZAKI, C.  
Disturbances of eye-head coordination during lateral gaze in labyrinthine disease A82-17471
- SHIMAZU, H.  
Reticulovestibular organization participating in generation of horizontal fast eye movement A82-17439  
Evaluation of the parallel conductor theory for measuring human limb blood flow by electrical admittance plethysmography A82-17568
- SHIPOV, A. A.  
Biomedical aspects of artificial gravity A82-16951
- SHKOLNIK, N. M.  
Changes in Hageman factor system indicators during human adaptation to intense physical loading A82-16816
- SHLAPIKENE, B. G.  
Experience with the development and application of telemetric computing systems in cardiology A82-16806
- SHNELKINA, R. D.  
The effects of hyperventilation on EEG alpha-rhythm depression induced by a suggested visual representation A82-16801
- SHOTWELL, S. L.  
Directional sensitivity of individual vertebrate hair cells to controlled deflection of their hair bundles A82-17427
- SHURA-BURA, T. M.  
Model for the perception of moving and fixed objects A82-16820
- SIEDBAND, M. P.  
NASA biomedical Applications Team Advisory Center for Medical Technology and Systems [NASA-CR-166755] N82-15770
- SILTANEN, P.  
Magnetic measurement of cardiac volume changes A82-17569
- SIMONOV, P. V.  
Informational need of emotional stress A82-16943
- SIMPSON, J. I.  
Eye-muscle geometry and compensatory eye movements in lateral-eyed and frontal-eyed animals A82-17429
- SINITSYNA, T. A.  
The effects of immobilization on the development of experimental atherosclerosis in rabbits A82-16815
- SKOOG, A. I.  
Trends in space life support A82-16953
- SLISH, V. I.  
Prospects for the detection of interstellar biological molecules A82-17361
- SMIENK, E. J. M.  
A criterion for the disposal of M58 sleeping bags [IZF-1979-15] N82-15782
- SHIRICHEVSKII, L. D.  
Investigation of astronaut activity under conditions of the hydrosimulation of weightlessness A82-16713
- SMITH, L. G.  
Carcinogenic effects of coal-conversion materials [DE81-028108] N82-14803
- SHOORENBURG, G. F.  
Hearing protection [IZF-1980-2] N82-15783
- SOKOLIANSKII, I. F.  
Oxygen tension in albino rat abdominal cavity organs in normo- and hyperoxybaria A82-16969
- SOROKO, S. I.  
The reorganization of EEG structure during adaptation to the Antarctic A82-16810
- STAHL, J.  
Temporal bone characteristics in Meniere's disease A82-17481
- STARK, L.  
Active head rotations and eye-head coordination A82-17469
- STAZHADZE, L. L.  
Anesthesia, surgical aid and resuscitation in manned space missions A82-16950
- STEGEN, H.  
Concept study of a life sciences payload element (PLE) for the SL-D1 mission [BHFT-PB-W-81-038] N82-15733
- STEINMAN, R. M.  
Natural retinal image motion - Origin and change A82-17452
- STEPANOV, E. M.  
Simulation of operator activity in a system for the technical servicing of a space station A82-16717
- STEPHENS, A. T.  
Visual scanning behavior and mental workload in aircraft pilots A82-18741
- STEVENS, I.  
Remote Medical Diagnosis System (RMDS) utilization study [AD-A105559] N82-15771
- STOCKWELL, C. W.  
A physical model of human postural dynamics A82-17478
- STREBLITSKII, V. S.  
Organic compounds in space and the problem of the origin of life A82-17362

- SUDOH, M.  
Effect of physical fitness and training on  
physiological responses to hypogravity  
A82-16933
- SUESS, K.-J.  
Acoustic-induced eye movements  
A82-17476
- SUKHANOV, E. D.  
Investigation of the statistical characteristics  
of astronaut operator activity directed towards  
the control of a manned spacecraft  
A82-16712
- SUTORMIN, V. A.  
Concerning the rationalization of the work and  
rest schedule of cosmonauts  
A82-16724
- SUVOROV, V. A.  
Changes in blood indicators upon the inclusion of  
trace elements in the diet  
A82-16274
- T**
- TAKAORI, S.  
Neuronal interaction between ipsilateral medial  
and lateral vestibular nuclei  
A82-17436
- TAKEDA, T.  
Mossy fiber activation of the cerebellar flocculus  
from the visual system  
A82-17465
- TAKETOMI, Y.  
Effect of physical fitness and training on  
physiological responses to hypogravity  
A82-16933
- TAMADA, A.  
Dissociation of the eyes in saccadic movement  
A82-17479
- TAYLOR, G. R.  
Hematological and immunological analyses  
N82-15722
- THOMAS, B.  
Evaluation of short-term bioassays to predict  
functional impairment. Selected short-term  
pulmonary toxicity tests  
[AD-A103766] N82-14797  
Evaluation of short-term bioassays to predict  
functional impairment. development of pulmonary  
bioassays in small animals: Directory of  
Institutions; individuals involved in utilization  
[AD-A103767] N82-14798
- TIMANIN, E. M.  
A modified kinetic model of muscular contraction  
A82-16818
- TIMBAL, J.  
Measurement of systolic time intervals by  
electrical plethysmography Validation with  
invasive and noninvasive methods  
A82-18742
- TOGAWA, T.  
Evaluation of the parallel conductor theory for  
measuring human limb blood flow by electrical  
admittance plethysmography  
A82-17568
- TOKITA, T.  
Dynamic characteristics of the otolithic  
oculomotor system  
A82-17433
- TOLE, J. R.  
Visual scanning behavior and mental workload in  
aircraft pilots  
A82-18741
- TOUPRET, B.  
Status of vestibular function after prolonged  
bedrest  
A82-16940
- TUOHISTO, T.  
Magnetic measurement of cardiac volume changes  
A82-17569
- U**
- UMURA, T.  
Disturbances of eye-head coordination during  
lateral gaze in labyrinthine disease  
A82-17471
- UHL, G. S.  
Computer-enhanced thallium scintigrams in  
asymptomatic men with abnormal exercise tests  
A82-16167
- UNDERWOOD GROUND, K. E.  
Liver pathology in aircrew  
A82-18734  
Check your oxygen  
A82-18736
- V**
- VAINOBAS, A. L.  
Trial of an automated EKG analysis system in a  
cardiological clinic  
A82-16804
- VALE, C. D.  
Methods for linking item parameters  
[AD-A105509] N82-15779
- VANDERFLOEG, J. H.  
Crew medical training  
N82-15717  
Shuttle orbital medical system  
N82-15718
- VANLEEUWEN, H. A.  
Hearing protection  
[IZF-1980-2] N82-15783
- VARPOLA, T.  
Magnetic measurement of cardiac volume changes  
A82-17569
- VARTSKY, D.  
Applications of nuclear techniques for in vivo  
body composition studies at Brookhaven National  
Laboratory  
[DE81-029922] N82-15772
- VASILETS, V. M.  
Optimization of astronaut operator activity and  
systems of semiautomatic control of manned  
spacecraft on the basis of probabilistic criteria  
A82-16711  
Investigation of the statistical characteristics  
of astronaut operator activity directed towards  
the control of a manned spacecraft  
A82-16712
- VASILEV, V. K.  
Damage and repair of heart muscle DNA during  
emotional-pain stress  
A82-16822
- VASIUK, IU. A.  
The ergometric determination of myocardial reserves  
A82-16805
- VASWANI, A. H.  
Applications of nuclear techniques for in vivo  
body composition studies at Brookhaven National  
Laboratory  
[DE81-029922] N82-15772
- VERMA, L. H.  
Microdisc gel electrophoresis in sodium dodecyl  
sulfate of organic material from rat otoconial  
complexes  
A82-17482
- VIDAL, P. P.  
Horizontal eye movement signals in second-order  
vestibular nuclei neurons in the cat  
A82-17440  
Early directional influence of visual motion cues  
on postural control in the falling monkey  
A82-17459
- VLADIMIROV, I. V.  
Anesthesia, surgical aid and resuscitation in  
manned space missions  
A82-16950
- VBUKOV, V. V.  
Extra-erythrocytic hemoglobin and iron-bearing  
hemoglobin destruction products - A system for  
the amplification of the toxic effects of  
hyperoxia  
A82-16803
- VOGEL, H.  
Nauseogenic properties of various dynamic and  
static force environments  
A82-16938
- VOGT, L.  
Use of a television multipoint x-y tracker for  
determining the transmission of vibrations on  
human beings  
N82-15787

- VOITKEVICH, V. I.**  
Plasma erythropoietins during training for hyperoxic conditions  
A82-17147
- VOLYNOV, B. V.**  
Investigation of the statistical characteristics of astronaut operator activity directed towards the control of a manned spacecraft  
A82-16712
- VOLZHSKAIA, A. M.**  
Plasma erythropoietins during training for hyperoxic conditions  
A82-17147
- VON AMELE, H.**  
Current views and future programs in cardiovascular physiology in space  
A82-16931
- VON BAUMGARTEN, R. J.**  
Nauseogenic properties of various dynamic and static force environments  
A82-16938
- VON GIERKE, H. E.**  
The effects of hypokinesia in primates and bone strength  
A82-16946
- VOROBEV, G. I.**  
Investigation of astronaut activity under conditions of the hydrosimulation of weightlessness  
A82-16713
- VOROBEV, V. M.**  
Characteristics of indicators of cardiac rhythm in the norm and in mental maladjustment  
A82-17144

## W

- WAERSPE, W.**  
Input-output activity of the primate flocculus during visual-vestibular interaction  
A82-17466
- WALLER, M. C.**  
Influence of display and control compatibility on pilot-induced oscillations  
[NASA-TP-1936]  
N82-14804
- WATANABE, I.**  
The role of the plantar mechanoreceptor in equilibrium control  
A82-17483
- WEISS, D. J.**  
Methods for linking item parameters  
[AD-A105509]  
N82-15779
- WEISS, L.**  
Sigma-movement and Sigma-nystagmus - A new tool to investigate the gaze-pursuit system and visual-movement perception in man and monkey  
A82-17450
- WHITE, B. S.**  
Estimating cell populations  
A82-18684
- WIELOPOLSKI, L.**  
Applications of nuclear techniques for in vivo body composition studies at Brookhaven National Laboratory  
[DE81-029922]  
N82-15772
- WILBRAND, H. F.**  
Temporal bone characteristics in Meniere's disease  
A82-17481
- WILSON, B.**  
NASA biomedical applications team. Applications of aerospace technology in biology and medicine  
[NASA-CR-152663]  
N82-15710
- WILSON, V. J.**  
Dynamics of vestibulo-ocular, vestibulocollic, and cervicocollic reflexes  
A82-17458

## X

- XERRI, C.**  
Early directional influence of visual motion cues on postural control in the falling monkey  
A82-17459

## Y

- YAMAKOSHI, K.-I.**  
Evaluation of the parallel conductor theory for measuring human limb blood flow by electrical admittance plethysmography  
A82-17568
- YEH, Y.-Y.**  
Is recognition accuracy really impaired when the target is repeated in the display  
A82-16893
- YOSHIDA, K.**  
Horizontal eye movement signals in second-order vestibular nuclei neurons in the cat  
A82-17440
- YOSHIDA, H.**  
The interaction between accuracy of gaze with and without head movements in patients with cerebellar ataxia  
A82-17472
- YOUNG, L. R.**  
Ocular torsion on earth and in weightlessness  
Human orientation in space  
[AIAA PAPER 82-0422]  
A82-17435  
A82-17940
- YUANFU, Y.**  
Fundamentals of aeronautical and aerospace medical science  
[AD-A102298]  
N82-15736

## Z

- ZABELA, P. V.**  
Trial of an automated EKG analysis system in a cardiological clinic  
A82-16804
- ZAKORDONETS, L. A.**  
All-Union Conference on New Sources of Food Protein and Their Application  
N82-15765
- ZAMBARRIERI, D.**  
Modifications of vestibular nystagmus produced by fixation of visual and nonvisual targets  
A82-17477
- ZANGEMEISTER, W. H.**  
Active head rotations and eye-head coordination  
A82-17469
- ZAVALOVA, H. D.**  
Methodological principles of the investigation of pilot error  
A82-16709
- ZEE, D. S.**  
A hypothetical explanation for periodic alternating nystagmus - Instability in the optokinetic-vestibular system  
A82-17474
- ZEKAN, C.**  
Remote Medical Diagnosis System (RMDS) utilization study  
[AD-A105559]  
N82-15771
- ZHOVINSKII, V. N.**  
Experimental study of the characteristics of the detection of objects on a TV display by an operator under conditions of time deficit  
A82-16714
- ZIMMERMAN, T.**  
Evaluation of short-term bioassays to predict functional impairment. development of pulmonary bioassays in small animals: Directory of Institutions; individuals involved in utilization  
[AD-A103767]  
N82-14798

1. Report No. NASA SP-7011 (231)	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle AEROSPACE MEDICINE AND BIOLOGY A Continuing Bibliography (Supplement 231)		5. Report Date April 1982	
		6. Performing Organization Code	
7. Author(s)		8. Performing Organization Report No.	
		10. Work Unit No.	
9. Performing Organization Name and Address  National Aeronautics and Space Administration Washington, D.C. 20546		11. Contract or Grant No.	
		13. Type of Report and Period Covered	
12. Sponsoring Agency Name and Address		14. Sponsoring Agency Code	
15. Supplementary Notes			
16. Abstract  This bibliography lists 284 reports, articles, and other documents introduced into the NASA scientific and technical information system in March 1982.			
17. Key Words (Suggested by Author(s)) Aerospace Medicine Bibliographies Biological Effects		18. Distribution Statement  Unclassified - Unlimited	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 92	22. Price* \$7.00 HC

# PUBLIC COLLECTIONS OF NASA DOCUMENTS

## DOMESTIC

NASA distributes its technical documents and bibliographic tools to eleven special libraries located in the organizations listed below. Each library is prepared to furnish the public such services as reference assistance, interlibrary loans, photocopy service, and assistance in obtaining copies of NASA documents for retention.

### CALIFORNIA

University of California, Berkeley

### COLORADO

University of Colorado, Boulder

### DISTRICT OF COLUMBIA

Library of Congress

### GEORGIA

Georgia Institute of Technology, Atlanta

### ILLINOIS

The John Crerar Library, Chicago

### MASSACHUSETTS

Massachusetts Institute of Technology, Cambridge

### MISSOURI

Linda Hall Library, Kansas City

### NEW YORK

Columbia University, New York

### OKLAHOMA

University of Oklahoma, Bizzell Library

### PENNSYLVANIA

Carnegie Library of Pittsburgh

### WASHINGTON

University of Washington, Seattle

NASA publications (those indicated by an "\*" following the accession number) are also received by the following public and free libraries:

### CALIFORNIA

Los Angeles Public Library

San Diego Public Library

### COLORADO

Denver Public Library

### CONNECTICUT

Hartford Public Library

### MARYLAND

Enoch Pratt Free Library, Baltimore

### MASSACHUSETTS

Boston Public Library

### MICHIGAN

Detroit Public Library

### MINNESOTA

Minneapolis Public Library and Information Center

### NEW JERSEY

Trenton Public Library

### NEW YORK

Brooklyn Public Library

Buffalo and Erie County Public Library

Rochester Public Library

New York Public Library

### OHIO

Akron Public Library

Cincinnati and Hamilton County Public Library

Cleveland Public Library

Dayton Public Library

Toledo and Lucas County Public Library

### TEXAS

Dallas Public Library

Fort Worth Public Library

### WASHINGTON

Seattle Public Library

### WISCONSIN

Milwaukee Public Library

An extensive collection of NASA and NASA-sponsored documents and aerospace publications available to the public for reference purposes is maintained by the American Institute of Aeronautics and Astronautics, Technical Information Service, 555 West 57th Street, 12th Floor, New York, New York 10019.

## EUROPEAN

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. By virtue of arrangements other than with NASA, the British Library Lending Division also has available many of the non-NASA publications cited in *STAR*. European requesters may purchase facsimile copy of microfiche of NASA and NASA-sponsored documents, those identified by both the symbols "#" and "\*", from: ESA - Information Retrieval Service, European Space Agency, 8-10 rue Mario-Nikis, 75738 Paris CEDEX 15, France.

National Aeronautics and  
Space Administration

THIRD-CLASS BULK RATE

Postage and Fees Paid  
National Aeronautics and  
Space Administration  
NASA-451



Washington, D.C.  
20546

Official Business  
Penalty for Private Use, \$300

8 1 SP-7011, 050582 S90569AU 850609  
NASA  
SCIEN & TECH INFO FACILITY  
ATTN: ACCESSIONING DEPT  
P O BOX 8757 BWI ARPRT  
BALTIMOPE MD 21240

**NASA**

POSTMASTER: If Undeliverable (Section 158  
Postal Manual) Do Not Return

---