

NASA-TM-86211 19850022648

**NASA Technical Memorandum 86211**

**Spanish Language Equivalents  
for a Glossary of Terms Used in  
the Field of Space Exploration**

**Gilbert D. Bullock**

**JULY 1985**

**LIBRARY COPY**

JUL 1 1985

LANGLEY RESEARCH CENTER  
LIBRARY, NASA  
HAMPTON, VIRGINIA

**NASA**



NF01002


NASA Technical Memorandum 86211

Spanish Language Equivalents  
for a Glossary of Terms Used in  
the Field of Space Exploration

Gilbert D. Bullock  
*Goddard Space Flight Center  
Greenbelt, Maryland*

**NASA**  
National Aeronautics  
and Space Administration  
**Scientific and Technical  
Information Branch**

1985



NOAA-SESC photograph by Joe Sotorik of Galen McFadyen on Flatiron Mountain  
near Boulder, Colorado

# SPANISH LANGUAGE EQUIVALENTS

FOR

A GLOSSARY OF TERMS

USED IN THE FIELD

OF SPACE EXPLORATION

GILBERT D. BULLOCK

JUNE 1982

On several occasions, the compiler of this glossary has been asked to address groups of Spanish language visitors to the Goddard Space Flight Center. Each time the preparation of the material to be presented was a difficult chore; first because of a limited technical vocabulary in Spanish and second because of the lack of a general reference.

This glossary evolved more by chance than by plan. Each time a term to be used required some research, it was added to a personal reference list. The list grew until it was apparent that with minimal additional effort, a reasonably comprehensive list could be compiled.

Such a list was completed and reproduced. Copies were sent to a number of potential users and contributors with a request for comment. The response was substantial and enthusiastic. This document is the result of incorporating the comments received. My sincere thanks are extended to all who contributed. I hope the document will prove to be sufficiently useful to be worthy of the effort contributed by so many.

I recognize that this glossary is still far from complete, and that the translations given may not be the ones used in all Spanish speaking countries, however it is a good start. Additional terms and/or translations, as well as any corrections will be gratefully received and incorporated into my list. Someday, if the need warrants it, a new list may be published.

GODDARD SPACE FLIGHT CENTER  
Greenbelt, MD 20771

aberration

1. In Astronomy, the apparent displacement of the position of a celestial body in the direction of the motion of the observer, caused by the combination of the velocity of the observer and the velocity of light.

2. In Optics, a deviation from perfect imagery as, for example, distortion.

ablating material

A material designed to dissipate heat by vaporizing or melting. Ablating materials are used on the surfaces of some reentry vehicles. Ablating materials absorb heat by increase in temperature and change of chemical or physical state. The heat is carried away from the surface by a loss of mass (liquid or vapor). The departing mass also blocks part of the convection heat transfer to the remaining material.

ablation

The removal of surface material from a body by vaporization, melting or other process; specifically, the intentional removal from a nosecone or spacecraft during high-speed movement through a planetary atmosphere to provide thermal protection to the underlying structure.

abort

To cancel, or cut short. Failure to complete that which has been started.

absolute altitude

Altitude above the actual surface of a planet or natural satellite, either land or water.

absolute magnitude

The magnitude that a star would appear to have if it were 10 parsecs away from us.

aberración

material de ablación  
material ablativo  
material de desgaste

ablación

abortar  
interrumpir  
cancelar

altitud absoluta  
altura absoluta

magnitud absoluta

absolute pressure

presión absoluta

In engineering literature, a term used to indicate pressure above the absolute zero value corresponding to empty space, as distinguished from "gage pressure". In vacuum technology "pressure" always corresponds to absolute pressure, therefore the term "absolute pressure" is not required.

absolute temperature

temperatura absoluta

Temperature value relative to absolute zero. See also Kelvin Temperature Scale and Rankine Temperature Scale.

absolute zero

cero absoluto

The theoretical temperature at which all molecular motion ceases. Absolute zero may be interpreted as the temperature at which the volume of a perfect gas vanishes, or more generally, as the temperature of the cold source which would render a Carnot cycle 100% efficient. The value of absolute zero is now estimated to be  $-273.16^{\circ}$  Celsius (Centigrade),  $-459.69^{\circ}$  Fahrenheit.

absorbtion

absorción

The process in which incident electromagnetic radiation is retained by a substance. A further process always results from absorbtion: that is, the irreversible conversion of the absorbed radiation into some other form of energy within and according to the nature of the absorbing medium. The absorbing medium itself may emit radiation, but only after an energy conversion has occurred.

absorbtion line

línea de absorción

A narrow line of missing color in a continuous spectrum, indicating the the source of the continuous spectrum is viewed through a cooler gas. The wavelengths of all the absorbtion lines indicate the types of atoms, ions or molecules in the cooler gas.

acceleration

The rate of change of velocity. Decrease in velocity is sometimes called "negative acceleration".

aceleración

accelerometer

An instrument which measures acceleration or gravitational forces capable of imparting acceleration. An accelerometer usually uses a concentrated mass (seismic mass) which resists movement because of its inertia. The displacement of the seismic mass relative to its supporting frame or container is used as a measure of the acceleration.

acelerómetro

access time

Of a computer, the time required under specific conditions to transfer information to or from storage, including the time required to communicate with the storage location.

tiempo de acceso

acoustic excitation

Process of inducing vibration in a structure by exposure to sound waves.

excitación acústica

acoustic generator

Transducer, which converts electric, mechanical or other form of energy into sound waves.

generador acústico

acoustic velocity

The speed of propagation of sound waves. Also called the "Speed of Sound".

velocidad acústica  
velocidad del sonido

acquisition

1. The process of locating the orbit of a satellite or trajectory of a space probe so that the tracking and telemetry data can be gathered.

2. The process of pointing an antenna or telescope so that it is properly oriented to allow gathering of tracking or telemetry data from a satellite or space probe.

adquisición  
obtención

actinic

Pertaining to electromagnetic radiation capable of initiating photochemical reactions, as in photography or the fading of pigments. Because of the particularly strong action of ultraviolet radiation on photochemical processes, the term has come to be almost synonymous with ultraviolet, as in "actinic rays".

actínico

active

Operating, not quiet or latent. Capable of transmitting a signal, as "active satellite" rather than "passive".

activo (a)

adiabatic

Designating, or pertaining to changes of volume or pressure, as of a gas, not accompanied by gain or loss of heat.

adiabático

adsorption

The adhesion of a thin film of liquid or gas to the surface of a solid substance. The solid does not combine chemically with the adsorbed substance.

adsorción

advection

The horizontal movement of a mass of air that causes changes in temperature or in the other physical properties of the air.

advección

aerobiology

The study of the distribution of living organisms freely suspended in the atmosphere.

aerobiología

aeroduct

A ramjet type engine designed to scoop up ions and electrons freely available in the outer reaches of the atmosphere or in the atmospheres of other spatial bodies, and by chemical process within the duct of the engine, expel particles derived from the ions and electrons as a propulsive jet stream.

aeroducto

aerodynamic heating

The heating of a body produced by passage of air or other gases over the body, significant chiefly at high speeds, caused by friction and by compression processes.

calentamiento aerodinámico

aerodynamics

The science that deals with motion of air and other gaseous fluids, and with the forces acting on bodies when those bodies move through such fluids, or when such fluids move against or around those bodies.

aerodinámica

aerodynamic vehicle

A device, such as an airplane or glider, capable of flight only within a sensible atmosphere and relying on aerodynamic forces to maintain flight. This term is used when the context calls for distinguishing from "space vehicle".

vehículo aerodinámico

aeroelasticity

The study of the effect of aerodynamic forces on elastic bodies.

aeroelasticidad

aerolite

A meteorite composed principally of stony material.

aerolito  
meteorito, meteoro, bólido

aeronomy

1. The study of the upper regions of the atmosphere where physical and chemical reactions due to solar radiation take place.

2. Science dealing with theories of planetary atmospheres

aeronomía

aeropause

A region of indeterminate limits in the upper atmosphere, considered as a boundary or transition region between the denser portion of the atmosphere and space. From a functional point of view, it is considered to be that region in which the atmosphere is so tenuous as to have a negligible, or almost negligible, effect on men and aircraft, and in which the physiological requirements of man become increasingly important in the design of aircraft and auxiliary equipment.

aeropausa

aerospace

Of, or pertaining to, both the Earth's atmosphere and space.

aeroespacio  
aeroespacial  
aerospacial  
espacio aéreo

aerothermodynamic border

An altitude at about 100 miles, above which the atmosphere is so rarified that the motion of an object through it at high speed generates no significant surface heat.

frontera aerotermodinámica  
límite aerotermodinámico

aerothermodynamics

The study of the aerodynamic and thermodynamic problems connected with aerodynamic heating.

aerotermodinámica

agravic

Of, or pertaining to, a condition of no gravitation. Also weightlessness or zero "g'.

ingrávido  
ingravidez

airglow

A faint, steady, glowing of the Earth's atmosphere. The quasi-steady radiant emission from the upper atmosphere as distinguished from the sporadic emission of the aurorae. Historically, "airglow" has referred to visual radiation. Some recent studies use "airglow" to refer to radiation outside the visual range.

air shower

A grouping of cosmic ray particles observed in the atmosphere. Primary cosmic rays, slowed down in the atmosphere, emit photons of high energy. Each of those photons produces secondary electrons which generate more photons and the process continues until the available energy is absorbed.

air sounding

The act of measuring atmospheric phenomena, or determining atmospheric conditions at altitude, especially by means of apparatus carried in balloons or rockets.

albedo

The ratio of the amount of electromagnetic radiation reflected by a body to the amount incident upon it, commonly expressed as a percentage. The albedo is to be distinguished from the reflectivity, which refers to one specific wavelength. Usage varies somewhat with regard to the exact wavelength interval implied in albedo figures; sometimes just the visible portion of the spectrum is considered; sometimes the totality of wavelengths in the solar spectrum.

alpha particle

A positively charged particle emitted from the nuclei of certain atoms during radioactive disintegration. The Alpha Particle has an atomic weight of 4 and a positive charge equal in magnitude to 2 electron charges, hence it is essentially a Helium nucleus (Helium atom stripped of its two planetary electrons).

luminiscencia nocturna  
luz zodiacal  
resplandor celeste  
brillo atmosférico

lluvia de partículas cósmicas  
lluvia de radiación cósmica  
lluvia de rayos cósmicos  
lluvia atmosférica  
cascada  
véase "cascade shower"

sondeo atmosférico

albedo

partícula alfa

altitude

The height of a position or object above sea level. The Altitude of a star is the angle from the horizon to the star, measured along a vertical circle.

altura  
altitud

ambient

Specifically, pertaining to the environment about a body but undisturbed, or unaffected, by it.

ambiente

amplifier

A device which under control of a current or a voltage of given characteristics produces a larger current or voltage of similar characteristics.

amplificador

amplitude modulation

Variation in the output of a radio wave in accordance with the amplitude variation of an input signal.

modulación de amplitud  
amplitude modulada

analog computer

A computing device that works on the principal of measuring as distinguished from counting. The input data are made analogous to a measurement continuum such as voltages, which can be manipulated by the computer.

computador analógico

anechoic chamber

A test chamber free from echos and reverberations, usually at radio frequencies.

cámara anecoica

anemometer

An instrument used to measure wind speed

anemómetro

Ångstrom

A unit of length, used chiefly in expressing short wavelengths. Ten billion angstroms equals one meter ( $10^{-8}$  centimeters).

angular diameter

The angle subtended by the diameter of an object. The angular diameter of the moon, for example, is  $0.5^\circ$ .

angular momentum

A measure of the rotation or revolution of a body about an axis or a point. If a ball of mass "m" is twirled on a string of length "l" at an angular velocity of "v", its angular momentum is  $m.l.v.$

annual motion

The motion of the Sun through space in one year.

anomalistic period

The interval between two successive perigee passes of a satellite in orbit about a primary. Also called the "perigee to perigee" period, the "orbital period" or simply the "period".

anomalistic year

The period between successive perihelion passages of Earth, namely 365.2596 mean solar days, increasing at a rate of 0.26 sec. per century. It differs from the sidereal year (365.2422 days) because of the Earth's annual perihelion advance due to the perturbative effects of the other planets.

Ångstrom

diametro angular

momento angular  
cantidad de movimiento angular

movimiento anual  
movimiento anuo

período anomalístico

año anómalo

anomaly

anomalía

1. In general, a deviation from the norm.
2. In geodesy, a deviation of an observed value from a theoretical value, due to an abnormality in the observed quantity.
3. In celestial mechanics, the angle between the radius vector to an orbiting body from its primary (the focus of the orbital ellipse) and the line of apsides of the orbit, measured to the direction of travel, from the point of closest approach to the primary (perifocus). The term defined above is usually called the "true anomaly",  $v$ , to distinguish it from the eccentric anomaly,  $E$ , which is measured from the center of the orbital ellipse; or from the mean anomaly,  $M$ , which is what the true anomaly would become if the orbiting body had a uniform angular motion.

antenna gain

ganancia de (la) antena

The ratio of output power to input power of an antenna.

apfocal distance

distancia apfocal  
distancia apofocal

In an orbit, the distance between the focus containing the primary body and the apogee.

aphelion

afelio

That orbital point farthest from the Sun, when the Sun is the center of attraction. That point nearest the Sun is called "perihelion". The aphelion of the Earth is  $1.520 \times 10^{18}$  cm from the Sun.

apogee

apogeo

In an orbit about the Earth, the point at which the satellite is farthest from the Earth. The highest altitude reached by a sounding rocket. (See "Orbit" diagram).

apogee height

altura de apogeo

In an orbit, the distance from the intersection of the line of apsides and the surface of the primary body to the apogee.

apogee rocket

cohete de apogeo  
impulsor de apogeo

A rocket attached to a satellite or spacecraft, designed to fire when the craft is at apogee, the point furthest from the Earth in orbit. The effect of the apogee rocket is to establish a new orbit farther from the Earth or to allow the craft to escape from the Earth orbit. Also called an apogee kick motor.

apparent magnitude

magnitud aparente

The magnitude that a star appears to have as it is viewed in the sky.

apparent motion

movimiento aparente

The motion that a celestial body appears to have because of a motion of the observer. The sky appears to rotate because of the Earth's rotation.

apsis (plural: apsides)

ápside

In an eccentric orbit, the point at which the satellite is nearest to (lower apsis) or farthest from (higher apsis) from the primary body. The perihelion or aphelion of a planet.

Arago point

punto de Arago

One of the three commonly detectable points along the vertical circle through the Sun at which the degree of polarization of skylight goes to zero; a neutral point. The Arago point, so named for its discoverer, customarily located at about  $20^\circ$  above the antisolar point; but it lies at higher elevations in turbid air. The latter property makes the Arago distance a useful measure of atmospheric turbidity. Measurements of this neutral point are typically more easily carried out than measurements of the Babinet Point and the Brewster Point, both of which lie quite close to the Sun (about  $20^\circ$  above and below the Sun respectively).

argument of perigee

argumento del perigeo

In an Earth orbit, for a given orbital passage, the angle from the ascending node to the location of perigee measured positive to the east. (See "Orbit" diagram).

artificial gravity

gravedad artificial

A simulated gravity established within a space vehicle, as by rotating a cabin about an axis of a spacecraft, the centrifugal force generated being similar to the force of gravity.

ascending node

nodo ascendente  
nodo ascendiente  
nodo ascenso

In the orbit of an Earth satellite, the point (longitude) at which the satellite crosses the equatorial plane while moving north. (See "Orbit diagram")

association

asociación

A group of stars with a common origin. Associations differ from star clusters because of their low star densities and because they are not stable.

asteroid

One of the many small celestial bodies revolving around the Sun, most of the orbits being between those of Mars and Jupiter. Also called "planetoid" or "minor planet". The term "Minor Planet" is preferred by many astronomers, but "asteroid" continues to be used in astronomical literature.

astro

A prefix meaning "star" or "stars" and, by extension, sometimes used as the equivalent of "celestial" as in astronautics.

astroballistics

The study of the phenomena arising out of the motion of a solid through a gas at speeds high enough to cause ablation; for example, the interaction of a meteoroid with the atmosphere

astrobiology

The study of living organisms on celestial bodies, other than Earth.

astrodynamics

The practical application of celestial mechanics, astroballistics, propulsion theory and allied fields to the problems of planning and directing the trajectories of space vehicles

astronaut

A person who occupies a space borne vehicle.

astronautics

1. The art, skill or activity of operating space vehicles.

2. In a broader sense, the science of space flight.

asteroide

astro

astrobalística

astrobiología

astrodinámica

astronauta

astronáutica

astronomical unit

In the astronomical system of measures, a unit of length usually defined as the distance from the Earth to the Sun, approximately 92,960,000 statute miles or 149,598,000 kilometers. It is more precisely defined as the unit of distance in terms of which, in Kepler's Third Law,  $n^2 a^3 = k^2 (1+m)$ , the semimajor axis,  $a$ , of an elliptical orbit must be expressed in order that the numerical value of the Gaussian constant,  $k$ , may be exactly 0.01720209895 when the unit of time is the ephemeris day.

astronomy

The science that deals with the constitution, distances and motions of celestial bodies and the laws which control them.

astrophysics

That branch of astronomy that deals with the physical and chemical characteristics of the celestial bodies.

atmosphere

The envelope of air surrounding the Earth. Also, the body of gases surrounding or comprising any planet or other celestial body.

atmospheric drag

The retarding force produced on a satellite by its passage through the gas of the high atmosphere. It drops off exponentially with increasing height and has a small effect on satellites whose perigee is higher than a few hundred kilometers.

atom

The smallest particle of an element that exhibits the properties of the element.

unidad astronómica

astronomía

astrofísica

atmósfera

resistencia atmosférica  
fricción atmosférica

átomo

atomic clock

reloj atómico

A precision clock that depends for its operation on an electrical oscillator (as a quartz crystal) regulated by the natural vibration frequency of an atomic system (as a beam of cesium atoms or ammonia molecules).

atomic number

número atómico

The number of protons in the nucleus of an atom.

atomic weight

peso atómico

The combined number of protons and neutrons in an atomic nucleus.

attenuation

atenuación  
pérdida

In physics, any process in which the flux density (or power amplitude, intensity, illuminance etc.) of a "parallel beam" of energy decreases with increasing distance from the energy source. Attenuation is always due to the action of the transmitting medium itself (mainly by absorption and scattering). It should not be applied to the divergence of flux due to distance alone, as described by the inverse square law.

attitude

orientación  
posición  
postura

The position or orientation of an aircraft, spacecraft etc., either in motion, or at rest, as determined by the relationship between its axes and some reference line or plane such as the horizon.

attitude control

control de posición  
control de orientación

1. The process of maintaining a vehicle in the desired orientation.

2. The system of components designed to perform the function of maintaining a vehicle in the desired orientation.

atto

A prefix meaning multiplied by  $10^{-18}$ . Symbolized by "a".

Auger shower

A very large cosmic ray shower. Also called an "extensive air shower".

augmentation

The apparently larger semi-diameter of a celestial body, when seen against the horizon, as compared to its apparent decrease in size with increased altitude. The term is used principally in reference to the Moon.

aurora

Light emitted by atoms and ion in the upper atmosphere after they are excited by collisions with energetic particles from the magnetosphere.

aurora australis

The aurora of the southern hemisphere

aurora borealis

The aurora of northern latitudes. Also called "aurora polaris" and "northern lights".

automatic frequency control (AFC)

A feedback process in an amplifier which causes a corrective change in frequency whenever a disruptive change in frequency occurs.

automatic gain control (AGC)

A feedback process in an amplifier which causes a corrective change in gain whenever a disruptive change in input occurs.

atto

lluvia gigante  
lluvia extensa  
lluvia barrena

aumentación

aurora

aurora austral

aurora boreal

control automático de frecuencia

control automático de ganancia

automatic picture transmission (APT)

transmisión automática de  
imágenes

A system used on a number of meteorological satellites which permitted small receivers on the ground to obtain local cloud cover pictures directly from space with minimum equipment. Pictures were taken by an on-board camera, scanned and transmitted to the Earth automatically.

autumnal equinox

equinoccio de otoño  
equinoccio otoñal

The descending node of the Earth's orbit about the Sun.

axis

eje

1. A straight line about which a body rotates, or around which a plane figure may rotate to produce a solid; a line of symmetry.

2. One of a set of reference lines for certain systems of coordinates.

azimuth

acimut  
azimut

1. Horizontal direction or bearing.

2. In navigation, the horizontal direction of a celestial point from a terrestrial point, expressed as the angular distance from a reference direction, usually measured from  $000^\circ$  at the reference direction clockwise through  $360^\circ$ .

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

backup

1. An item kept available to replace an item which fails to perform satisfactorily.

2. An item under development intended to perform the same general function performed by another item also under development

balance

1. The equilibrium attained by aircraft, rocket or the like when forces and moments are acting upon it so as to produce steady flight, especially without rotation about its axes.

2. A weight that counterbalances something.

ballistics

The science that deals with the motion, behavior and effects of projectiles. The science or art of designing and hurling projectiles so as to achieve a desired performance.

ballistic trajectory

The trajectory followed by a body being acted upon only by gravitational forces and the resistance of the medium through which it passes.

Balmer series

A series of spectrum lines in Hydrogen, due to atomic transitions which begin or end in the second energy level.

bandwidth

The number of hertz expressing the difference between the limiting frequencies of a band.

de reserva

equilibrio  
balance  
contrapeso (2)

balística

trayectoria balística

serie de Balmer

ancho de banda  
anchura de banda

bar

Unit of pressure equal to  $10^6$  dyne per  $\text{cm}^2$  ( $10^6$  barye), 1000 millibars or 29.53 in. of Hg.

bar

baria  
barr (es)

barometer


An instrument used to measure the pressure exerted by the Earth's atmosphere.

barómetro

barred spiral galaxy

A spiral galaxy with a bar running across its nucleus. Spiral arms are attached to the ends of the bar.

galaxia espiral rayada  
galaxia espiral barrada



barycenter

The center of mass of two bodies which are orbiting one another.

baricentro

barye

A British unit used to denote pressure in the cgs system of physical units. It is equal to one dyne per  $\text{cm}^2$  (0.001 millibar). Also microbar.

microbar  
microbaria

beacon

A fixed automatic radio transmitter which emits characteristic signals for guidance.

baliza  
radiobaliza  
haz de referencia  
radio-faro

beam

A ray or collection of focused rays of radiated energy.

haz

beamwidth

The angular width of a transmitted signal from an antenna.

ancho de haz

big bang

The explosive event which began the expansion of the universe.

explosión primal del universo  
explosión inicial del universo  
explosión primordial del universo  
la gran explosión

binary notation

A system of positional notation in which the digits are coefficients of powers of the base two. Binary notation employs only two digits, 1 and 0, therefore is used extensively in computers where the "on" and "off" positions of a switch or storage device can represent the two digits.

notación binaria  
numeración binaria

binary star

A system of two, or more, stars orbiting one another.

estrella binaria  
estrellas binarias

bionics

The study of systems which function after the manner of, or in a manner characteristic of, or resembling, living systems.

biónica

bipropellant

A rocket propellant consisting of two unmixed or uncombined chemicals (fuel and oxidizer) fed to the combustion chamber separately.

bipropulsante  
combustible doble  
doble combustible

bit

(from binary digit), a unit of information.

dígito binario  
bit  
bitio  
biteo

black body

A hypothetical "body" which absorbs all of the electromagnetic radiation striking it; that is, one which neither reflects nor transmits any of the incident radiation. In accordance with Kirchoff's Law, a black body not only absorbs all wavelengths, but emits at all wavelengths and does so with maximum possible intensity for any given temperature.

cuerpo negro

black hole


A body with such an intense gravitational field that nothing, including light, can escape from it.

agujero negro  
pozo negro

block diagram

diagrama en bloque

A diagram in which labeled squares, rectangles and other arbitrary figures represent the relative positions and functions of the parts of an apparatus.



Boltzmann's constant

constante de Boltzmann

The ratio of the universal gas constant to Avogadro's Number; equal to  $1.3804 \times 10^{-16}$  ergs per degree Kelvin. Sometimes called the "gas constant per molecule".

Bond albedo

albedo de Bond

The ratio of the amount of light reflected from a sphere exposed to parallel light to the amount of light incident upon it. Sometimes shortened to "albedo".

booster rocket

cohete de refuerzo  
cohete de propulsion auxiliar

An auxiliary part of the propulsion system of a pilotless airplane or missile used to supply a part or all of the thrust during launching and the initial stage of flight. The first stage of a multi-stage rocket.

british thermal unit (btu)

unidad térmica inglesa

The amount of heat required to raise one pound of water at  $60^\circ \text{F}$ ,  $1^\circ \text{F}$ . General usage makes 1 Btu equal 252 calories.

buffer

In computers: 1. An isolating circuit used to avoid reaction of a driven circuit on the corresponding driving circuit.

2. A storage device used to compensate for a difference in rate of flow of information or time of occurrence of events when transmitting information from one device to another.

burst

A single pulse of electromagnetic energy, such as a pulse at radar frequencies, a solar radio burst or a cosmic ray burst.

compensador

dispositivo acumulador de  
datos

memoria tampón

tampón

acoplador

impulso

calorie

Originally, the amount of heat required to raise the temperature of one gram of water through one degree Centigrade (The gram-calorie), but a more precise expression is that a 15° gram-calorie (cal<sub>15</sub>) is the amount of heat required to raise the temperature of one gram of water from 14.5°C to 15.5°C and is equal to 4.1855 joules.

capsule

1. A box-like component or unit, often sealed.

2. A small, sealed, pressurized cabin with an internal environment which will support life in a man or animal during extremely high altitude flight, space flight or emergency escape.

cascade shower

A group occurrence of cosmic rays. Also called an "air shower".

Cassegrainian focus

The focus of a reflecting telescope in which a convex secondary mirror reflects light to a focus behind the primary mirror through a hole in the center of the primary.

cathode ray tube (CRT)

A vacuum tube in which a beam of electrons is caused to move in a prescribed manner and usually caused to impinge upon a phosphorescent screen. e.g. a television picture tube.

cavitation

The turbulent formation of bubbles in a fluid, occurring whenever the static pressure at any point in the fluid becomes less than the fluid vapor pressure.

caloría

cápsula

lluvia de partículas cósmicas  
lluvia de radiación cósmica  
lluvia de rayos cósmicos  
cascada  
lluvia en cascada  
véase "air shower"

foco Cassegrain  
foco de Cassegrain

tubo de rayos catódicos

cavitación

celestial equator

ecuador celeste

The great circle on the celestial field midway between the celestial poles.

celestial mechanics

mecanica celeste

The study of the theory of the motions of celestial bodies under the influence of gravitational fields.

celestial poles

polos celestes

The points on the sky where the Earth's rotation axis, if extended in both directions, intersect the celestial sphere.

celestial sphere

esfera celeste

An imaginary sphere of infinite radius concentric with the Earth, on which all celestial bodies except the Earth are assumed to be projected.

centi

centi

A prefix meaning multiplied by  $10^{-2}$ . Symbolized by "c".

centrifugal force

fuerza centrífuga

The reaction directed away from the center of curvature, of a body moving in a curve, against the force which causes it to move in the curve.

centrifuge

centrifuga  
centrifugadera

A mechanical device which applies centrifugal force to a test specimen by means of a long rotating arm to simulate very closely the prolonged acceleration encountered in high performance aircraft, rockets and spacecraft.

centripital force

The force which, acting upon a body moving in a curved path and directed toward the center of curvature, prevents it from going off on a tangent.

fuerza centrípeta

cepheid

One of several types of pulsating variable stars named after the type star delta Cephei, which was first recognized as a variable star.

cefeida  
cefeide

checkout

1. A sequence of actions taken to test or examine a thing as to its readiness for incorporation into a new phase of use, or for the performance of its intended function.

2. The sequence of steps taken to familiarize a person with the operation of a piece of equipment.

comprobar  
comprobación  
verificar  
ensayar  
chequeo

chemical fuel

A fuel that depends upon an oxidizer for combustion, or for development of thrust, such as liquid or solid rocket fuel or internal combustion engine fuel; distinguished from nuclear fuel.

combustible químico

chemical rocket

A rocket using chemical fuel.

cohete químico

chemosphere

The vaguely defined region of the upper atmosphere in which photochemical reactions take place. It is generally considered to include the stratosphere (or the top thereof) and the mesosphere, and sometimes the lower part of the thermosphere.


quimífera  
quemáfera

chromosphere

A thin layer of relatively transparent gases above the photosphere of the Sun, where the temperature increases from about 4,500°K to about 100,000°K. It is most easily observed during a total eclipse of the Sun.

circumpolar stars

Stars near the celestial poles which neither rise nor set as seen by a particular observer. The fraction of the stars which are circumpolar increases with increasing latitude of the observer.



cislunar

Of, or pertaining to, phenomena, projects or activity in the space between the Earth and the Moon, or between the Earth and the Moon's orbit.

clepsydra

A device for measuring time by the regulated flow of water or mercury through a small opening.

cromosfera

estrellas circumpolares

cislunar

clepsidra

reloj de agua

closed ecological system

A system that provides for the maintenance of life in an isolated living chamber such as a spacecraft cabin, by means of a cycle wherein exhaled carbon dioxide, urine and other waste matter are converted chemically, or by photosynthesis, into oxygen, water and food.

sistema ecológico cerrado

cluster of galaxies

A gravitationally bound group of galaxies.

grupo de galaxias  
racimo de galaxias  
círculo de galaxias

color index

An index which indicates the color of a star. It is the difference between the star's magnitude as measured in two different wavelength bands, using either photoelectric detectors and filters or different kinds of photographic emulsions.

índice de color  
índice cromático

color-magnitude diagram

A form of the Hertzsprung-Russell diagram with color as the horizontal scale and magnitude as the vertical scale. Points representing individual stars are plotted on the body of the diagram.

diagrama de color y magnitud

comet

A solar system body that consists of a tiny, icy nucleus in which is imbedded meteoroid debris. As the ices of the nucleus sublime, the comet forms a coma and eventually, a tail.

cometa

command

A signal which initiates or triggers an action in the device which receives the signal.

comando  
telecomando  
mando  
telemando

command and data acquisition station

A ground terminal for control of objects in space.

estación de telemando (o mando) y adquisición de datos

estación de comando y adquisición (u obtención) de datos

computer

A machine for carrying out calculations and for performing specified transformations on information.

ordenador  
ordenador de datos  
computador, computadora,  
calculador, calculadora o

conic section (or conic)

A curve formed by the intersection of a plane and a right circular cone (both upper and lower nappes). If the plane does not pass through the vertex of the cone, the conic sections are the ellipse, the parabola and the hyperbola; curves which describe the paths of bodies moving in space. If the plane does pass through the vertex of the cone the figures degenerate to a point, a straight line or two intersecting straight lines.

sección cónica

conjunction

The situation wherein (or the time at which) two celestial bodies have either the same celestial longitude or the same sidereal hour angle. A planet is in superior conjunction if the Sun is between it and the Earth. At inferior conjunction it is between the Sun and the Earth.

conjunción

console

An array of controls and indicators for the monitoring and control of a particular sequence of actions, as in the checkout of a rocket, a countdown or a launch procedure.

consola  
pupitre

constellation

Originally, a conspicuous configuration of stars; now a region of the celestial sphere marked by arbitrary boundary lines.

constelación

continuous spectrum

espectro continuo

A spectrum which contains light of all colors.

contravane

A vane that reverses or neutralizes a rotation of a flow. Also called a "countervane".

contravano  
contra álabo  
contraala  
contra paleta  
contraaspa  
contra veleta

convection

Bulk motion of matter which carries energy from one place to another.

convección

corona

1. The faintly luminous, very hot, outer envelope of the Sun. Also called "solar corona". The corona can be observed at the Earth's surface only during solar eclipse or with a coronagraph.

2. Discharge of electricity which occurs at the surface of a conductor under high voltage. The phenomenon is dependent on ambient pressure of the gas surrounding the conductor.

corona solar

coronagraph

A photographic instrument which artificially blocks out the image of the body of the Sun allowing observation of the corona.

coronógrafo

cosmic dust

Small meteoroids of a particle size similar to dust.

polvo cósmico

cosmic rays

The aggregate of extremely high energy subatomic particles which bombard the atmosphere from outer space. Cosmic ray primaries seem to be mostly protons, and hydrogen nuclei but also comprise heavier nuclei. The maximum flux of cosmic rays is at an altitude of 20 km.

rayos cósmicos

countdown

The time period in which a sequence of events is carried out to initiate a launch or a test; the sequence of events itself.

cuenta inversa (descendiente)  
cuenta atrás  
cuenta regresiva

CRT

See "Cathode Ray Tube".

véase "cathode ray tube"

cryogenic temperature

In general, a temperature range below  $-50^{\circ}\text{C}$ ; more particularly, temperatures within a few degrees of absolute zero.

temperatura criogénica

cybernetics

The study of the methods of control and communication common to living organisms and machines.

cibernética

data reduction

Transformation of observed values into useful, ordered or simplified information.

reducción de datos  
procesamiento de datos  
reducción de información

deceleration

1. The act, or process of moving, or causing to move, with decreasing speed; the state of so moving.

2. A force causing the decrease in speed. Sometimes called negative acceleration.

desaceleración  
aceleración negativa

deci

A prefix meaning multiplied by  $10^{-1}$ . Symbolized by "d".

deci

declination

The angular distance of an object north or south of the celestial equator and measured in degrees along the object's hour circle.

declinación

deep space network (DSN)

A combination of three radar and communications stations in the United States, Australia, and Spain so located as to keep a spacecraft in deep space under observation at all times.

red de espacio profundo  
red de espacio lejano

deep space probes

Spacecraft designed for exploring space to the vicinity of the Moon and beyond.

sondas (o sondeos) del  
espacio profundo  
sondas (o sondeos) para el  
espacio profundo  
sondas (o sondeos) para el  
espacio lejano

deka

A prefix meaning multiplied by 10. Symbolized by "da".

deka

density

The mass of a substance per unit volume.

densidad

descending node

In the orbit of an Earth satellite, the point (longitude) at which the satellite crosses the equatorial plane heading south. (See "Orbit" diagram).

nodo descendente  
nodo de descenso  
nodo de descendiente  
nodo descendiente

diffraction grating

A metal, or plastic, plate containing ruled parallel lines used to bend or spread light waves after the light has passed through a narrow slit in an opaque body.

red de difracción  
rejilla de difracción  
retícula de difracción

digital computer

A computer which operates on the principle of counting as opposed to measuring.

computadora digital  
computadora numérica  
(véase "computer")

diplexer

A device which permits an antenna system to be used simultaneously or separately by two transmitters.

diplexor

direct motion

Real or apparent eastward motion. Opposite to retrograde motion.

movimiento directo

display

The graphic presentation of the output data of a device or system.

presentación  
presentación visual  
presentación gráfica

docking

The process of bringing two spacecraft together while in space.

atraque  
amarre  
acomplamiento

Doppler shift

The change in frequency with which energy reaches a receiver when the source of radiation or a reflector of the radiation and the receiver are in motion relative to each other.

corrimiento Doppler  
desplazamiento Doppler

dose

A definite quantity of anything carefully measured for remedial effect.

dosis

dosimeter

A device, worn by persons working around radioactive material, which indicates the amount (dose) of radiation to which they have been exposed.

dosímetro

drift orbit

A near synchronous orbit with a period slightly more, or less, than a sidereal day.

órbita en deriva  
órbita de deriva  
órbita de desplazamiento

drogue parachute

A type of parachute attached to a body used to slow it down. Also called a "deceleration parachute" or "drag parachute".

paracaídas de frenado  
paracaídas de freno  
paracaídas de ancla  
paracaídas de arrastre

dynamic pressure

1. The pressure exerted by a fluid, such as air, by virtue of its motion.

2. The pressure exerted on a body moving through a fluid by virtue of its motion through the fluid.

presión dinámica

dyne

That unbalanced force which acting for one second on a body of one gram mass produces a velocity change of 1 cm/sec.

dina

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

ebullism

The formation of bubbles, with particular reference to water vapor bubbles in biological fluids, caused by reduced ambient pressure.

eccentric

Not having the same center; varying from a circle, as in eccentric orbit.

eccentricity

In an ellipse, the measure of departure from a circle. It is the distance from the center of the ellipse to a focus divided by the length of the semi-major axis.

ecliptic

The apparent annual path of the Sun among the stars; the intersection of the plane of the Earth's orbit with the celestial sphere.

ecological system

A habitable environment, either created artificially, such as in a manned space flight vehicle, or occurring naturally, such as the environment on the surface of the Earth, in which man, animals and other organisms can live in mutual relationship to one another.

effective atmosphere

That part of the atmosphere which effectively influences a particular process or motion, its outer limits varying according to the terms of the process or motion considered.

electromagnetic radiation

Energy propagated through space or through material media in the form of an advancing disturbance in electric and magnetic fields existing in space or in the media.

ebullición

excéntrico

excentricidad

eclíptica

sistema ecológico

atmósfera efectiva

radiación electromagnética

electron

The subatomic particle that possesses the smallest possible electric charge

electronic data processing

The use of electronic devices and systems in the processing of data so as to interpret the data and put it in usable form.

electron volt


A unit of energy equal to  $1.601 \times 10^{-16}$  erg. It is defined as the kinetic energy gained by an electron which is accelerated through a potential difference of one volt.

electrostatic propulsion

See ionic propulsion

ellipse

A plane curve constituting the locus of all points the sum of whose distances from two fixed points (foci) is constant. One of the conic sections. (See "Conic Sections" diagram).



electrón

tratamiento electrónico de datos

procesamiento electrónico de datos

proceso electrónico de datos

electrón-voltio

propulsión electrostática (véase "ionic propulsion")

elipse

emissivity

1. The ratio of the emittance of a given surface at a specified wavelength and emitting temperature to the emittance of an ideal black body at the same wavelength and temperature.

2. Specifically, the ratio of the flux emitted by a clean, perfectly polished surface of the material to the flux that would have been emitted by a black body at the same temperature.

environment

An external condition or the sum of such conditions, in which a piece of equipment operates.

ephemeris (plural, efemerides)

A periodic publication giving a tabular statement of the position of the celestial bodies at specific intervals of time.

ephemeris mean day

A day, in ephemeris time.

ephemeris time

A uniform measure of time defined by the orbital motions of the planets and determined by correcting mean solar time for the irregularities arising from variations in the rate of rotation of the Earth.

epoch

A particular instant for which certain data are valid. In an Earth orbit, the time of perigee passage in a particular orbital revolution.

emisividad

ambiente  
entorno

efemérides

día promedio de efemérides  
día medio de efemérides  
día medio efemérico

tiempo de efemérides  
tiempo efemérico

época

equinoxes

The two points on the celestial sphere where the celestial equator intersects with the ecliptic.

escape velocity

The radial speed which a particle or larger body must attain in order to escape from the gravitational field of a planet or a star. The escape velocity from the Earth is approximately 7 miles per sec.; from Mars, 3.2 miles per sec. and from the Sun, 390 miles per sec.

exobiology

The study of living organisms existing on celestial bodies other than the Earth.

exosphere

The outermost, or topmost, portion of the atmosphere.

extraterrestrial

From outside the Earth.

extraterrestrial radiation

In general, solar radiation received outside the Earth's atmosphere.

extra-vehicular activity (EVA)

Activity outside a vehicle in space.

extremely high frequency

Radio frequencies in the band from 30 gigahertz to 300 gigahertz.

equinoccios

velocidad de escape  
velocidad de liberación

exobiología

exosfera

extraterrestre

radiación extraterrestre

actividad fuera del vehículo  
actividad extravehicular

frecuencia extremadamente  
alta  
extrema alta frecuencia

Faraday rotation

The rotation produced in a beam of polarized electromagnetic radiation traversing certain isotropic media along the lines of force of a magnetic field.

rotación de Faraday

femto

A prefix meaning multiplied by  $10^{-15}$ . Symbolized by "f".

femto

flare (solar flare)

A bright eruption from the Sun's chromosphere.

erupción solar  
fulguración  
llamarada

flux

1. The rate of flow of some quantity, often used in reference to the flow of some form of energy.

2. In nuclear physics, generally the number of radioactive particles per unit volume times their mean velocity.

flujo

flux density

The flux of any quantity, ususally a form of energy, through a unit area of specified surface.

densidad de flujo

Fraunhofer lines

Dark lines crossing the continuous spectrum of the Sun or similar source. The lines result from the absorbtion of some wavelengths by layers of cooler gases.

líneas de Fraunhofer

free fall

1. The fall or drop of a body, such as a rocket not guided, nor under thrust, and not retarded by a parachute or other braking device.

2. Weightlessness

caída libre  
ingravidez

frequency

The number of waves leaving or arriving at a position per unit time.

frecuencia

frequency modulation

Variation in the output of a radio wave in accordance with the frequency variation of an input signal.

modulación de frecuencia  
frecuencia modulada

g or G

An acceleration equal to the acceleration of gravity., approximately 32.2 ft/sec/sec at sea level. Used as a unit of stress measurement for bodies undergoing acceleration.

Gamma ray

A quantum of electromagnetic radiation emitted by a nucleus, each such photon being emitted as the result of a quantum transition between two energy levels of the nucleus. Gamma rays have energies usually between 10 kev and 10 mev, with correspondingly short wavelengths and high frequencies.

geiger counter

An instrument for detecting and counting ionizing particles, used to determine the degree of radioactivity.

geo

A prefix meaning "Earth" as in "geography" or "geophysics". Most writers use the established terms such as "geology" to refer to the same concepts on other bodies of the solar system, as "the geology of Mars", rather than "Areology" or "Marsology".

geocentric

Relative to the Earth as a center; measured from the center of the Earth.

geodesy

The science of measuring the size and shape of the Earth, and of surveying areas so large that the Earth's curvature must be considered.

geodetic

Pertaining to geodesy, the science which deals with the size and shape of the Earth.

g o G

rayo Gamma

contador Geiger

geo

geocéntrico

geodesia

geodésico (a)

geoid

The equipotential surface which most nearly approximates the mean sea level of the Earth.

geoide

geology

The science which deals with the structure of the Earth, its successive physical changes and the causes producing those changes.

geología

geomagnetism

The magnetic phenomena, collectively considered, exhibited by the Earth and its atmosphere; by extension, the magnetic phenomena in interplanetary space.

geomagnetismo

geophysics

The physics of the Earth and its environment, i.e., earth, air and (by extension), space. Classically, geophysics is concerned with the nature of physical occurrences at and below the surface of the Earth including, therefore, geology, oceanography, geodesy, seismology, hydrology, etc.. The trend is to extend the scope of geophysics to include meteorology, geomagnetism, astrophysics, and other sciences concerned with the physical nature of the universe.

geofísica

geopotential

The potential energy of a unit mass relative to sea level, numerically equal to the work that would be done in lifting the unit mass from sea level to the height at which the mass is located; commonly expressed in terms of dynamic height or geopotential height.

geopotencial

geoprobe

A rocket vehicle designed to explore space near the Earth at a distance of more than 4,000 miles from the Earth's surface. Rocket vehicles operating lower than 4,000 miles are termed "sounding rockets".

geosonda  
sonda geológica  
sonda terrestre

geostationary satellite

A special case of the geosynchronous satellite in which the orbit inclination is zero.

satélite geostacionario  
satélite sincronico  
satélite geoestacionario

geosynchronous satellite

An equatorial east-west satellite orbiting the Earth at an altitude of 22,300 statute miles, at which altitude it makes one revolution in 24 hours, synchronous with the Earth's rotation.

satélite geosíncrono  
satélite sincrónico

giga

A prefix meaning multiplied by one billion ( $10^9$  in U.S. units). Symbolized by "G".

giga (mil millones)

gimbal

1. A device with two mutually perpendicular and intersecting axes of rotation, thus having free angular movement in two directions, on which an engine or other device may be mounted.

2. In a gyro, a support which provides the spin axis with a degree of freedom.

balancín  
cardán

gnomon

A vertical shaft or stick used to determine the altitude of the Sun or the position of a place by noting the length of a shadow. Used as part of a sundial.

gnomon  
saeta

gravitation

The acceleration produced by the mutual attraction of two masses, directed along the line joining their centers of mass, and of magnitude inversely proportional to the square of the distance between the centers of mass.

gravitación  
aceleración de gravedad  
aceleración de la gravedad  
gravedad

gravity

The force imparted by the Earth to a mass on, or close to, the Earth. Since the Earth is rotating, the force observed as gravity is the resultant of the force of gravitation and the centrifugal force arising from the rotation.

gravedad  
fuerza de gravedad  
fuerza de la gravedad  
fuerza gravitatoria

Greenwich mean time

Time measured at the Greenwich observatory in England, on the zero meridian of longitude.

hora media de Greenwich  
hora de Greenwich  
tiempo medio de Greenwich

ground station

A terminal, usually part of a network of terminals, for communicating with space vehicles.

estación de tierra  
estación terrena  
estación terrestre

ground support system

Any ground-based equipment used for launch, checkout or in-flight support of a space project.

sistema de apoyo terrestre  
sistema terrestre de apoyo

ground support equipment

Equipment used to implement a ground support system.

equipo de apoyo terrestre  
equipo terrestre de apoyo

guidance

The process of directing the movements of an aeronautical vehicle or space vehicle, with particular reference to the selection of the flight path.

guiado  
guiamiento  
teledirección  
guía  
dirección  
control de guía

guided missile

A missile whose course toward a target may be altered during passage.

proyectil (o misil) guiado  
proyectil (o misil)  
teleguiado  
proyectil (o misil) tele-  
dirigido

gyro compass

A compass which keeps its direction by using the principals of the gyroscope.

brújula giróscopica  
girocompás

gyroscope (gyro)

A device which utilizes the angular momentum of a spinning rotor to sense angular motion of its base about one or two axes at right angles to the spin axis.

giroscopio  
giróscopo

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

Hall effect

The electrical polarization of a horizontal conducting sheet of limited extent, when that sheet moves laterally through a magnetic field having a component perpendicular to the sheet. The Hall Effect is important in determining the behavior of the electrical currents generated by winds in the lower ionosphere, since these winds advect the ionized layers across the Earth's magnetic field and produce a complex electrical current system in the ionosphere. This current system in turn produces small changes in the Earth's magnetic field as measured at the surface.

halo orbit

A special type orbit about an equilibrium point between two celestial bodies in a plane generally normal to the line of sight between the two bodies.

hardness

A measure of the penetrating power of X-rays and other high energy radiation. Radiation which will penetrate a 10 centimeter thickness of lead is considered "hard radiation".

hardware

Items made of metal such as tools, fittings parts of machines etc..

heat exchanger

A device for transferring heat from one fluid to another without intermixing the fluids.

heat pipe

A device which transfers heat from one point to another without moving parts. It functions by changes of state between liquid and gas.

efecto Hall

órbita halo  
órbita aureola  
órbita en aureola

dureza

equipo  
elementos físicos

intercambiador de calor  
permutador térmico  
cambiador de calor

tubo isotérmico  
conductor de calor

heat shield

Any device which protects something from heat.

pantalla térmica  
blindage térmico

heat sink

1. In thermodynamic theory, a means by which heat is stored, or is dissipated or transferred from the system under consideration.

2. A place toward which the heat moves in a system.

3. A material capable of absorbing heat; a device utilizing such material and used as a thermal protection device on a spacecraft or reentry vehicle.

4. In nuclear propulsion, any thermodynamic device, such as a radiator or condenser, that is designed to absorb the excess heat energy of the working fluid.

sumidero térmico  
disipador de calor

hecto

A prefix meaning multiplied by  $10^2$ . Symbolized by "h".

hecto

heliocentric


Relative to the Sun as the central body.

heliocéntrico (a)

Hertzsprung-Russell diagram

diagrama de Hertzsprung-Russell

A plot of absolute magnitude vs. spectral type for stars of which these quantities are known.



heterosphere

heterosfera

The upper portion of a two part division of the atmosphere according to the general homogeneity of atmospheric composition. The layer above the homosphere. The heterosphere is characterized by variation in composition and mean molecular weight of constituent gases. The heterosphere starts at 80 to 100 km above the Earth and therefore closely coincides with the ionosphere and the thermosphere.

high frequency

alta frecuencia

Radio frequencies in the band from 3 megahertz to 30 megahertz.

homosphere

The lower portion of a two part division of the atmosphere according to general homogeneity of atmospheric composition. Opposed to the heterosphere. The region in which there is no gross change in atmospheric composition. That is all the atmosphere from the Earth's surface to about 80 or 100 km. The homosphere is about equivalent to the neutrosphere and includes the troposphere, stratosphere, mesosphere and ozonosphere and at least part of the chemosphere.

hour angle

The angle between the celestial meridian and the hour circle of a celestial object.

hour circle

One of 12 equidistant great circles through the poles of the celestial sphere, perpendicular to the equator.

hydrology

That branch of physical geography that deals with the water of the Earth, with special reference to its properties, phenomena and distribution.

homósfera


ángulo horario

círculo horario  
círculo de declinación

hidrología

hyperbola

The locus of all points whose difference of undirected distances from two fixed points is a constant. One of the conic sections.



hipérbola

hypergolic

Self igniting upon contact of components without a spark or other external aid. Used especially of a fluid rocket propellant.

hipergólico (a)

hypersonic

Pertaining to speeds of Mach 5 or greater.

hipersónico (a)

hypersonic flow

In aerodynamics, flow of a fluid over a body at hypersonic speeds and in which the shock waves start at a finite distance from the surface of the body.

flujo hipersónico

hypothesis

An idea or supposition proposed as an explanation for the occurrence of phenomena.

hipótesis

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

inclination

The northern hemisphere angle between a satellite's orbital plane and the equatorial plane of the primary. (See "Orbit" diagram).

inclinación

inertia

The tendency of an object, as a result of its mass, to continue in motion at a constant speed or to remain at rest.

inerencia

inertial guidance

Guidance by means of acceleration measured and integrated within the craft.

guiado por inercia  
guiado inercial  
guía inercial

inertial reference

A stable, space fixed, configuration of gyroscopes used as a reference for an inertial guidance system.

referencia inercial

infrared

Electromagnetic radiation in the wavelength interval from the red end of the visible spectrum (0.8 microns) on the lower limit, to microwaves used in Radar (sometimes arbitrarily set at 1,000 microns) on the upper limit.

infrarrojo

ion

An atom or molecularly bound group of atoms having an electric charge. Sometimes also a free electron or charged subatomic particle.

ión

ionic propulsion (electrostatic propulsion)

Rocket propulsion using the thrust furnished by electrically accelerated ions. Much higher specific impulses and exhaust velocities may be obtained than with chemical propulsion, but current laboratory versions of the ionic rocket are capable of furnishing a total thrust of only a few ounces.

propulsión iónica

ionosphere

The atmospheric shell characterized by a high ion density. Its base is at about 70 or 80 kilometers and it extends to an indefinite height.

isotropic

In general, pertaining to a state in which a quantity, or spatial derivative thereof, is independent of direction.

isotropic antenna

An antenna which radiates, or receives, in all directions; which has no directional characteristics.

ionósfera

isótropo  
isotrópico

antena isótropica

jerk

A vector that specifies the time rate of change of acceleration. The third derivative of displacement with respect to time.

jet propulsion

Propulsion of a body by means of a jet of fluid as in the motion given to a toy balloon when the air it contains is allowed to escape through the neck.

Joule's constant

The ratio between heat and work units from experiments based on the first law of thermodynamics, it equals  $4.186 \times 10^7$  ergs/cal.

sacudida

propulsión a chorro  
propulsión a reacción

constante de Joule

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

Kelvin temperature scale

escala de temperatura de Kelvin  
escala de temperatura absoluta

An absolute temperature scale independent of the thermometric properties of the working substance. On this scale the difference between two temperatures  $T_1$  and  $T_2$  is proportional to the heat converted into mechanical work by a Carnot engine operating between the isotherms and adiabats through  $T_1$  and  $T_2$ . For convenience, the Kelvin degree is identified with the Celsius degree. The ice point of water in the Kelvin scale is  $273.17^\circ$ .

Kepler's laws

leyes de Kepler

The three empirical laws describing the motions of planets in their orbits, discovered by Johannes Kepler. The laws are:

1. The orbits of the planets are ellipses, with the Sun at a common focus.

2. As a planet moves in its orbit, the line joining the Sun and the planet sweeps over equal areas in equal intervals of time.

3. The squares of the periods of revolution of any two planets are proportional to the cubes of their mean distances from the Sun.

kev (kilo electron volt)

kev (kilo electro voltio)

A unit of energy, one thousand electron volts.

kilo

kilo

A prefix meaning multiplied by one thousand ( $10^3$ ). Symbolized by "k".

kinematics

cinemática

The science which looks at the motion of bodies without regard to the forces producing that motion.

kinetic energy

energía cinética

Energy that is associated with motion.

### Kirchhoff's law

The radiation law which states that at a given temperature the ratio of the emissivity to the absorptivity for a given wavelength is the same for all bodies and is equal to the emissivity of an ideal black body at that temperature and wavelength.

Loosely put, this states that good absorbers of a given wavelength are also good emitters of that wavelength. It is essential to note that Kirchhoff's Law relates absorption and emission at the same wavelength and the same temperature.

### ley de Kirchhoff

laser

A device for producing light by emission of energy stored in a molecular or atomic system when stimulated by an input signal. (From: Light Amplification by Stirulated Emission of Radiation).

latitude

The angle from the Earth's equator to a point on Earth as measured along a terrestrial meridian.

launch

The action of releasing or catapulting a self-propelled object from a ramp, rack or other device.

launch site

The physical location and all the necessary equipment to launch a space vehicle.

launch vehicle

Any device which propels and guides a spacecraft into orbit about the Earth or into a trajectory to another celestial body.

launch window (launch aperture)

That period of time during which a vehicle must be launched in order to achieve its objective.

laser

latitud

lanzamiento

campo de lanzamiento  
instalación de lanzamiento  
sitio de lanzamiento

vehículo de lanzamiento  
lanzador  
vehículo lanzador

aperatura de lanzamiento  
ventana de lanzamiento  
período o duración de  
lanzamiento

libration

1. An oscillation in the apparent aspect of a secondary body (as a planet or a satellite) as seen from the primary object around which it revolves, caused by the inclination of its axis of rotation, variations in its orbital speed, real irregularities in its rotation or changes in the observers position on the primary body.

2. The action or state of vibrating as a balance does before resting in equilibrium.

3. The state of being poised in equilibrium.

libration point

That point between two bodies at which the gravitational forces are equal. The point at which a third body placed there would experience no accelerative force toward either body.

life support system

That portion of a space vehicle's operational system which provides the necessary environment for the survival of a human.

light year

The distance light travels in one year at the rate of 186,000 miles per second (300,000 kilometers per second). Equal to  $5.9 \times 10^{12}$  miles.

line of apsides

In an orbit, the line joining the apfocus to the perifocus and passing through the center of the primary body. (See "Orbit" diagram).

line of nodes

The intersection between the plane of the ecliptic (equatorial plane in an Earth orbit) and the plane of the orbit of the satellite. (See "Orbit" diagram).

libración

punto de libración

sistema de apoyo de vida  
sistema de soporte de vida  
sistema mantenedor de vida  
sistema de mantenimiento de vida

año luz

línea de los ápsides

línea de los nodos

local vertical

At a particular point, the direction in which the force of gravity acts.

vertical local

longitude

The angle between the prime meridian and the terrestrial meridian through a point on Earth.

longitud

longitudinal axis

The fore-and-aft line through the center of gravity of a craft.

eje longitudinal

low frequency

Radio frequencies in the band from 30 kilohertz to 300 kilohertz.

baja frecuencia

luminosity

The brightness of a star, or other object, as compared to a standard such as the Sun.

luminosidad

lunar atmospheric tide

An atmospheric tide due to the gravitational attraction of the Moon. The only detectable components are the 12-lunar-hour or semidiurnal, as in the oceanic tides, and two others of very nearly the same period. The amplitude of this atmospheric tide is so small that it is detected only by careful statistical analysis of a long record, being about 0.06 mb in the tropics and 0.02 mb in the middle latitudes.

marea atmosférica lunar

lunar eclipse

The partial or total obscuration of the Sun's light on the Moon, caused by the passage of the Earth between the Sun and the Moon.

eclipse lunar

## Lyman-Alpha radiation

## radiación Lyman-Alfa

Ultraviolet radiation at a wavelength of 1216 Å emitted by atomic Hydrogen when it passes from its first excited electronic state to its ground state. Light of this short wavelength is not transmitted by the Earth's atmosphere and a study of it was made only after the advent of rocket and satellite astronomy. The Lyman alpha transition is the longest wavelength member of the Lyman series of atomic Hydrogen, and is the strongest ultraviolet line emitted by the Sun.

M-region

Name given to a region of activity on the Sun when the nature of that activity cannot be determined.

región M

Mach number

1. A number expressing the ratio of a speed of a body, or a point on a body, with respect to the surrounding air or other fluid, or the speed of a flow to the speed of sound in the medium.

2. The speed represented by the above number.

número de Mach

magnetic field

The region near a magnet or an electric current where magnetic force is exerted and in which a magnetic needle will take a fixed position.

campo magnético

magnetic storm

A worldwide disturbance of the Earth's magnetic field.

tormenta magnética

magnetic tape

A ribbon of thin paper or plastic coated with fine magnetic iron oxide powder mixed with a binder used in magnetic recording.

cinta magnética  
cinta magnetofónica

magnetohydrodynamics

The study of the interaction that exists between a magnetic field and an electrically conducting fluid.

magnetohidrodinámica

magnetometer

A instrument used in the study of geomagnetism for measuring any magnetic element.

magnetómetro

magnetosphere

That part of the Earth's atmosphere which exists by virtue of the Earth's magnetic field. The magnetosphere consists of trapped particles, mainly electrons and protons, which spiral about the magnetic lines of force from pole to pole and gradually precess eastward or westward depending on their charge.

magnetósfera

magnitude

Relative brightness of a celestial body. The smaller the magnitude number, the brighter the body.

magnitud

main sequence

The diagonal line on the Hertzsprung-Russell diagram onto which most stars fall.

secuencia principal


manometer

An instrument for measuring pressure of gases and vapors both above and below atmospheric pressure.

manómetro

maria (singular, mare)

The large, darker areas, of generally circular outline on the lunar surface.



mària

mares lunares

(singular, mar)

maser

An amplifier utilizing the principle of microwave amplification by stimulated emission of radiation. Emission of energy stored in a molecular or atomic system by a microwave power supply is stimulated by the input signal.

maser

mass

The measure of the amount of matter in a body.

masa

mass-energy equivalence

The equivalence of a quantity of mass  $m$  and a quantity of energy  $E$ . The two are related by the equation  $E=mc^2$ , where  $c$  is the speed of light.

equivalencia energia-masa

mean anomaly

In an orbit, the angle at the focus containing the primary body, between the direction to the perifocus and where the satellite would be if the orbit was circular and of a radius equal to the semi-major axis of the actual ellipse at the real elapsed time from the perifocus (i.e. traveling at uniform velocity.) (See "Orbit" diagram)

anomalía media

mean free path

Of any particle, the average distance that a particle travels between successive collisions with other particles in the ensemble.

recorrido libre medio

mean solar day

The interval between successive transits of the lower meridian by the mean Sun, containing 86,400 seconds of mean solar time.

día solar medio  
día solar promedio

medium frequency

Radio frequencies in the band from 300 kilohertz to 3 megahertz.

media frecuencia

mega

A prefix meaning multiplied by one million( $10^6$ ). Symbolized by "M".

mega

memory

The component of a computer, control system, guidance system, instrumented satellite or the like designed to provide ready access to data or instructions previously recorded as to make them bear upon an immediate problem.

memoria

meridian

A great circle which passes through the zenith directly north and south.

meridiano

mesopause

The transition zone between the mesosphere and the exosphere.

mesopausa

mesosphere

1. The atmospheric shell between about 20 kms and about 70 to 80 kms, extending from the top of the stratosphere to the upper temperature minimum (mesopause). It is characterized by a broad temperature maximum (the mesopeak) at about 50 km, except possibly over the winter polar regions.

2. The atmospheric shell between the top of the ionosphere and the bottom of the exosphere.

mesosfera

meteor

In particular, the light phenomenon which results from the entry into the Earth's atmosphere of a solid particle from space. More generally, any physical object or phenomenon associated with such an event.

meteoro

meteoric

Of, or pertaining to, meteors or meteoroids.

meteórico (a)

meteorite

A meteoroid which has reached the surface of the Earth without being completely vaporized.

meteorito

meteoroid

A solid object moving in interplanetary space of a size considerably smaller than an asteroid and considerably larger than an atom or a molecule.

meteoroida

meteorology

The science that deals with the atmospheric phenomena; as variations in temperature, moisture etc., applied to weather forecasting.

mev (mega electron volts)

A unit of energy, one million electron volts.

micro

1. A prefix meaning divided by one million ( $10^{-6}$ ). Symbolized by "u".

2. A prefix meaning very small as in "micrometeorite."

microbar

The unit of pressure in the centimeter-gram-second (c.g.s.) system of units. It is equal to one dyne per square centimeter.

micrometeorite

A very small meteorite or meteoric particle with a diameter, in general, less than one millimeter.

micron

One millionth of a meter.

microwave

A very short electromagnetic wave. Usually between one and one hundred centimeters in length.

meteorología

mev (mega electrón voltios)

micro

microbar

micrometeorito

micrón

microonda

microwave region

región de microondas

Commonly, that region of the radio spectrum between approximately 1000 megahertz and 300,000 megahertz. Corresponding wavelengths are 30 cm to 1 mm. The limits of the microwave region are not clearly defined but, in general, it is considered to be the region in which radar operates.

milli

milli

A prefix meaning multiplied by  $10^{-3}$ . Symbolized by "m".

millibar

milibar  
milibara

A unit of pressure equal to 1,000 dynes per square centimeter, or 1/1,000 of a bar. The millibar is used as a unit of measure of atmospheric pressure, a standard atmosphere being equal to 1,013.25 millibars or 29.92 inches of mercury.

missile

proyectil  
misil

Any object thrown, dropped, fired, launched or otherwise projected with the purpose of striking a target.

mission

misión

A program of study, designing and building hardware, testing, launch and operation of a spacecraft to accomplish a given set of objectives.

modulation

modulación

Specifically, vibration of some characteristic of a radio wave, called the "carrier wave", in accordance with the instantaneous values of another wave, called the "modulating wave".

module

1. A self contained unit of a launch vehicle or spacecraft which serves as a building block for the overall structure. The module is usually designated by its primary function as "command module", "lunar landing module", etc..

2. A one-package assembly of functionally associated electronic parts; usually a plug-in unit

molecule

An aggregate of two or more atoms of a substance that exist as a unit.

moment

A tendency to cause rotation about a point or axis, as of a control surface about its hinge or of an airplane about its center of gravity; the measure of this tendency, equal to the product of the force and the perpendicular distance between the point or axis of rotation and the line of action of the force.

moment of inertia

Of a body about an axis is the summation of  $mr^2$ , where  $m$  is the mass of a particle of the body and  $r$  is its distance from the axis.

momentum

Linear momentum is the quantity obtained by multiplying the mass of a body by its linear speed. Angular momentum is the quantity obtained by multiplying the moment of inertia of a body by its angular speed.

momentum wheel

The central mechanical energy storage device in some three-axis stabilized satellites.

módulo

molécula

momento

momento de inercia

cantidad de movimiento

volante de inercia  
rueda de inercia

nadir

The point on the celestial sphere directly opposite the zenith. i.e., the point directly under the observer's feet.

nadir

nano

A prefix meaning divided by one billion ( $10^9$  in U.S. measurements). Symbolized by "n".


nano

National Aeronautics and Space Administration (NASA)

The United States government agency charged with the responsibility for the exploration of the peaceful uses of space.

Administración Nacional de Aeronautica y del Espacio

Dirección Nacional de Aeronautica y del Espacio



NATIONAL AERONAUTICS AND SPACE ADMINISTRATION  
ADMINISTRACION NACIONAL DE AERONAUTICA Y DEL ESPACIO

natural frequency

The frequency of free oscillation of a system. For a multiple degree-of-freedom system, the natural frequencies are the frequencies of the normal modes of vibration.

frecuencia natural


nautical mile

A unit of distance used principally in navigation. For practical navigation it is usually considered the length of one minute of any great circle of the Earth, the meridian being the great circle most frequently used. By international agreement the nautical mile is exactly 1852 meters.

milla náutica

nebula

A cloud of interstellar matter.



network

A system of ground terminals and interconnecting communication lines.

neutron

A subatomic particle with no electric charge, and with a mass slightly more than the mass of the proton. Protons and neutrons comprise atomic nuclei; and are both classed as nucleons.

neutron star

A star whose interior is an unbelievably dense neutron gas.

neutrosphere

The atmospheric shell from the Earth's surface upward in which the atmospheric constituents are for the most part un-ionized, i.e. electrically neutral. The region of transition between the neutrosphere and the ionosphere is somewhere between 70 and 90 km, depending on latitude and season.

nebulosa

red

neutrón

estrella de neutrónes

neutrosfera

Newton's laws of motion

leyes del movimiento de Newton

A set of three fundamental postulates forming the basis of the mechanics of rigid bodies. In simple statements, these are:

1. If a body is not acted upon by an external force, its momentum remains constant.

2. The rate of change of momentum of a body is proportional to the force acting upon it and is in the direction of that force.

3. For every action there is an equal and opposite reaction.

noctilucent clouds

nubes noctilucentes

Rarely observed clouds of unknown composition which occur at great height. Photometric measurements have located them between 75 and 90 kms. They resemble thin cirrus, but usually have a bluish or silverish color, although sometimes orange to red, standing out against a dark night sky.

node

nodo

1. One of the two points of intersection of the orbit of a planet with the ecliptic, or of the orbit of a satellite with the plane of the orbit of its primary.

2. A point, line or surface in a standing wave where some characteristic of the wave has essentially zero amplitude.

3. A terminal of any branch of a network or a terminal common to two or more branches of a network.

noise

ruido

1. Any undesired sound. By extension, any unwanted disturbance within a useful frequency band.

2. An erratic, intermittent or statistically random oscillation.

nonrelativistic particles

Particles which possess a velocity small with respect to that of light.

partículas no relativistas  
partículas no relativísticas

nonthermal radiation

Electromagnetic radiation emitted by accelerated charged particles not in thermal equilibrium.

radiación atérmica  
radiación no térmica

nova

A star which suddenly becomes many times brighter than previously, and then gradually fades.

nova

nuclear radiation

The emission of neutrons and other particles from an atomic nucleus as a result of nuclear fission or nuclear fusion.

radiación nuclear

nuclear reactor

An apparatus in which nuclear fission may be sustained in a self supporting chain reaction.

reactor nuclear

nucleosynthesis

The production of the various elements occurring in nature out of Hydrogen nuclei or protons.

nucleosíntesis

nucleus

The positively charged core of an atom with which is associated practically the whole mass of the atom, but only a minute part of its volume. A nucleus is composed of one or more protons and an approximately equal number of neutrons.

núcleo

nutaton

1. The oscillation of the axis of a rotating body.

2. In astronomy, the small oscillatory movement of the Earth's axis, with a period of about 19 years, which affects by small amounts the apparent position of the stars and the planets.

nutación

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

occultation

The disappearance of a body behind another body of apparent larger size.

oceanography

That branch of geography dealing with the oceans.

octave

The interval between any two tones, one of which has twice the vibration frequency of the other.

orbit

1. The path of a body or particle about another body, under the influence of a gravitational or other force.

2. To go around the Earth or other body in an orbit.

orbital elements

A set of parameters defining the orbit of a satellite about the Earth. These are:

Semi-Major Axis  
Eccentricity  
Inclination  
Mean Anomaly  
Argument of Perigee  
Right Ascension of the Ascending  
Node  
Anomalistic Period  
Apogee  
Perigee

orbital period

The interval between successive perigee passes of a satellite.

ocultación

oceanografía


octava

órbita  
orbital

elementos orbitales  
elementos de la órbita  
componentes de la órbita



Semieje mayor  
Excentricidad  
Inclinación  
Anomalía media  
Argumento del perigeo  
Ascensión recta del nodo de  
ascensión o nodo ascendente  
Periodo anomalístico  
Apogeo  
Perigeo

período de la órbita  
período orbital



**PARAMETERS OF AN EARTH SATELLITE ORBIT**

**PARAMETROS DE UN SATELITE EN ORBITA TERRESTRE**



**VISTA DEL PLANO DE LA ORBITA Y DEL PLANO ECUATORIAL POR LA LINEA DE NODOS**

orbital velocity

velocidad en la órbita  
velocidad orbital

1. The average velocity at which an Earth satellite or other orbiting body travels around its primary.

2. The velocity of such a body at any given point in its orbit.

order of magnitude

orden de magnitud

A factor of ten. Two quantities of the same kind which differ by less than a factor of ten are said to be of the same order of magnitude.

outgassing

desgaseado  
desgaseamiento

The evolution of gas from a solid in a vacuum.

ozone

ozono

The molecule  $O_3$ .

ozonosphere


ozonósfera

The general stratum of the upper atmosphere in which there is an appreciable ozone concentration and in which ozone plays an important part in the radiative balance of the atmosphere. This region lies roughly between 10 and 50 km, with maximum ozone concentration at about 20 to 25 km.

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

parabola

The locus of all points whose undirected distances from a fixed point and a fixed line are equal. One of the conic sections. (See "Conic Sections" diagram).



paraglider

A flexible-winged, kite-like vehicle designed for use in recovery systems for launch vehicles or as a reentry vehicle.

parameter

1. In general, any quantity of a problem that is not an independent variable. More specifically, the term is often used to distinguish, from dependent variables, quantities which may be more or less arbitrarily assigned values for purposes of the problem at hand.

2. In statistical terminology, any numerical constant derived from a population or a probability distribution. Specifically, it is an arbitrary constant in the mathematical expression of a probability distribution.

parking orbit

A preliminary orbit into which a spacecraft is placed prior to its final mission orbit.

parábola

paracaídas planeador

parámetro

órbita de estacionamiento  
órbita estacionaria  
órbita de aparcamiento

parsec

A unit of distance commonly used to measure interstellar dimensions. It is the distance at which an astronomical unit, the mean distance from the Earth to the Sun, would subtend an angle of one second of arc. A parsec equals 3.26 light years.

passive

Reflecting a signal without transmitting, as "Echo is a passive satellite." Contrasted with "active."

payload

1. Originally, the revenue-producing portion of an aircraft's load. e.g. passengers, cargo, mail etc..

2. By extension, that which an aircraft or rocket carries over and above that which is necessary for the operation of the vehicle in flight.

penumbra

1. The partially lighted part of a shadow.

2. The partial shadow which occurs during an eclipse in the region between the total shadow and the full light where light rays are only partially cut off by the intervening body.

3. The grey, or light colored region which surrounds the dark central portion of a sunspot.

See "Umbra" diagram

peri

A prefix meaning near, as in "perigee."

parsec

pasivo (a)

carga útil

penumbra  
(véase "umbra")

peri

perifocal distance

distancia perifocal

In an orbit, the distance between the focus containing the primary body and the perigee.

perigee

perigeo

That orbital point nearest the Earth, when the Earth is the center of attraction. (See "Orbit" diagram).

perigee height

altura del perigeo

In an orbit, the distance from the intersection of the line of apsides and the surface of the primary body to the perigee. (See "Orbit" diagram).

perihelion

perihelio

That orbital point nearest the Sun, when the Sun is the center of attraction.

period

período

The interval needed to complete a cycle. Often used in reference to the time of a complete orbit. Also called "Orbital Period" or "Anomalistic Period".

perturbation

perturbación

Specifically a disturbance in the regular motion of a celestial body as a result of a force additional to those which cause the regular motion.

phase modulation

modulación de fase

Variation in the output of a radio wave in accordance with the phase variation of an input signal.

photocell (photoelectric cell)

célula fotoelétrica  
fotocélula

A device utilizing photoconductivity so that an increase in illumination causes decrease in electrical resistance.

photoconductivity

fotoconductividad

The electrical conductivity of a substance as affected by exposure to light or other radiation.

photodissociation

fotodisociación

The removal of one or more atoms from a molecule by the absorption of a quantum of electromagnetic or photon energy.

photoionization

fotoionización

The removal of one or more electrons from an atom or a molecule by the absorption of a photon.

photon

fotón

According to the quantum theory of radiation, the elementary quantity, or "quantum," of radiant energy. It is regarded as a discrete quantity having a mass equal to  $h\nu/c^2$ , where  $h$  is Planck's constant,  $\nu$  is the frequency of radiation and  $c$  is the speed of light in a vacuum.

photon engine

motor fotónico

A projected type reaction engine in which thrust would be obtained from a stream of electromagnetic radiation.

photosphere

fotósfera  
fotoesfera

The intensely bright portion of the Sun visible to the naked eye.


pico

A prefix meaning divided by one million million ( $10^{-12}$  in U.S. measurement system.) Symbolized by "p".

pitch

1. Motion about a lateral axis which causes the front to be up or down with respect to the rear.

2. The amount of that movement, i.e. the angle of pitch.



pitch axis

The line through the center of gravity of a body about which the pitch motion occurs.

plages

Clouds of Calcium or Hydrogen vapor that show up as bright patches on the visible surface of the Sun.

Planck's constant

A constant, usually designated  $h$  of dimensions mass  $\times$  length<sup>2</sup>  $\times$  time<sup>-1</sup> equal to  $6.6252 \times 10^{-27}$  erg sec. It scales the energy of electromagnetic radiation of frequency  $\nu$  such that the radiation appears only in quanta  $nh\nu$ ,  $n$  being an integer.

Planck's law

An expression for the variation of monochromatic emittance (emissive power) as a function of wavelength of black-body radiation at a given temperature.

pico

cabeceo

eje de cabeceo

placas  
playas  
fáculas  
maculas

constante de Planck

ley de Planck

planet

A celestial body of the solar system, revolving around the Sun in a nearly circular orbit, or a similar body revolving around a star.

planeta

plasma

An electrically conductive gas comprised of neutral particles, ionized particles and free electrons but which, taken as a whole, is electrically neutral. A plasma is further characterized by relatively large intermolecular distances, large amounts of energy stored in the internal energy levels of the particles and by the presence of a plasma sheath at all boundaries of the plasma. Plasmas are sometimes referred to as the fourth state of matter.

plasma

plasma engine

A reaction engine using magnetically accelerated plasma as propellant.

motor de plasma

plasma jet

A magnetohydrodynamic rocket engine in which the ejection of plasma generates thrust.

reactor de plasma

motor a reacción de plasma

plasma sheath

1. The boundary layer of charged particles between a plasma and its surrounding walls, electrodes or other plasmas. The sheath is generated by the interaction of the plasma with the boundary material. Current flow may be in only one direction across the sheath (single sheath), in both directions across the sheath (double sheath) or, when the plasma is immersed in a magnetic field, may flow along the sheath surface at right angles to the magnetic field (magnetic current sheath.)

2. An envelope of ionized gas that surrounds a body moving through an atmosphere at hypersonic velocities.

The plasma sheath affects transmission, reception and diffraction of radio waves, thus is important in operational problems of spacecraft, especially during reentry.

polarimeter

An instrument for measuring the properties of polarized electromagnetic radiation.

polarization

The state of electromagnetic radiation when transverse vibrations take place in some regular manner, e.g. all in one plane, in a circle, in an ellipse or in some other definite curve.

potential energy

The energy of a particle or a body dependent upon its position.

precession

Change in the direction of the axis of rotation of a spinning body, as a gyroscope, when acted upon by a torque.

pantalla de plasma

polarímetro

polarización

energía potencial

precesión

precession of the equinoxes

The conical motion of the Earth's axis about the normal to the plane of the ecliptic, caused by the attractive force of the Sun, Moon and other planets on the equatorial protuberance of the Earth.

precesión de los equinoccios

pressure

A force exerted on a body so as to tend to alter its shape or decrease its volume.

presión

pressurized

Containing air, or other gas, at a pressure that is higher than the pressure outside the container.

presurizado  
a presión

primary body

The spatial body about which a satellite or other body orbits, is escaping from or toward which it is falling.

cuerpo primario

primary cosmic rays

High energy particles originating outside the Earth's atmosphere.

rayos cósmicos primarios

principal investigator

The individual charged with the overall responsibility for a scientific experiment on a NASA mission.

investigador principal

probability

The chance that a prescribed event will occur, represented as a number greater than zero but less than one. The probability of an impossible event is zero and that of an inevitable event is one.

probabilidad

probable error

error probable

In statistics, that value  $e_p$  for which there exists an even probability (0.5) that the actual error exceeds  $e_p$ . The probable error  $e_p$  is 0.6745 times the standard deviation ( $\alpha$ ). The probable error is not "probable" in the normal sense of the word.

probe


sonda

Any device inserted in an environment for the purpose of obtaining information about the environment. Specifically, an instrumented vehicle moving through the upper atmosphere or space, or landing upon another celestial body in order to obtain information about the specific environment.

prominence

prominencia

A filament like protuberance from the chromosphere of the Sun.



propellant

propulsor  
agente de propulsión  
propulsivo (a)

Something that propells such as the fuel and oxidizer which combine chemically to provide rocket propulsion.

proton

A positively-charged subatomic particle having a mass slightly less than that of a neutron but about 1847 times greater than that of an electron. Protons and neutrons comprise atomic nuclei and are both classed as "nucleons."

prototype

Spacecraft, or element thereof, which is undergoing or has passed environmental and other tests which qualify design for fabrication of flight units, or elements thereof.

pulse amplitude modulation

Variation in the output of a radio wave in accordance with the pulse amplitude variation of an input signal.

pulse code modulation

Variation in the output of a radio wave in accordance with the variation of a coded pulse input signal.

protón

prototipo

modulación de amplitud por impulsos (o pulsos)

modulación de impulsos (o pulsos) en amplitud

modulación de impulsos (o pulsos) cifrados (o codificados)

modulación por impulsos (o pulsos) codificados (o cifrados)

quantization

The process of converting from continuous values of information to a finite number of discrete values.

quantum theory

The theory that all electromagnetic radiation is emitted and absorbed in "quanta" each of magnitude  $h\nu$ ,  $h$  being Planck's constant and  $\nu$  the frequency of the radiation.

quasar

A radio emitting object which looks like a star in the sky. The red shift of the spectral lines of a quasar indicate that it is at a great distance.

cuantificación

teoría cuántica

cuasar

quasar

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

radar astronomy

Detection of high frequency radio waves reflected off nearby members of the solar system utilizing powerful radar transmitters, large antennas and very sensitive receivers.

radiation pressure

The pressure exerted upon any body when electromagnetic radiation is incident upon it.

radiation shield

1. A device used on certain types of instruments to prevent unwanted radiation from biasing the measurement of a quantity.

2. A device used to protect bodies from the harmful effects of nuclear radiation, cosmic radiation or the like.

radiator

1. Any source of radiant energy, especially electromagnetic radiation.

2. A device that dissipates heat from something, not necessarily by radiation only.

radio astronomy

The observance of radio signals from outer space. The development of sensitive electronic receivers and the construction of large antennas has allowed the detection of radio waves from astronomical sources which pass through the atmosphere in the "radio window" from a wavelength of a few millimeters to a few tens of meters.

radio meteor

A meteor detected by the reflection of a radio signal from the meteor trail of relatively high ion density.

astronomía por radar

presión de radiación  
presión de la radiación

blindaje contra la radiación  
apantallamiento  
pantalla contra la radiación

radiador

radioastronomía

radiometeoro

radiometer

A device used to measure some property of electromagnetic radiation.

radiómetro

radiosonde

A balloon-borne instrument for the simultaneous measurement and transmission of meteorological data at high altitudes.

radiosonda

radio telescope

A device for receiving, amplifying and measuring the intensity of radio waves originating outside the Earth's atmosphere.

radiotelescopio

Rankine temperature scale

An absolute temperature scale independent of the thermometric properties of the working substance. On this scale, the difference between two temperatures  $T_1$  and  $T_2$  is proportional to the heat converted into mechanical work by a Carnot engine operating between the isotherms and adiabats through  $T_1$  and  $T_2$ . For convenience, the Rankine degree is identified with the Fahrenheit degree. The ice point of water in the Rankine scale is  $491.69^\circ$ .

escala de temperatura de Rankine

rarefaction

The half of a sound wave in which the air, or other medium, is expanded to less than its normal density.

rarefacción  
enrarecimiento

rarefied gas dynamics

The study of the phenomena related to the molecular or noncontinuum nature of gas flow at low densities.

dinámica de los gases  
enrarecidos

Rayleigh-Jeans law

An approximation of Planck's law for black-body radiation valid in the limit of long wavelengths. It is almost always of sufficient accuracy in the radio and microwave areas of the spectrum.

reaction control system

A system of controlling the attitude of a craft when outside the atmosphere by using jets of gas in lieu of aerodynamic control surfaces.

reaction engine

An engine which develops thrust by its reaction to ejection of a substance from it; specifically, such an engine that ejects a jet or stream of gases created by the burning of fuel within the engine.

real time

Time in which the recording of events or reporting of events is simultaneous with the event.

receiver

An apparatus for the reception of signals transmitted by electromagnetic propagation, usually radio signals.

recombination

The process by which a positive and a negative ion join to form a neutral molecule or other neutral particle.

red giant

A large red star which has completed its main sequence lifetime and has expanded to hundreds of times its initial size, and the surface of which has cooled.

ley de Rayleigh-Jeans

sistema de control de (o por) reacción

motor de reacción

tiempo real  
tiempo actual  
tiempo en directo  
tiempo presente

receptor

recombinación

gigante roja

red shift

In astronomy, the displacement of the observed spectral lines toward the longer wavelengths of the red end of the spectrum. The "red shift" in the spectrum of distant galaxies has been interpreted as evidence that the universe is expanding.

corrimiento hacia el rojo  
desplazamiento hacia el rojo

reentry

1. The event occurring when a spacecraft or other object comes back into the sensible atmosphere after being rocketed to an altitude above the sensible atmosphere.

2. The action involved in this event.

reentrada  
reingreso

reentry vehicle

A space vehicle designed to return with its payload through the sensible atmosphere.

vehículo de reentrada  
vehículo de reingreso

refraction

The bending of a beam of light as it passes from one medium into another in which the index of refraction is different.

refracción

regenerative cooling

The cooling of a part of an engine by the propellant being delivered to the combustion chamber; specifically, the cooling of a rocket engine by circulating the fuel or the oxidizer or both around the part to be cooled.

enfriamiento regenerador

reimbursable mission

A mission for which support costs are reimbursed to NASA by non-NASA users. e.g. foreign governments, other U.S. agencies and private corporations.

misión reembolsable  
misión reembolsada  
misión a reembolso

relative humidity

The ratio of the actual vapor pressure of the air to the saturation vapor pressure for that temperature.

humedad relativa

relativistic particles

In general, pertaining to particles moving at speeds which are an appreciable fraction of the speed of light.

partículas relativísticas

relativity

A theory formulated by Albert Einstein and leading to the assertion of the equivalence of mass and energy ( $E=mc^2$ ) and of the increase in the mass of a body with increased velocity. The theory further maintains that all statements of physical laws take exactly the same form in all systems of reference in whatever way such systems may be moving relative to one another: this theory involving as a consequence the theories that no material body can have a velocity greater than that of light and that gravitation should be described not as a force inherent in matter, but as the effect of the alteration in the properties of space, the so-called change in the curvature of space caused by the presence of matter.

relatividad

resolving power

The ability of a telescope or other lens system to separate objects which are close together.

poder de resolución

resonance

1. The phenomenon of amplification of a free wave or oscillation of a system by a forced wave or oscillation of exactly equal period.

2. Of a system in forced oscillation, the condition which exists when any change, however small, in the frequency of the excitation causes a decrease in the response of the system.

resonancia

resonance frequency

frecuencia de resonancia

A frequency at which resonance exists.

retrograde motion

movimiento de retroceso  
movimiento retrógrado

Real or apparent westward motion. Opposite of direct motion. An object in a retrograde orbit travels in a direction opposite to the rotation or revolution of the central body from which it is observed.

retrorocket

retrocohete

A rocket fitted on or in a spacecraft, satellite or the like to produce thrust opposed to the forward motion.

right ascension

ascensión recta  
ascenso recto

The angle as measured along the celestial equator from the vernal equinox eastward to the hour circle of the celestial object.


right ascension of the ascending node

ascensión recta del nodo  
ascendente  
ascenso recto del nodo de  
ascenso

In an Earth orbit, the longitudinal angle of the ascending node for a given orbital passage, measured from the Vernal Equinox. (See "Orbit" diagram).

rills

Narrow, sharply defined features that extend across the surfaces of the lunar maria. They may be cracks or wrinkles in the lava beds.



riachuelos  
arroyuelos  
grietas lunares  
surcos

rocket

1. A projectile, pyrotechnic device or vehicle propelled by a rocket engine.

2. The rocket engine itself.

cohete

rocket engine

A reaction engine that contains within itself, or carries along with itself, all the substances necessary for its operation or for the consumption or combustion of its fuel, not requiring intake of any outside substance and hence capable of operation in outer space.

motor cohete  
impulsor

roentgen


That amount of X or gamma radiation sufficient to produce ions carrying one electrostatic unit of charge in one  $\text{cm}^3$  of air.

roentgen

roll

1. That rotational or oscillatory motion of an aircraft or similar body which takes place about a longitudinal axis through the body.

2. the amount of that movement, i.e. the angle of roll.



roll axis

The line through the center of gravity of a body about which the roll motion occurs.

balanceo  
rolido

eje de balanceo  
eje de rolido

satellite

1. An attendant body that revolves about another body, the primary; especially in the solar system, a secondary body, or moon, that revolves about a planet.

2. A man made object that revolves about a spatial body.

scale height

A measure of the relationship between density and temperature at any point in an atmosphere; the thickness of a homogeneous atmosphere which would give the observed temperature or pressure.

secondary cosmic rays

Secondary emission in the atmosphere stimulated by primary cosmic rays.

seeing

A blanket term used by astronomers for the disturbing effects produced by the atmosphere upon the image quality of an observed astronomical body.

seismology

The scientific study of earthquakes, their causes and results.

selenographic

1. Of, or pertaining to, the physical geography of the moon.

2. Specifically, referring to positions on the Moon measured in latitude from the Moon's equator and in longitude measured from a reference meridian.

satélite

altura de escala

rayos cósmicos secundarios

visibilidad

sismología  
seismología

selenográfico

semi-major axis

In an ellipse the major axis is the longer axis of symmetry. The semi-major axis is one half the major axis and is the measure of the size of the ellipse. In the elliptical orbit of a celestial body it is the mean, or average, distance of the body from its primary. (See "Orbit" diagram).

semi-minor axis

The shorter axis of symmetry in an ellipse. (See "Orbit" diagram).

sensible atmosphere

That part of the atmosphere that offers resistance to a body passing through it.

shadow band

One of a series of dark, narrow, parallel bands seen to rush swiftly across the landscape just before or after totality in a solar eclipse. Probably due to optical effects of the Earth's atmosphere.

shock waves

The phenomenon in compressible fluid flow where a positive pressure disturbance propagates and eventually steepens into a shock front.

shooting star

A small celestial body heated to incandescence by friction on entering the earth's atmosphere.

shooting star rain

A large number of shooting stars occurring during a short period of time.

semieje mayor

semieje menor

atmósfera sensible

banda de sombra

ondas de choque

estrella fugaz

lluvia de estrellas fugaces

shroud

The nosecone of a space vehicle when it is used only as a shield for passage through the atmosphere from launch to orbit.

guarda  
carenado  
recubrimiento

shuttle

See Space Shuttle

véase "space shuttle"

sidereal

Of, or pertaining to, the stars.

sideral  
sidéreo (a)

sidereal day

The time or interval between two consecutive meridian crossings of a star.

día sideral  
día sidéreo

soft radiation

Radiation which is absorbed by an absorber equivalent to 10 centimeters of lead or less.

radiación blanda

software

As opposed to hardware. The nonphysical part of computer operation. The information supplied to the computer to establish functional programs.

soporte lógico  
elementos de programación

solar array

A network of solar cells interconnected so as to provide a desired power capability to a spacecraft.

conjunto de células solares  
formación de células solares

solar atmospheric tide

Vertical motion of the atmosphere due to thermal or gravitational action of the Sun.

marea atmosférica solar

solar cell

A photovoltaic device that converts sunlight directly into electric energy.

célula solar

solar constant

The rate at which solar radiation is received on a surface perpendicular to the incident radiation and at the Earth's mean distance from the Sun, but outside the Earth's atmosphere.

constante solar

solar cycle

The observed fluctuation from maximum to minimum of the incidence of sunspots, and the activity of solar flares and prominences, with a mean period of 11.2 years.

ciclo de las manchas solares  
ciclo solar

solar eclipse

The partial, total or annular obscuration of the Sun's light on the Earth by the passage of the Moon between the Earth and the Sun.

eclipse solar

solar flare

Sudden local increase in the intensity of the light of Hydrogen on the Sun.

erupción solar  
fulguración solar  
llamarada solar

solar panel

An array of solar cells mounted on a structure and positioned on a spacecraft so as to provide electric power to the spacecraft subsystems.

panel solar

solar physics

A branch of astrophysics which deals with the composition of the sun.

física solar

solar plasma - see solar wind

véase "solar wind"

solar radiation

The total electromagnetic radiation emitted by the Sun,

radiación solar

solar system

The group of planets and their satellites, and other celestial objects which are under the gravitational influence of the Sun.

sistema solar

solar wind

A stream of protons constantly moving outward from the Sun. Synonymous with solar plasma.

viento solar  
plasma solar  
viento de plasma  
véase "solar wind"

solstice

One of the two points on the ecliptic at which its distance from the celestial equator is greatest and which is reached by the Sun each year about June 22nd and December 22nd.

solsticio

sonic

1. Aerodynamics: Of or pertaining to the speed of sound.

2. Of or pertaining to sound.

sónico (a)

sonic boom

A noise caused by the shock wave that emanates from an object traveling in the atmosphere at, or above, the speed of sound.

estampido sónico

sonic speed

The speed of sound. By extension, the speed of a body traveling at Mach 1.

velocidad sonica  
velocidad de sonido

sounding

1. In geophysics, any penetration of the natural environment for scientific observation.

2. In meteorology, same as an upper air observation.

sonda  
sondeo  
de sondeo

sounding rocket

A rocket designed to explore the atmosphere within 4,000 miles of the Earth's surface.

cohete sonda  
cohete de sondeo

space

1. Specifically, the part of the universe lying outside the limits of the Earth's atmosphere.

2. More generally, the volume in which all spatial bodies, including the Earth, move.

espacio

spacecraft

Devices, manned or unmanned, which are designed to be placed into an orbit about the Earth or into a trajectory toward another celestial body.

vehículo espacial  
nave espacial

space flight

Flight beyond the earth's atmosphere.

vuelo espacial

space probes

Devices launched into space for the purpose of obtaining information about the environment it experiences.

sondas espaciales  
dispositivos investigadores  
de espacio

space reddening

The observed reddening, or absorption of shorter wavelengths, of the light from distant celestial bodies caused by the scattering by small particles in interstellar space

rubor espacial  
enrojecimiento del espacio  
arrebolado del espacio  
enrojecimiento espacial

space shuttle

A reusable space vehicle designed and built to put men in space to perform useful work (e.g. launch, repair or recover unmanned satellites) and to return them to the Earth.

lanzadera espacial  
transbordador espacial  
(bus, taxi, ferry) espacial

specific heat

calor específico

The amount of heat required to raise the temperature of a unit mass of a substance one degree, as compared with the same amount of water at the same temperature.

specific impulse

impulso específico

A performance parameter of a rocket propellant, expressed in seconds, and equal to thrust (in pounds) divided by weight flow rate (in pounds per second).

spectral analysis

análisis espectral

Analysis of a spectrum.

spectrograph

espectrógrafo

A device for dispersing radiation into a spectrum and photographing, or mapping, the spectrum. A recording spectroscope.

spectrometer

espectrómetro

An instrument which measures some characteristic, such as intensity, of electromagnetic radiation as a function of wavelength or frequency.

spectroscope

espectroscopio

An instrument for decomposing a beam of electromagnetic energy into its constituents and examining the image so formed.

spectrum

espectro

1. In physics, any series of energies arranged according to wavelength (or frequency); specifically, the series of images produced when a beam of radiant energy, such as sunlight, is dispersed by a prism or a reflecting grating.

2. Short for electromagnetic spectrum used for a specific purpose as the "radio spectrum."

speed of sound

The speed of propagation of sound waves, also called "acoustic velocity" or "sonic velocity".

velocidad del sonido

spin axis

The line about which a body rotates (spins).

eje de rotación  
eje de giro  
eje giratorio

stabilization

The process of producing or maintaining the equilibrium of a floating body by means of some balancing device.

estabilización

standard atmosphere

1. A hypothetical vertical distribution of atmospheric temperature, pressure and density which, by agreement, is taken to be representative of the atmosphere for purposes of pressure altimeter calibrations, aircraft performance calculations, aircraft and rocket design, ballistic tables etc..

2. A standard unit of atmospheric pressure exerted by a 760 mm column of mercury at gravity ( $980.665 \text{ cm/sec}^2$ ) at temperature  $0^\circ\text{C}$ .

atmósfera típica  
atmósfera estándar  
atmósfera standard

star transit

The passage of a star across the celestial meridian.

tránsito estelar  
paso por el meridiano

stationary orbit

An orbit in which an equatorial satellite revolves about the primary at the same angular velocity as the primary rotates on its axis. From the primary, the satellite thus appears to be stationary above a point on the primary.

órbita estacionaria

stationary satellite

A special case of the synchronous satellite in which the orbit inclination is zero.

satélite estacionario

Stefan-Boltzmann law

One of the radiation laws which states that the amount of energy radiated per unit time from a unit surface area of an ideal black body is proportional to the fourth power of the absolute temperature of the black body.

stratosphere

The region of the atmosphere lying on the average between 12 and 60 kilometers; it has a temperature which is either constant or increases with altitude, and is therefore stable against convection.

study mission

That phase of a program planning effort in which mission objectives and design constraints are defined

subatomic particle

A component of an atom, such as an electron, a proton, a meson etc..

subsonic

In aerodynamics, dealing with speeds less than the speed of sound.

subsystem

A functioning entity within a major system. Unmanned satellites usually consist of at least the following subsystems; structure, thermal control, attitude control, propulsion, power, communications, data handling, telemetry and command.

sudden ionospheric disturbance

A complex combination of sudden changes in the condition of the ionosphere, and the effects of those changes.

ley de Stefan-Boltzman

estratósfera

estudio de la misión  
misión de estudio  
fase de estudio

partícula subatómica

subsónico (a)

subsistema

perturbación ionosférica  
repentina

summer solstice


That point on the ecliptic at which its distance from the celestial equator is greatest in such direction as to make the Sun appear highest in the northern hemisphere. Occurs about June 22nd.

solsticio de verano  
solsticio estival

sunspot

A relatively dark area on the surface of the Sun, consisting of a dark central umbra surrounded by a penumbra which is intermediate in brightness between the umbra and the surrounding photosphere. Sunspots usually occur in pairs with opposite magnetic polarities. They have lifetimes ranging from a few days to several months. Their occurrence exhibits an approximately eleven year cycle.

mancha solar



sunspot cycle

A cycle with an average length of 11.1 years, in the number and area of sunspots; as given by the relative sunspot number. This number rises from a minimum of 0 to 10 to a maximum of 50 to 140 about four years later, and then declines more slowly.

ciclo de manchas solares

sun-synchronous orbit

An orbit, typically between 80° and 100° inclination, wherein the ascending node occurs at a specified local Sun time.

órbita solar sincrónica  
órbita heliosíncrona

super high frequency

Radio frequencies in the band from 3 gigahertz to 30 gigahertz.

frecuencia superalta

supersonic

Pertaining to speeds greater than the speed of sound.

supersónico (a)

synchronous rotation

Rotation of a planet or satellite about its axis with the same period as its revolution about the parent body (primary), with the axis of revolution assumed perpendicular to the plane of the orbit. A consequence of this type of rotation is that the planet or satellite always presents the same side or face to the parent body.

rotación sincrónica  
rotación sincrónica

synchronous satellite

A satellite orbiting its primary at such an altitude that it revolves about the primary at the same angular velocity as the primary rotates on its axis, hence seeming to remain fixed in longitude when viewed from the primary.

satélite sincrono  
satélite sincrónico

synchrotron radiation

Electromagnetic radiation generated by the acceleration of charged relativistic particles, usually electrons, in a magnetic field.

radiación sincrotron  
radiación sincrotrónica  
radiación cincrotón

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

tektite

A small glassy body containing no crystals and bearing no antecedent relation to the geological formation in which it occurs, probably of meteoric origin.

telemetry

The science of measuring a quantity, or quantities, transmitting the measured values to a distant station and there, interpreting, indicating or recording the quantities measured.

telescope

An optical, or radio, instrument used to observe celestial objects.

temperature

A measure of the average energy of motion of the molecules of a substance.

tera

A prefix meaning multiplied by  $10^{12}$ . Symbolized by "T".

terminator

The line separating illuminated and dark portions of a nonluminous body, as the Moon.

terrestrial

Pertaining to the Earth.

thermal blanket

An insulating cover for use over portions of a spacecraft to minimize the exchange of thermal energy.

tektita

tectita

telemetría

telemedida

telescopio

temperatura

tera

terminador

límite de iluminación

línea de sombras

terrestre

aislamiento térmico

thermal louvres

persianas térmicas

Shutters which are operable automatically or on command, to control the flow of thermal energy from selected portions of a spacecraft.

thermal radiation

radiación térmica

The electromagnetic radiation emitted by a hot black body, such as the filament of a lamp.

thermodynamic

termodinámico

Pertaining to the flow of heat or to thermodynamics.

thermodynamics

termodinámica

The study of the relationship between heat and mechanical energy.

thermometer

termómetro

An instrument used to measure the expansion and contraction of a substance due to changes in the motion of molecules.

thermonuclear

termonuclear

Pertaining to nuclear reaction that is triggered by particles of high thermal energy.

thermosphere

termósfera

The region of the atmosphere, above the mesosphere, in which there is strong heating and increasing temperature. It extends roughly from an altitude of 90 kilometers to 600 kilometers.

thrust

1. The pushing force developed by an aircraft engine or rocket engine.

2. Specifically, in rocketry, the product of propellant mass flow rate and exhaust velocity relative to the vehicle.

empuje  
impulso

tidal drag

The damping of a planet or satellite's rotation produced by frictional losses associated with tides raised either in the solid body of the planet or satellite, or in the seas upon its surface.

arrastre de marea  
friccion por marea  
freno debido a las mareas

topside sounder

A satellite designed to measure the ion concentration in the ionosphere from above the ionosphere.

cohete sonda

tore or torus

In geometry, the surface described by a conic section, especially a circle, rotating about a straight line in its own plane, or the solid of revolution enclosed by such a surface.

toro  
toroide

torque

A force or combination of forces that tends to produce a rotating or twisting motion.

momento de torsión  
torque  
par de giro

tracking

The process of following the movement of a satellite or rocket by radar, radio or photographic observations.

seguimiento  
rastreo

trajectory

In general, the path traced by any body moving as the result of externally applied forces.

trayectoria

transfer orbit

órbita de transferencia

In interplanetary travel, an elliptical trajectory tangent to the orbits of both the departure planet and the target planet.

transit

tránsito

1. The passage of a celestial body across a celestial meridian; usually called "Meridian transit".

2. The apparent passage of a celestial body across the face of another celestial body or across any point, area or line.

translunar

translunar

Of, or pertaining to, space outside the Moon's orbit about the Earth.

transmitter

emisora  
transmisor

A device for transmitting electromagnetic propagation signals (usually radio signals).

transonic speed

velocidad transónica

Of or pertaining to speeds which are transitional between subsonic and supersonic.

transponder

repetidor  
transpondedor  
respondedor

A combined transmitter and receiver whose function it is to transmit signals automatically when triggered by an interrogating signal.

tropopause

tropopausa

The region at the top of the troposphere.

troposphere

That portion of the Atmosphere from the Earth's surface to the tropopause, that is, the lowest 10 to 20 kms of the atmosphere. The troposphere is characterized by decreasing temperature with height, appreciable vertical wind motion, appreciable water vapor content and weather.

true anomaly

In an orbit, the angle at the focus containing the primary body between the direction of perifocus and the radius vector of the satellite. (See "Orbit" diagram).

tropósfera

anomalía verdadera

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

ullage

The amount that a container, such as a fuel tank, lacks of being full.

merma

ultra high frequency

Radio frequencies in the band from 300 megahertz to 3 gigahertz.

frecuencia ultra alta

ultrasonic

Of, or pertaining to, frequencies above those that affect the human ear, i.e. more than 20,000 Hertz.

ultrasónico (a)

ultraviolet radiation

Electromagnetic radiation shorter in wavelength than visible radiation but longer than X-rays. Roughly, radiation in wavelength interval between 10 and 4000 angstroms.

radiación ultravioleta

umbra


1. The dark cone of shadow cast by a planet or a satellite on the side opposite the Sun, in the limits of which the entire Sun is invisible.

2. The dark, central portion of a sun spot.

umbra

sombra

parte en sombra



THIS PAGE  
INTENTIONALLY  
LEFT BLANK

vacuum

Theoretically, a portion or region of space entirely empty of matter.

Loosely, a degree of diminution of atmospheric pressure below the normal.

Van Allen belt (Van Allen radiation belt)

The zone of high intensity radiation surrounding the Earth, beginning at altitudes of approximately 1000 kilometers.

vernal equinox

The ascending node of the Earth's orbit about the Sun.

Vernier scale

A movable, graduated, scale used for the measuring of fractional units of a primary scale.

vertical

The direction in which the force of gravity acts.

very high frequency

Radio frequencies in the band from 30 megahertz to 300 megahertz.

very low frequency

Radio frequencies in the band from 3 kilohertz to 30 kilohertz.

vacío

cinturon (de radiación) de Van Allen  
faja de Van Allen

equinoccio vernal  
equinoccio de primavera

escala Vernier  
nonius Vernier  
Vernier

vertical

frecuencia muy alta

frecuencia muy baja

visible radiation

radiación visible

Electromagnetic radiation lying within the wavelength interval in which the human eye is sensitive, which is approximately 0.4 to 0.7 micron (4000 to 7000 angstroms.) This portion of the electromagnetic spectrum is bounded on the short wavelength side by the ultraviolet radiation and on the long wavelength side by the infrared radiation.

wavelength

The distance in the line of advance of a wave from any one point to the next point at which at the same instant there is the same phase.

weightlessness

A condition in which no acceleration, whether of gravity or some other force, can be detected by an observer within the system in question.

white dwarf

A star of high surface temperature and very low intrinsic brightness, usually with a mass comparable with that of the Sun, but so small as to have enormous average density.

winter solstice

That point on the ecliptic at which its distance from the celestial equator is greatest in such direction as to make the Sun appear highest in the southern hemisphere. Occurs about December 22nd.

longitud de onda

ingravidez  
falta de gravedad  
falta de peso

enana blanca

solsticio de invierno  
solsticio invernal

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

X-ray

rayos X


Electromagnetic radiation of very short wavelengths, lying within the interval of 0.1 to 100 angstroms.

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

yaw

1. The lateral rotational or oscillatory movement of a body about a transverse axis, which causes the front to be right or left with respect to the rear.

2. The amount of this movement, i.e. the angle of yaw.



guiñada  
oscilación  
desviación

yaw axis

The line through the center of gravity of a body about which the yaw motion occurs.

eje de guiñada  
eje vertical  
eje de desviación

THIS PAGE  
INTENTIONALLY  
LEFT BLANK

zenith

That point of the celestial sphere vertically overhead.

zero "g"

Weightlessness, agravic

cenit

zenit

gravedad nula

cero "g"

1 Report No NASA TM-86211	2 Government Accession No	3. Recipient's Catalog No	
4 Title and Subtitle SPANISH LANGUAGE EQUIVALENTS FOR A GLOSSARY OF TERMS USED IN THE FIELD OF SPACE EXPLORATION		5 Report Date July 1985	6 Performing Organization Code 602
		8 Performing Organization Report No 85B0385	
7 Author(s) Gilbert D Bullock	9 Performing Organization Name and Address Orbiting Satellites Project, Code 602 NASA, Goddard Space Flight Center Greenbelt, MD 20771		10 Work Unit No
12 Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, DC 20546			11 Contract or Grant No
		13 Type of Report and Period Covered Technical Memorandum	
		14. Sponsoring Agency Code	
15 Supplementary Notes			
16 Abstract A need was identified for a reference to provide translations into Spanish of terms used in space exploration. A search for such a resource bore no fruit, so the author compiled his own glossary and obtained the translations. It was printed as a Goddard Space Flight Center X Document (X-602-82-11)			
17. Key Words (Selected by Author(s)) Glossary, Spanish, Space Terminology		18 Distribution Statement Unclassified - Unlimited  Subject Category 80	
19 Security Classif (of this report) Unclassified	20 Security Classif (of this page) Unclassified	21 No. of Pages 131	22. Price* A07

\*For sale by the National Technical Information Service, Springfield, Virginia

22161

NASA-Langley, 1985

**End of Document**