

NASA/TM—2000—209891, Vol. 36



**Technical Report Series on the  
Boreal Ecosystem-Atmosphere Study (BOREAS)**

*Forrest G. Hall and David E. Knapp, Editors*

**Volume 36**

**BOREAS HYD-8 DEM Data over  
the NSA-MSA and SSA-MSA in the  
UTM Projection**

*X. Wang, L.E. Band, and D.E. Knapp*

National Aeronautics and  
Space Administration

**Goddard Space Flight Center**  
Greenbelt, Maryland 20771

---

July 2000

## The NASA STI Program Office ... in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- **TECHNICAL PUBLICATION.** Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peer-reviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- **TECHNICAL MEMORANDUM.** Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- **CONTRACTOR REPORT.** Scientific and technical findings by NASA-sponsored contractors and grantees.
- **CONFERENCE PUBLICATION.** Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- **SPECIAL PUBLICATION.** Scientific, technical, or historical information from NASA programs, projects, and mission, often concerned with subjects having substantial public interest.
- **TECHNICAL TRANSLATION.** English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at <http://www.sti.nasa.gov/STI-homepage.html>
- E-mail your question via the Internet to [help@sti.nasa.gov](mailto:help@sti.nasa.gov)
- Fax your question to the NASA Access Help Desk at (301) 621-0134
- Telephone the NASA Access Help Desk at (301) 621-0390
- Write to:  
NASA Access Help Desk  
NASA Center for AeroSpace Information  
7121 Standard Drive  
Hanover, MD 21076-1320

NASA/TM—2000—209891, Vol. 36



**Technical Report Series on the  
Boreal Ecosystem-Atmosphere Study (BOREAS)**

*Forrest G. Hall and David E. Knapp, Editors*

**Volume 36**

**BOREAS HYD-8 DEM Data over  
the NSA-MSA and SSA-MSA in the  
UTM Projection**

*Xuewen Wang and L.E. Band, University of Toronto  
David E. Knapp, Raytheon ITSS*

National Aeronautics and  
Space Administration

**Goddard Space Flight Center**  
Greenbelt, Maryland 20771

---

July 2000

Available from:

NASA Center for AeroSpace Information  
7121 Standard Drive  
Hanover, MD 21076-1320  
Price Code: A17

National Technical Information Service  
5285 Port Royal Road  
Springfield, VA 22161  
Price Code: A10

# **BOREAS HYD-8 DEM Data over the NSA-MSA and SSA-MSA in the UTM Projection**

Xuewen Wang, L.E. Band, David Knapp

## **Summary**

The BOREAS HYD-8 team focused on describing the scaling behavior of water and carbon flux processes at local and regional scales. These DEMs were produced from digitized contours at a cell resolution of 100 meters. Vector contours of the area were used as input to a software package that interpolates between contours to create a DEM representing the terrain surface. The vector contours had a contour interval of 25 feet. The data cover the BOREAS MSAs of the SSA and NSA and are given in a UTM map projection. Most of the elevation data from which the DEM was produced were collected in the 1970s or 1980s. The data are stored in binary, image format files.

Note that the binary files of this data set on the BOREAS CD-ROMs have been compressed using the Gzip program. See Section 8.2 for details.

## **Table of Contents**

- 1) Data Set Overview
- 2) Investigator(s)
- 3) Theory of Measurements
- 4) Equipment
- 5) Data Acquisition Methods
- 6) Observations
- 7) Data Description
- 8) Data Organization
- 9) Data Manipulations
- 10) Errors
- 11) Notes
- 12) Application of the Data Set
- 13) Future Modifications and Plans
- 14) Software
- 15) Data Access
- 16) Output Products and Availability
- 17) References
- 18) Glossary of Terms
- 19) List of Acronyms
- 20) Document Information

## **1. Data Set Overview**

### **1.1 Data Set Identification**

BOREAS HYD-08 DEM Data over the NSA-MSA and SSA-MSA in the UTM Projection

### **1.2 Data Set Introduction**

These data are provided as part of the BOREal Ecosystem-Atmosphere Study (BOREAS) Staff Science Geographic Information System (GIS) Data Collection Program, which included the collection of pertinent map data, in both hardcopy and digital form.

### **1.3 Objective/Purpose**

The objective of these Digital Elevation Models (DEMs) is to provide the BOREAS investigators with a data product that characterizes the topography of the Northern Study Area (NSA) and Southern Study Area (SSA) Modeling Sub-Areas (MSAs). These data are to be used for modeling purposes.

### **1.4 Summary of Parameters**

Elevation above mean sea level in meters.

### **1.5 Discussion**

The input vector data were acquired through the Canadian Centre for Remote Sensing (CCRS) from the National Topographical Data Base (NTDB) in Standard Interchange Format (SIF). The vector data were digitized from 1:50,000-scale topographic maps and had a contour interval of 25 feet. The BOREAS HYD-08 team gridded the data into a Universal Transverse Mercator (UTM) projection.

### **1.6 Related Data Sets**

BOREAS Regional DEM in Raster Format and AEAC Projection

BOREAS HYD-08 DEM Data over the NSA-MSA and SSA-MSA in the AEAC Projection

## **2. Investigator(s)**

### **2.1 Investigator(s) Name and Title**

Dr. L.E. Band, Professor

### **2.2 Title of Investigation**

Simulation of Boreal Ecosystem Carbon and Water Budgets: Scaling from Local to Regional Extents

### **2.3 Contact Information**

#### **Contact 1:**

Xuewen Wang  
Dept. Geography, U. Toronto  
Toronto, Ontario  
Canada M5T 1A1  
(416) 978-5070  
wangx@esker.geog.utoronto.ca

#### **Contact 2:**

L.E. Band  
Dept. Geography, U. Toronto  
Toronto, Ontario  
Canada M5T 1A1  
(416) 978-3375  
lband@eos.geog.utoronto.ca

#### **Contact 3:**

David Knapp  
Raytheon ITSS  
NASA GSFC  
Code 923  
Greenbelt, MD 20771  
(301) 286-1424  
David.Knapp@gsfc.nasa.gov

### **3. Theory of Measurements**

The user is referred to the NTDB to obtain information about the processes used to create the vector contour data.

### **4. Equipment**

#### **4.1 Sensor/Instrument Description**

Unknown.

##### **4.1.1 Collection Environment**

Unknown.

##### **4.1.2 Source/Platform**

Unknown.

##### **4.1.3 Source/Platform Mission Objectives**

Unknown.

##### **4.1.4 Key Variables**

Unknown.

##### **4.1.5 Principles of Operation**

Unknown.

##### **4.1.6 Sensor/Instrument Measurement Geometry**

Unknown.

##### **4.1.7 Manufacturer of Sensor/Instrument**

Unknown.

#### **4.2 Calibration**

Unknown.

##### **4.2.1 Specifications**

Unknown.

###### **4.2.1.1 Tolerance**

Unknown.

###### **4.2.2 Frequency of Calibration**

Unknown.

###### **4.2.3 Other Calibration Information**

Unknown.

### **5. Data Acquisition Methods**

The data were acquired from the NTDB and received from CCRS. The data came in SIF, digitized from 1:50,000-scale topographic maps. These vector contour data were used by the HYD-08 team to produce the DEMs in this data set.

## 6. Observations

### 6.1 Data Notes

Unknown.

### 6.2 Field Notes

Unknown.

## 7. Data Description

### 7.1 Spatial Characteristics

#### 7.1.1 Spatial Coverage

##### NSA:

The image area that was modeled covers an area that is approximately 54 km x 37 km. This area includes areas just northwest of Thompson, extending as far south as Nelson House, Manitoba. The North American Datum of 1927 (NAD27) corners of the data set are as follows. The following UTM coordinates are in UTM zone 14.

Corner	UTM		Longitude	Latitude
	Easting	Northing		
Northwest	503100	6212100	98.95022W	56.05600N
Northeast	556900	6212100	98.08645W	56.05263N
Southwest	503100	6175500	98.95064W	55.72715N
Southeast	556900	6175500	98.09414W	55.72382N

##### SSA:

The image area that was modeled covers an area that is approximately 54 km x 44 km. This area is located northeast of Prince Albert, Saskatchewan. The NAD27 corners of the data set are as follows. The following UTM coordinates are in UTM.

Corner	UTM		Longitude	Latitude
	Easting	Northing		
Northwest	484800	5993800	105.23240W	54.09410N
Northeast	538300	5993800	104.41442W	54.09290N
Southwest	484800	5949500	105.23020W	53.69594N
Southeast	538300	5949500	104.41996W	53.69475N

#### 7.1.2 Spatial Coverage Map

Not available.

#### 7.1.3 Spatial Resolution

These data were gridded in the UTM projection to a cell size of 100 meters in both the X and Y directions.

#### 7.1.4 Projection

UTM under NAD27.

#### 7.1.5 Grid Description

The data are gridded in the UTM projection (zone 14 in the NSA, zone 13 in the SSA) at a cell size of 100 meters in both the X and Y directions.



## **7.2 Temporal Characteristics**

### **7.2.1 Temporal Coverage**

Most of the elevation data from which the DEM was produced were collected in the 1970s or 1980s.

### **7.2.2 Temporal Coverage Map**

Not available.

### **7.2.3 Temporal Resolution**

These elevations represent the state of the terrain at a point in time. Most of the elevation data from which the DEM was produced were collected in the 1970s or 1980s.

## **7.3 Data Characteristics**

### **7.3.1 Parameter/Variable**

Elevation above mean sea level.

### **7.3.2 Variable Description/Definition**

Elevation above mean sea level - The vertical distance between a plane at mean sea level and a parallel plane intersecting the given location.

### **7.3.3 Unit of Measurement**

Meters.

### **7.3.4 Data Source**

The HYD-08 team received the original data from CCRS, who acquired them from the NTBD.

### **7.3.5 Data Range**

Not available.

## **7.4 Sample Data Record**

Not applicable to binary image data.

# **8. Data Organization**

## **8.1 Data Granularity**

The smallest amount of data that can be obtained from this data set is the entire data set.

## **8.2 Data Format(s)**

### **8.2.1 Uncompressed Data Files**

This data product contains the following three files:

- File 1: American Standard Code for Information Interchange (ASCII) Header File listing the files that are on the tape. The file contains 9 records of 80 bytes each.
- File 2: DEM data file for the NSA. This is a binary file containing 1,076 bytes in each of 366 records. Each binary record is a line of the image file and contains 538 2-byte (16-bit) values stored as low-order byte first. Each binary value is the mean elevation above sea level of the location in meters.
- File 3: DEM data file for the SSA. This is a binary file containing 1,070 bytes in each of 443 records. Each binary record is a line of the image file and contains 535 2-byte (16-bit) values stored as low-order byte first. Each binary value is the mean elevation above sea level of the location in meters.

### **8.2.2 Compressed CD-ROM Files**

On the BOREAS CD-ROMs, file 1 is stored as ASCII text; however, files 2 and 3 have been compressed with the Gzip compression program (file name \*.gz). These data have been compressed using gzip version 1.2.4 and the high compression (-9) option (Copyright (C) 1992-1993 Jean-loup Gailly). Gzip (GNU zip) uses the Lempel-Ziv algorithm (Welch, 1994) used in the zip and PKZIP programs. The compressed files may be uncompressed using gzip (-d option) or gunzip. Gzip is available from many Web sites (for example, ftp site prep.ai.mit.edu/pub/gnu/gzip-\*.\*) for a variety of operating systems in both executable and source code form. Versions of the decompression software for various systems are included on the CD-ROMs.

## **9. Data Manipulations**

### **9.1 Formulae**

#### **9.1.1 Derivation Techniques and Algorithms**

The Topog software package was used to interpolate between contours and create these DEMs. Any details beyond this information is unknown.

### **9.2 Data Processing Sequence**

#### **9.2.1 Processing Steps**

HYD-08 used the Topog software to interpolate elevations between the contours. BOREAS Information System (BORIS) personnel processed the data by:

- Visually reviewing the data on a display system.
- Inventorying the data in the online data base.
- Documenting the data contents.
- Copying the ASCII and compressing the binary files for release on CD-ROM.

#### **9.2.2 Processing Changes**

None.

### **9.3 Calculations**

#### **9.3.1 Special Corrections/Adjustments**

None.

#### **9.3.2 Calculated Variables**

None.

### **9.4 Graphs and Plots**

None.

## **10. Errors**

### **10.1 Sources of Error**

The Topog program interpolates the values to grid cells from vector and point data (digitized contours). Errors occur where the original vector data are too sparse spatially, particularly in flat lowland areas and large lakes.

## **10.2 Quality Assessment**

### **10.2.1 Data Validation by Source**

See Section 10.1.

### **10.2.2 Confidence Level/Accuracy Judgment**

See Section 10.1.

### **10.2.3 Measurement Error for Parameters**

See Section 10.1.

### **10.2.4 Additional Quality Assessments**

See Section 10.1.

### **10.2.5 Data Verification by Data Center**

BORIS staff visually reviewed the images to verify that they did appear to represent DEMs without any obvious anomalies. The only quantitative assessment made was to see that the minimum and maximum elevation values in the raster file approximated those shown on topographic maps of the area.

## **11. Notes**

### **11.1 Limitations of the Data**

Elevational variations exist within the lakes, especially large lakes, as explained in Section 10.1.

### **11.2 Known Problems with the Data**

Elevational variations exist within the lakes, especially large lakes, as explained in Section 10.1.

### **11.3 Usage Guidance**

Elevational variations exist within the lakes, especially large lakes, as explained in Section 10.1.

Before uncompressing the Gzip files on CD-ROM, be sure that you have enough disk space to hold the uncompressed data files. Then use the appropriate decompression program provided on the CD-ROM for your specific system.

### **11.4 Other Relevant Information**

None.

## **12. Application of the Data Set**

The data can be used to perform analyses of terrain and related effects on hydrology and vegetation.

## **13. Future Modifications and Plans**

None.

## 14. Software

### 14.1 Software Description

TOPOG Version 5.0  
Division of Water Resources  
CSIRO  
Canberra, Australia.

Gzip (GNU zip) uses the Lempel-Ziv algorithm (Welch, 1994) used in the zip and PKZIP commands.

### 14.2 Software Access

Contact Division of Water Resources, CSIRO Canberra, Australia

Gzip is available from many Web sites across the Internet (for example, ftp site [prep.ai.mit.edu/pub/gnu/gzip-\\*.](http://prep.ai.mit.edu/pub/gnu/gzip-*.)) for a variety of operating systems in both executable and source code form. Versions of the decompression software for various systems are included on the CD-ROMs.

## 15. Data Access

The HYD-08 DEM data are available from the Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC).

### 15.1 Contact Information

For BOREAS data and documentation please contact:

ORNL DAAC User Services  
Oak Ridge National Laboratory  
P.O. Box 2008 MS-6407  
Oak Ridge, TN 37831-6407  
Phone: (423) 241-3952  
Fax: (423) 574-4665  
E-mail: [ornldaac@ornl.gov](mailto:ornldaac@ornl.gov) or [ornl@eos.nasa.gov](mailto:ornl@eos.nasa.gov)

### 15.2 Data Center Identification

Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC) for Biogeochemical Dynamics  
<http://www-eosdis.ornl.gov/>.

### 15.3 Procedures for Obtaining Data

Users may obtain data directly through the ORNL DAAC online search and order system [<http://www-eosdis.ornl.gov/>] and the anonymous FTP site [<ftp://www-eosdis.ornl.gov/data/>] or by contacting User Services by electronic mail, telephone, fax, letter, or personal visit using the contact information in Section 15.1.

### 15.4 Data Center Status/Plans

The ORNL DAAC is the primary source for BOREAS field measurement, image, GIS, and hardcopy data products. The BOREAS CD-ROM and data referenced or listed in inventories on the CD-ROM are available from the ORNL DAAC.

## 16. Output Products and Availability

### 16.1 Tape Products

The DEM data can be made available on 8-mm, Digital Archive Tape (DAT), or 9-track tapes at 1600 or 6250 Bytes Per Inch (BPI).

### 16.2 Film Products

None.

### 16.3 Other Products

These data are available on the BOREAS CD-ROM series.

## 17. References

### 17.1 Platform/Sensor/Instrument/Data Processing Documentation

Topog User Guide (Version 5.0) 1994. Division of Water Resources, CSIRO. Canberra, Australia.

Welch, T.A. 1984. A Technique for High Performance Data Compression. IEEE Computer, Vol. 17, No. 6, pp. 8-19.

### 17.2 Journal Articles and Study Reports

Newcomer, J., D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. 2000. Collected Data of The Boreal Ecosystem-Atmosphere Study. NASA. CD-ROM.

Sellers, P. and F. Hall. 1994. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1994-3.0, NASA BOREAS Report (EXPLAN 94).

Sellers, P. and F. Hall. 1996. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1996-2.0, NASA BOREAS Report (EXPLAN 96).

Sellers, P., F. Hall, and K.F. Huemmrich. 1996. Boreal Ecosystem-Atmosphere Study: 1994 Operations. NASA BOREAS Report (OPS DOC 94).

Sellers, P., F. Hall, and K.F. Huemmrich. 1997. Boreal Ecosystem-Atmosphere Study: 1996 Operations. NASA BOREAS Report (OPS DOC 96).

Sellers, P., F. Hall, H. Margolis, B. Kelly, D. Baldocchi, G. den Hartog, J. Cihlar, M.G. Ryan, B. Goodison, P. Crill, K.J. Ranson, D. Lettenmaier, and D.E. Wickland. 1995. The boreal ecosystem-atmosphere study (BOREAS): an overview and early results from the 1994 field year. *Bulletin of the American Meteorological Society*. 76(9):1549-1577.

Sellers, P.J., F.G. Hall, R.D. Kelly, A. Black, D. Baldocchi, J. Berry, M. Ryan, K.J. Ranson, P.M. Crill, D.P. Lettenmaier, H. Margolis, J. Cihlar, J. Newcomer, D. Fitzjarrald, P.G. Jarvis, S.T. Gower, D. Halliwell, D. Williams, B. Goodison, D.E. Wickland, and F.E. Guertin. 1997. BOREAS in 1997: Experiment Overview, Scientific Results and Future Directions. *Journal of Geophysical Research* 102 (D24): 28,731-28,770.

### 17.3 Archive/DBMS Usage Documentation

None.

## 18. Glossary of Terms

None.

## 19. List of Acronyms

ASCII	- American Standard Code for Information Interchange
BOREAS	- BOREal Ecosystem-Atmosphere Study
BORIS	- BOREAS Information System
BPI	- Bytes Per Inch
CCRS	- Canadian Centre for Remote Sensing
CD-ROM	- Compact Disk-Read-Only-Memory
DAAC	- Distributed Active Archive Center
DAT	- Digital Archive Tape
DEM	- Digital Elevation Model
EOS	- Earth Observing System
EOSDIS	- EOS Data and Information System
GIS	- Geographic Information System
GSFC	- Goddard Space Flight Center
MSA	- Modeling Sub-Area
NAD27	- North American Datum of 1927
NAD83	- North American Datum of 1983
NASA	- National Aeronautics and Space Administration
NSA	- Northern Study Area
NTDB	- National Topographic Data Base
ORNL	- Oak Ridge National Laboratory
PANP	- Prince Albert National Park
SIF	- Standard Interchange Format
SSA	- Southern Study Area
URL	- Uniform Resource Locator
UTM	- Universal Transverse Mercator

## 20. Document Information

### 20.1 Document Revision Dates

Written: 03-Nov-1994

Last Updated: 05-Feb-1999

### 20.2 Document Review Dates

BORIS Review: 05-Jun-1997

Science Review:

### 20.3 Document ID

## **20.4 Citation**

When using these data, please include the following acknowledgement as well as citations of relevant papers in Section 17.2:

These data originated as vector data from CCRS. This data product was gridded from the original vector data by the BOREAS Science Team HYD-08, led by Prof. L.E. Band at the University of Toronto.

If using data from the BOREAS CD-ROM series, also reference the data as:

Wang, X. L.E. Band, and D. Knapp, "Simulation of Boreal Ecosystem Carbon and Water Budgets: Scaling from Local to Regional Extents." in *Collected Data of The Boreal Ecosystem-Atmosphere Study*. Eds. J. Newcomer, D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers. CD-ROM. NASA, 2000.

Also, cite the BOREAS CD-ROM set as:

Newcomer, J., D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. *Collected Data of The Boreal Ecosystem-Atmosphere Study*. CD-ROM. NASA, 2000.

## **20.5 Document Curator**

## **20.6 Document URL**

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE July 2000	3. REPORT TYPE AND DATES COVERED Technical Memorandum		
4. TITLE AND SUBTITLE Technical Report Series on the Boreal Ecosystem-Atmosphere Study (BOREAS) BOREAS HYD-8 DEM Data over the NSA-MSA and SSA-MSA in the UTM Projection			5. FUNDING NUMBERS 923 RTOP: 923-462-33-01	
6. AUTHOR(S) Xuewen Wang, L.E. Band, and David E. Knapp Forrest G. Hall and David E. Knapp, m Editors				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS (ES) Goddard Space Flight Center Greenbelt, Maryland 20771			8. PERFORMING ORGANIZATION REPORT NUMBER 2000-03136-0	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS (ES) National Aeronautics and Space Administration Washington, DC 20546-0001			10. SPONSORING / MONITORING AGENCY REPORT NUMBER TM—2000—209891 Vol. 36	
11. SUPPLEMENTARY NOTES X. Wang and L.E. Band: University of Toronto; D.E. Knapp: Raytheon ITSS				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Unclassified—Unlimited Subject Category: 43 Report available from the NASA Center for AeroSpace Information, 7121 Standard Drive, Hanover, MD 21076-1320. (301) 621-0390.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words)  The BOREAS HYD-8 team focused on describing the scaling behavior of water and carbon flux processes at local and regional scales. These DEMs were produced from digitized contours at a cell resolution of 100 meters. Vector contours of the area were used as input to a software package that interpolates between contours to create a DEM representing the terrain surface. The vector contours had a contour interval of 25 feet. The data cover the BOREAS MSAs of the SSA and NSA and are given in a UTM map projection. Most of the elevation data from which the DEM was produced were collected in the 1970s or 1980s. The data are stored in binary, image format files.				
14. SUBJECT TERMS BOREAS, hydrology.			15. NUMBER OF PAGES 11	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL	