

NASA/TM—2000—209891, Vol. 215



## **Technical Report Series on the Boreal Ecosystem-Atmosphere Study (BOREAS)**

*Forrest G. Hall and David E. Knapp, Editors*

**Volume 215**

### **BOREAS TF-11 SSA-Fen Leaf Gas Exchange Data**

*Timothy J. Arkebauer  
University of Nebraska-Lincoln*

National Aeronautics and  
Space Administration

**Goddard Space Flight Center**  
Greenbelt, Maryland 20771

---

---

November 2000

## The NASA STI Program Office ... in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- **TECHNICAL PUBLICATION.** Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peer-reviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- **TECHNICAL MEMORANDUM.** Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- **CONTRACTOR REPORT.** Scientific and technical findings by NASA-sponsored contractors and grantees.
- **CONFERENCE PUBLICATION.** Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- **SPECIAL PUBLICATION.** Scientific, technical, or historical information from NASA programs, projects, and mission, often concerned with subjects having substantial public interest.
- **TECHNICAL TRANSLATION.** English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at <http://www.sti.nasa.gov/STI-homepage.html>
- E-mail your question via the Internet to [help@sti.nasa.gov](mailto:help@sti.nasa.gov)
- Fax your question to the NASA Access Help Desk at (301) 621-0134
- Telephone the NASA Access Help Desk at (301) 621-0390
- Write to:  
NASA Access Help Desk  
NASA Center for AeroSpace Information  
7121 Standard Drive  
Hanover, MD 21076-1320

NASA/TM—2000–209891, Vol. 215



**Technical Report Series on the  
Boreal Ecosystem-Atmosphere Study (BOREAS)**

*Forrest G. Hall and David E. Knapp, Editors*

**Volume 215**

**BOREAS TF-11 SSA-Fen  
Leaf Gas Exchange Data**

*Timothy J. Arkebauer  
University of Nebraska-Lincoln*

National Aeronautics and  
Space Administration

**Goddard Space Flight Center**  
Greenbelt, Maryland 20771

---

November 2000

Available from:

NASA Center for AeroSpace Information  
7121 Standard Drive  
Hanover, MD 21076-1320  
Price Code: A17

National Technical Information Service  
5285 Port Royal Road  
Springfield, VA 22161  
Price Code: A10

# BOREAS TF-11 SSA-Fen Leaf Gas Exchange Data

Timothy J. Arkebauer

## Summary

The BOREAS TF-11 team gathered a variety of data to complement its tower flux measurements collected at the SSA-Fen site. This data set contains single-leaf gas exchange data from the SSA-Fen site during 1994 and 1995. These leaf gas exchange properties were measured for the dominant vascular plants using portable gas exchange systems. The data are stored in tabular ASCII files.

## Table of Contents

- 1) Data Set Overview
- 2) Investigator(s)
- 3) Theory of Measurements
- 4) Equipment
- 5) Data Acquisition Methods
- 6) Observations
- 7) Data Description
- 8) Data Organization
- 9) Data Manipulations
- 10) Errors
- 11) Notes
- 12) Application of the Data Set
- 13) Future Modifications and Plans
- 14) Software
- 15) Data Access
- 16) Output Products and Availability
- 17) References
- 18) Glossary of Terms
- 19) List of Acronyms
- 20) Document Information

## 1. Data Set Overview

### 1.1 Data Set Identification

BOREAS TF-11 SSA-Fen Leaf Gas Exchange Data

### 1.2 Data Set Introduction

The BOREal Ecosystem-Atmosphere Study (BOREAS) Tower Flux (TF)-11 team collected single-leaf gas exchange data at the Southern Study Area (SSA)-Fen site in 1994 and 1995. These leaf gas exchange properties were measured for the dominant vascular plants using portable gas exchange systems. The variables that were measured include leaf species, leaf area, boundary layer conductance, leaf temperature, net CO<sub>2</sub> assimilation rate, stomatal conductance, internal CO<sub>2</sub> concentration, photosynthetic photon flux density (PPFD), air temperature, CO<sub>2</sub> concentration, relative humidity, and air vapor pressure.

### 1.3 Objectives/Purpose

The objectives of this study were to quantify the response of leaf gas exchange properties (e.g., net CO<sub>2</sub> assimilation rate, stomatal conductance) to environmental conditions in the field and to determine diurnal and seasonal changes in leaf gas exchange properties.

## **1.4 Summary of Parameters**

Each data record includes the date and time of measurements, leaf properties (species, leaf area, boundary layer conductance, leaf temperature, net CO<sub>2</sub> assimilation rate, stomatal conductance, internal CO<sub>2</sub> concentration), and environmental conditions (PPFD, air temperature, CO<sub>2</sub> concentration, relative humidity, air vapor pressure).

## **1.5 Discussion**

Our overall project goal was to investigate the surface-atmosphere exchange of carbon dioxide and methane, and the associated energy fluxes, at the SSA-Fen site. Leaf-level gas exchange measurements were made in the field on the dominant vascular plant species growing at the SSA-Fen site. Our primary focus was on *Betula pumila* (bog birch) and *Menyanthes trifoliata* (buckbean) based on the relative abundance (as reflected in, e.g., leaf area index (LAI)) of these species in the fen. A limited set of measurements was also made on *Carex* (sedge) species, mostly *Carex diandra*.

## **1.6 Related Data Sets**

BOREAS TF-11 SSA-Fen Tower Flux and Meteorological Data  
BOREAS TF-11 SSA-Fen 1996 Water Surface Film Capping Data  
BOREAS TF-11 SSA-Fen Soil Surface CO<sub>2</sub> Flux Data  
BOREAS TF-11 SSA-Fen 1995 Leaf Area Index Data

## **2. Investigator(s)**

### **2.1 Investigator(s) Name and Title**

Dr. Timothy J. Arkebauer, Associate Professor  
Department of Agronomy  
University of Nebraska-Lincoln

Dr. Shashi B. Verma, Professor  
Department of Agricultural Meteorology  
University of Nebraska-Lincoln

### **2.2 Title of Investigation**

Field Micrometeorological Measurements, Process-Level Studies and Modeling of Methane and Carbon Dioxide Fluxes in a Boreal Wetland Ecosystem

### **2.3 Contact Information**

#### **Contact 1**

Dr. Timothy J. Arkebauer  
Department of Agronomy  
106 KCR Building  
University of Nebraska  
Lincoln, NE 68583-0817 USA  
(402) 472-2847  
(402) 472-3654 (fax)  
tja@unlinfo.unl.edu

**Contact 2:**

David Knapp  
Raytheon ITSS  
NASA GSFC  
Code 923  
Greenbelt, MD 20771  
(301) 286-1424  
(301) 286-0239 (fax)  
David.Knapp@gssc.nasa.gov

### 3. Theory of Measurements

Most gas exchange measurements were made by using an LI-6200 system in the closed-circuit mode. The net CO<sub>2</sub> assimilation rate is calculated via the change in CO<sub>2</sub> concentration in the sample chamber with time. Stomatal conductance is calculated from the rate of change of water vapor concentration with time, the fraction of the total system flow through the desiccant, and the (previously determined) boundary layer conductance of the leaf. Further details can be found in the LI-6200 Technical Reference Manual (LI-COR, Inc., 1990).

Measurements were also made with an LI-6400 system operated in the open mode. Here, the net CO<sub>2</sub> assimilation rate is calculated via the difference between the CO<sub>2</sub> concentration entering and exiting the sample chamber. Similarly, the stomatal conductance is a function of the water vapor concentrations entering and exiting the sample chamber, in conjunction with the boundary layer conductance of the leaf. Further details can be found in the LI-6400 Technical Reference Manual (LI-COR, Inc., 1995).

In all cases, the internal CO<sub>2</sub> concentrations of the leaves were calculated based on the measured net CO<sub>2</sub> assimilation rates and leaf conductances. Additional information on the theory related to leaf gas exchange measurements can be found in Ball (1987).

### 4. Equipment

#### 4.1 Instrument Description

Most of the measurements were made with an LI-6200 Portable Photosynthesis System. Several measurements were made with a prototype LI-6400 Portable Photosynthesis System.

#### 4.1.1 Collection Environment

All measurements were made on intact plants in the field at the SSA-Fen site under ambient environmental conditions.

#### 4.1.2 Source/Platform

Measurements were made from platforms or boardwalks raised approximately 0.2 m above the fen surface.

#### 4.1.3 Source/Platform Mission Objectives

None given.

#### 4.1.4 Key Variables

Leaf properties: net CO<sub>2</sub> assimilation rate, stomatal conductance, internal CO<sub>2</sub> concentration, leaf temperature. Environmental conditions: air temperature, air vapor pressure, incident PPFD, air CO<sub>2</sub> concentration.

#### **4.1.5 Principles of Operation**

The LI-6200 was operated in the closed mode. Net CO<sub>2</sub> assimilation rate was determined from the time rate of change of CO<sub>2</sub> concentration in the sample chamber. Stomatal conductance was determined from the time rate of change of water vapor concentration in the chamber, in conjunction with the fraction of the system flow diverted through the desiccant and the (previously determined) leaf boundary layer conductance. CO<sub>2</sub> concentrations were measured with an infrared gas analyzer (IRGA). A pump circulated the air from the sample chamber, through the analyzer, and back into the sample chamber. Water vapor concentrations in the sample chamber were determined by a Vaisala humidity chip and a thermistor sensing the air temperature. Leaf temperatures were determined by a thermocouple pair that measured the temperature difference between the air thermistor and a thermocouple appressed to the leaf.

The LI-6400 was operated in the open mode. Net CO<sub>2</sub> assimilation rate was determined from the difference between the CO<sub>2</sub> concentration entering and exiting the sample chamber. Stomatal conductance was determined by the difference between the water vapor concentrations entering and exiting the chamber. Both CO<sub>2</sub> and water vapor concentrations were measured with a pair of IRGAs.

Additional information can be found in the LI-COR LI-6200 and LI-6400 Technical Reference manuals.

#### **4.1.6 Sensor/Instrument Measurement Geometry**

None given.

#### **4.1.7 Manufacturer of Instrument**

LI-COR, Inc.  
P.O. Box 4425  
4421 Superior Street  
Lincoln, NE 68504 USA  
(402) 467-3576  
(402) 467-2819 (fax)

### **4.2 Calibration**

#### **4.2.1 Specifications**

The IRGAs, the humidity chips, the flow meters, and the quantum sensors were calibrated by the manufacturer prior to each field season. The zero and span of the LI-6200 CO<sub>2</sub> analyzer and the zeros and spans of the LI-6400 CO<sub>2</sub> and water vapor analyzers were calibrated against known standard gases in the field.

##### **4.2.1.1 Tolerance**

None given.

##### **4.2.2 Frequency of Calibration**

Annual calibration of the IRGAs, the humidity chips, the flow meters, and the quantum sensors was done by the manufacturer. Daily calibration of the zero and span of the IRGAs in the field. The CO<sub>2</sub> zero and the flow meter zero were checked and adjusted several times daily.

##### **4.2.3 Other Calibration Information**

Calibration gases for the IRGAs were obtained from Acklands, 1042 Quebec Ave., Saskatoon, Saskatchewan CANADA, S7K 1V5 (Primary supplier: Linde gas, Alberta, CANADA). These gases were calibrated against gases of known concentration traceable to the National Oceanic and Atmospheric Administration (NOAA), Boulder, CO.

The LI-6400 water vapor analyzer span was calibrated using an LI-610 Dew Point Generator (LI-COR, Inc., Lincoln, NE 68504).



## 5. Data Acquisition Methods

A positive net CO<sub>2</sub> assimilation rate (e.g., photosynthesis) means that the net flux of CO<sub>2</sub> is into the leaf. A negative net CO<sub>2</sub> assimilation rate (e.g., respiration) indicates the net flux of CO<sub>2</sub> is out of the leaf.

Measurements of *Betula* and *Menyanthes* were made on single leaves (or portions of single leaves). For *Carex* measurements, several (typically 10 to 12) leaves were taped together, and the resulting rectangular area was placed in the sample chamber.

The LI-6200 measurements were made with a 0.25-liter sample chamber. Most measurements were made on plants growing adjacent to either the main (eddy correlation) boardwalk or raised platforms located approximately 200 m north and south of the main boardwalk. Most measurements were made under natural illumination (sunlight); however, a limited number of measurements were made with a red light emitting diode (LED) light source in conjunction with a LI-6400 gas exchange system. Leaves to be measured were placed in the sample chamber without altering their original orientation. The sample chamber was held with a tripod standing on the fen surface. Light response curves were usually made by attenuating natural illumination with neutral density filters. Respiration rates were determined after enclosing leaves in an opaque film-changing bag. Assimilation rates versus internal CO<sub>2</sub> concentration responses were determined using a transient technique with an LI-6200 gas exchange system. The net CO<sub>2</sub> assimilation rate and the internal CO<sub>2</sub> concentrations for these studies were corrected for chamber leaks, and an external fan was used to moderate chamber temperatures (for details see McDermitt et al., 1989). Leaf areas for irregularly shaped leaves (e.g., most of the *Betula* samples) were determined by tracing the leaf outline on ruled graph paper.

## 6. Observations

### 6.1 Data Notes

None given.

### 6.2 Field Notes

A limited set of field notes and observations is available by request from T.J. Arkebauer.

## 7. Data Description

### 7.1 Spatial Characteristics

#### 7.1.1 Spatial Coverage

Most measurements were made on plants growing adjacent to either the main (eddy correlation) boardwalk or raised platforms located approximately 200 m from the eddy correlation instrumentation, north and south of the main boardwalk. The North American Datum of 1983 (NAD83) corner coordinates of the SSA-Fen site are:

Site	Longitude	Latitude	BOREAS X	BOREAS Y
SSA-Fen	104.61798° W	53.80206° N	419.527	330.991

#### 7.1.2 Spatial Coverage Map

Not available.

#### 7.1.3 Spatial Resolution

Not applicable.

#### 7.1.4 Projection

These data were collected at point locations.

#### 7.1.5 Grid Description

None.

### 7.2 Temporal Characteristics

#### 7.2.1 Temporal Coverage

Measurements were made from 08-Jun through 07-Sep-1994 and 30-Jun through 06-Aug-1995.

#### 7.2.2 Temporal Coverage Map

None.

#### 7.2.3 Temporal Resolution

None given.

### 7.3 Data Characteristics

#### 7.3.1 Parameter/Variable

The parameters contained in the data files on the CD-ROM are:

```
          Column Name
-----
SITE_NAME
SUB_SITE
DATE_OBS
TIME_OBS
INSTRUMENT_NUM
GENUS
LEAF_ID
LEAF_AREA
STUDY_TYPE
OBS_NUM
ELAPSED_TIME_INIT
DOWN_PPFD_CHAMBER
LEAF_TEMP
AIR_TEMP_CHAMBER
CO2_CONC_CHAMBER
AIR_FLOW_CHAMBER
REL_HUM_CHAMBER
VAPOR_PRESS_CHAMBER
CO2_ASSIMILATION
STOMATAL_MOLAR_CONDUCT_H2O
INTERCELL_CO2_CONC
BOUND_LAYER_MOLAR_CONDUCT_H2O
CRTFCN_CODE
REVISION_DATE
```

### 7.3.2 Variable Description/Definition

The descriptions of the parameters contained in the data files on the CD-ROM are:

Column Name	Description
SITE_NAME	The identifier assigned to the site by BOREAS, in the format SSS-TTT-CCCCC, where SSS identifies the portion of the study area: NSA, SSA, REG, TRN, and TTT identifies the cover type for the site, 999 if unknown, and CCCCC is the identifier for site, exactly what it means will vary with site type.
SUB_SITE	The identifier assigned to the sub-site by BOREAS, in the format GGGGG-IIIII, where GGGGG is the group associated with the sub-site instrument, e.g. HYD06 or STAFF, and IIIII is the identifier for sub-site, often this will refer to an instrument.
DATE_OBS	The date on which the data were collected.
TIME_OBS	The Greenwich Mean Time (GMT) when the data were collected.
INSTRUMENT_NUM	The instrument number used for the measurement. If = 6400, the LI-COR 6400 was used. Otherwise, the LI-COR 6200 was used and the number indicates the LI-COR 6200 file number.
GENUS	The genus of the plant sample, where Betula= Betula pumila, Menyanthes=Menyanthes trifoliata, and Carex=Carex sp. (primarily Carex diandra).
LEAF_ID	The unique leaf identifier, within a day.
LEAF_AREA	The area of the leaf (or needles) enclosed in the chamber, this value is always half the total surface area of the sample.
STUDY_TYPE	An indicator of the type of study being conducted. Pn=net photosynthesis, Lr=light response curve, Rd=dark respiration, Aci=net CO2 assimilation versus internal CO2 concentration curve, Vr=vapor pressure deficit response. Note: these are not mutually exclusive designations.
OBS_NUM	The observation number.
ELAPSED_TIME_INIT	The elapsed time since the initiation of the measurement indicated by the observation time.
DOWN_PPFD_CHAMBER	The incoming photosynthetic photon flux density measured in the chamber.
LEAF_TEMP	The leaf or shoot temperature
AIR_TEMP_CHAMBER	The temperature of the air in the chamber.
CO2_CONC_CHAMBER	The CO2 concentration of the air in the chamber.
AIR_FLOW_CHAMBER	The total air flow rate through the system.
REL_HUM_CHAMBER	The relative humidity of the air in the chamber.
VAPOR_PRESS_CHAMBER	Vapor pressure of the air in the chamber.
CO2_ASSIMILATION	CO2 assimilation on leaf area basis
STOMATAL_MOLAR_CONDUCT_H2O	Stomatal conductance of water vapor.
INTERCELL_CO2_CONC	Intercellular CO2 concentration.
BOUND_LAYER_MOLAR_CONDUCT_H2O	The boundary layer conductance for water vapor of the sample.

CRTFCN_CODE	The BOREAS certification level of the data. Examples are CPI (Checked by PI), CGR (Certified by Group), PRE (Preliminary), and CPI-??? (CPI but questionable).
REVISION_DATE	The most recent date when the information in the referenced data base table record was revised.

### 7.3.3 Unit of Measurement

The measurement units for the parameters contained in the data files on the CD-ROM are:

Column Name	Units
SITE_NAME	[none]
SUB_SITE	[none]
DATE_OBS	[DD-MON-YY]
TIME_OBS	[HHMM GMT]
INSTRUMENT_NUM	[unitless]
GENUS	[none]
LEAF_ID	[unitless]
LEAF_AREA	[millimeter <sup>2</sup> ]
STUDY_TYPE	[none]
OBS_NUM	[unitless]
ELAPSED_TIME_INIT	[seconds]
DOWN_PPFD_CHAMBER	[micromoles] [meters <sup>-2</sup> ] [second <sup>-1</sup> ]
LEAF_TEMP	[degrees Celsius]
AIR_TEMP_CHAMBER	[degrees Celsius]
CO2_CONC_CHAMBER	[parts per million]
AIR_FLOW_CHAMBER	[micromoles] [second <sup>-1</sup> ]
REL_HUM_CHAMBER	[percent]
VAPOR_PRESS_CHAMBER	[millibars]
CO2_ASSIMILATION	[micromoles CO2] [meter <sup>-2</sup> ] [second <sup>-1</sup> ]
STOMATAL_MOLAR_CONDUCT_H2O	[millimoles H2O] [meter <sup>-2</sup> ] [second <sup>-1</sup> ]
INTERCELL_CO2_CONC	[parts per million]
BOUND_LAYER_MOLAR_CONDUCT_H2O	[moles H2O] [meter <sup>-2</sup> ] [second <sup>-1</sup> ]
CRTFCN_CODE	[none]
REVISION_DATE	[DD-MON-YY]

### 7.3.4 Data Source

The sources of the parameter values contained in the data files on the CD-ROM are:

Column Name	Data Source
SITE_NAME	[Assigned by BORIS.]
SUB_SITE	[Assigned by BORIS.]
DATE_OBS	[Supplied by Investigator.]
TIME_OBS	[Supplied by Investigator.]
INSTRUMENT_NUM	[Supplied by Investigator.]
GENUS	[Supplied by Investigator.]
LEAF_ID	[Supplied by Investigator.]
LEAF_AREA	[Supplied by Investigator.]
STUDY_TYPE	[Supplied by Investigator.]
OBS_NUM	[Supplied by Investigator.]
ELAPSED_TIME_INIT	[Supplied by Investigator.]
DOWN_PPFD_CHAMBER	[Supplied by Investigator.]

LEAF_TEMP	[Supplied by Investigator.]
AIR_TEMP_CHAMBER	[Supplied by Investigator.]
CO2_CONC_CHAMBER	[Supplied by Investigator.]
AIR_FLOW_CHAMBER	[Supplied by Investigator.]
REL_HUM_CHAMBER	[Supplied by Investigator.]
VAPOR_PRESS_CHAMBER	[Supplied by Investigator.]
CO2_ASSIMILATION	[Supplied by Investigator.]
STOMATAL_MOLAR_CONDUCT_H2O	[Supplied by Investigator.]
INTERCELL_CO2_CONC	[Supplied by Investigator.]
BOUND_LAYER_MOLAR_CONDUCT_H2O	[Supplied by Investigator.]
CRTFCN_CODE	[Assigned by BORIS.]
REVISION_DATE	[Assigned by BORIS.]

### 7.3.5 Data Range

The following table gives information about the parameter values found in the data files on the CD-ROM.

Column Name	Minimum Data Value	Maximum Data Value	Missng Data Value	Unrel Data Value	Below Detect Limit	Data Not Cllctd
SITE_NAME	SSA-FEN-FLXTR	SSA-FEN-FLXTR	None	None	None	None
SUB_SITE	9TF11-LFC01	9TF11-LFC01	None	None	None	None
DATE_OBS	08-JUN-94	06-AUG-95	None	None	None	None
TIME_OBS	2	2355	None	None	None	None
INSTRUMENT_NUM	29	6400	None	None	None	None
GENUS	N/A	N/A	None	None	None	None
LEAF_ID	1	24	None	None	None	None
LEAF_AREA	225	2540	None	None	None	None
STUDY_TYPE	ACi	Vr	None	None	None	None
OBS_NUM	1	635	None	None	None	None
ELAPSED_TIME_INIT	-1.516	9259	None	None	None	None
DOWN_PPFD_CHAMBER	-2.274	9658	-999	None	None	None
LEAF_TEMP	8.24	45.97	None	None	None	None
AIR_TEMP_CHAMBER	9.844	37.27	-999	None	None	None
CO2_CONC_CHAMBER	2.73	605.2	None	None	None	None
AIR_FLOW_CHAMBER	-9.65	1123	None	None	None	None
REL_HUM_CHAMBER	-2.75	99.85	-999	None	None	None
VAPOR_PRESS_CHAMBER	-2.098	46.85	-999	None	None	None
CO2_ASSIMILATION	-5.724	40.76	-999	None	None	None
STOMATAL_MOLAR_CONDUCT_H2O	-4502	7537	-999	None	None	None
INTERCELL_CO2_CONC	-3164	18330	-999	None	None	None
BOUND_LAYER_MOLAR_CONDUCT_H2O	.9	2.87	None	None	None	None
CRTFCN_CODE	CPI	CPI	None	None	None	None
REVISION_DATE	14-APR-99	14-APR-99	None	None	None	None

Minimum Data Value -- The minimum value found in the column.

Maximum Data Value -- The maximum value found in the column.

Missng Data Value -- The value that indicates missing data. This is used to indicate that an attempt was made to determine the parameter value, but the attempt was unsuccessful.

Unrel Data Value -- The value that indicates unreliable data. This is used to indicate an attempt was made to determine the

parameter value, but the value was deemed to be unreliable by the analysis personnel.

Below Detect Limit -- The value that indicates parameter values below the instruments detection limits. This is used to indicate that an attempt was made to determine the parameter value, but the analysis personnel determined that the parameter value was below the detection limit of the instrumentation.

Data Not Cllctd -- This value indicates that no attempt was made to determine the parameter value. This usually indicates that BORIS combined several similar but not identical data sets into the same data base table but this particular science team did not measure that parameter.

Blank -- Indicates that blank spaces are used to denote that type of value.

N/A -- Indicates that the value is not applicable to the respective column.

None -- Indicates that no values of that sort were found in the column.

---

## 7.4 Sample Data Record

The following are wrapped versions of data records from a sample data file on the CD-ROM. The data is arranged as comma-separated variables with the following information in each record.

```
SITE_NAME, SUB_SITE, DATE_OBS, TIME_OBS, INSTRUMENT_NUM, GENUS, LEAF_ID, LEAF_AREA,
STUDY_TYPE, OBS_NUM, ELAPSED_TIME_INIT, DOWN_PPFD_CHAMBER, LEAF_TEMP,
AIR_TEMP_CHAMBER, CO2_CONC_CHAMBER, AIR_FLOW_CHAMBER, REL_HUM_CHAMBER,
VAPOR_PRESS_CHAMBER, CO2_ASSIMILATION, STOMATAL_MOLAR_CONDUCT_H2O,
INTERCELL_CO2_CONC, BOUND_LAYER_MOLAR_CONDUCT_H2O, CRTFCN_CODE, REVISION_DATE
'SSA-FEN-FLXTR', '9TF11-LFC01', 08-JUN-94, 1722, 78, 'Betula', 1, 416.0, 'Pn', 1, 7.271,
1695.0, 30.61, 30.27, 329.3, 174.3, 24.33, 10.48, 8.655, 156.7, 217.2, 1.37, 'CPI', 14-APR-99
'SSA-FEN-FLXTR', '9TF11-LFC01', 08-JUN-94, 1741, 79, 'Betula', 2, 290.0, 'Pn', 1, 7.357,
2153.0, 32.67, 31.49, 347.0, 179.2, 24.33, 11.24, 13.55, 213.0, 214.0, 1.37, 'CPI', 14-APR-99
```

## 8. Data Organization

### 8.1 Data Granularity

The smallest unit of data that can be ordered from this data set is the entire set of data.

### 8.2 Data Format

The Compact Disk-Read-Only Memory (CD-ROM) files contain American Standard Code for Information Interchange (ASCII) numerical and character fields of varying length separated by commas. The character fields are enclosed with single apostrophe marks. There are no spaces between the fields.

Each data file on the CD-ROM has four header lines of Hyper-Text Markup Language (HTML) code at the top. When viewed with a Web browser, this code displays header information (data set title, location, date, acknowledgments, etc.) and a series of HTML links to associated data files and related data sets. Line 5 of each data file is a list of the column names, and line 6 and following lines contain the actual data.

## **9. Data Manipulations**

### **9.1 Formulae**

Formulae for calculating the net CO<sub>2</sub> assimilation rates, stomatal conductances, and internal CO<sub>2</sub> concentrations are given in the LI-6200 and LI-6400 Technical Reference Manuals.

#### **9.1.1 Derivation Techniques/Algorithms**

None given.

### **9.2 Data Processing Sequence**

#### **9.2.1 Processing Steps**

- The BOREAS Information System (BORIS) received data from TF-11.
- BORIS standardized the units and loaded data into the data base.
- BORIS extracted data from data base into ASCII files.

#### **9.2.2 Processing Changes**

None.

### **9.3 Calculations**

#### **9.3.1 Special Correction/Adjustments**

None.

#### **9.3.2 Calculated Variables**

None.

### **9.4 Graphs and Plots**

None.

## **10. Errors**

### **10.1 Sources of Error**

Calibration drift: The flow meter zero and IRGA CO<sub>2</sub> zero exhibited occasional drifts. The zeros were set periodically throughout the day.

Dew/wetness: When leaves were wet, the stomatal conductance and internal CO<sub>2</sub> values may not be correct. Examples of spurious data include conductances less than zero and CO<sub>2</sub> concentrations in the thousands.

### **10.2 Quality Assessment**

#### **10.2.1 Data Validation by Source**

None given.

#### **10.2.2 Confidence Level/Accuracy Judgment**

None given.

#### **10.2.3 Measurement Error for Parameters**

None given.

#### **10.2.4 Additional Quality Assessments**

None given.

### **10.2.5 Data Verification by Data Center**

BORIS staff loaded the data into the data base and checked for any inconsistencies during loading. Certain data records were found to have unrealistic values in some of the columns. In cases where these large values prevented these records from being loaded (i.e., they did not fit in the data base column), the values were changed to -999. Only 36 records were found to have this kind of problem.

## **11. Notes**

### **11.1 Limitations of the Data**

None given.

### **11.2 Known Problems with the Data**

Other than the few times measurements were made on moist leaves (as discussed above), there are no known problems with the data set.

### **11.3 Usage Guidance**

The normal caveat of 'use at your own risk' applies. Correspondence with T.J. Arkebauer is encouraged when questions arise.

A positive net CO<sub>2</sub> assimilation rate (e.g., photosynthesis) means that the net flux of CO<sub>2</sub> is into the leaf. A negative net CO<sub>2</sub> assimilation rate (e.g., respiration) indicates the net flux of CO<sub>2</sub> is out of the leaf.

### **11.4 Other Relevant Information**

Dr. Evan C. Jolitz was responsible for most of the day to day coordination of the field measurements. His assistance is greatly appreciated. We also thank LI-COR, Inc., for their generous contribution of the prototype LI-6400 gas exchange system.

## **12. Application of the Data Set**

These data can be used to better understand the leaf carbon dioxide flux at a typical fen in the boreal forest.

## **13. Future Modifications and Plans**

None.

## **14. Software**

### **14.1 Software Description**

None given.

### **14.2 Software Access**

None given.



## **15. Data Access**

The SSA-Fen leaf gas exchange data are available from the Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC).

### **15.1 Contact Information**

For BOREAS data and documentation please contact:

ORNL DAAC User Services  
Oak Ridge National Laboratory  
P.O. Box 2008 MS-6407  
Oak Ridge, TN 37831-6407  
Phone: (423) 241-3952  
Fax: (423) 574-4665  
E-mail: ornl daac@ornl.gov or ornl@eos.nasa.gov

### **15.2 Data Center Identification**

Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC) for Biogeochemical Dynamics  
<http://www-eosdis.ornl.gov/>.

### **15.3 Procedures for Obtaining Data**

Users may obtain data directly through the ORNL DAAC online search and order system [<http://www-eosdis.ornl.gov/>] and the anonymous FTP site [<ftp://www-eosdis.ornl.gov/data/>] or by contacting User Services by electronic mail, telephone, fax, letter, or personal visit using the contact information in Section 15.1.

### **15.4 Data Center Status/Plans**

The ORNL DAAC is the primary source for BOREAS field measurement, image, GIS, and hardcopy data products. The BOREAS CD-ROM and data referenced or listed in inventories on the CD-ROM are available from the ORNL DAAC.

## **16. Output Products and Availability**

### **16.1 Tape Products**

None.

### **16.2 Film Products**

None.

### **16.3 Other Products**

These data are available on the BOREAS CD-ROM series.

## 17. References

### 17.1 Platform/Sensor/Instrument/Data Processing Documentation

LI-6200 Technical Reference Manual. March 1990. LI-COR, Inc., Lincoln, NE, USA.

LI-6400 Technical Reference Manual. August 1995. LI-COR, Inc., Lincoln, NE, USA.

### 17.2 Journal Articles and Study Reports

Ball, J.T. 1987. Calculations related to gas exchange. In: Stomatal Function. E. Zeiger, G.D. Farquhar and I.R. Cowan (eds.). Stanford University Press, Stanford, CA, pp. 446-475.

McDermitt, D.K., J.M. Norman, J.T. Davis, T.M. Ball, T.J. Arkebauer, J.M. Welles, and S.R. Roemer. 1989. CO<sub>2</sub> response curves can be measured with a field-portable closed-loop photosynthesis system. *Ann. Sci. For.* 46:416s-420s.

Newcomer, J., D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. 2000. Collected Data of The Boreal Ecosystem-Atmosphere Study. NASA. CD-ROM.

Sellers, P. and F. Hall. 1994. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1994-3.0, NASA BOREAS Report (EXPLAN 94).

Sellers, P. and F. Hall. 1996. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1996-2.0, NASA BOREAS Report (EXPLAN 96).

Sellers, P., F. Hall, and K.F. Huemmrich. 1996. Boreal Ecosystem-Atmosphere Study: 1994 Operations. NASA BOREAS Report (OPS DOC 94).

Sellers, P., F. Hall, and K.F. Huemmrich. 1997. Boreal Ecosystem-Atmosphere Study: 1996 Operations. NASA BOREAS Report (OPS DOC 96).

Sellers, P., F. Hall, H. Margolis, B. Kelly, D. Baldocchi, G. den Hartog, J. Cihlar, M.G. Ryan, B. Goodison, P. Crill, K.J. Ranson, D. Lettenmaier, and D.E. Wickland. 1995. The boreal ecosystem-atmosphere study (BOREAS): an overview and early results from the 1994 field year. *Bulletin of the American Meteorological Society.* 76(9):1549-1577.

Sellers, P.J., F.G. Hall, R.D. Kelly, A. Black, D. Baldocchi, J. Berry, M. Ryan, K.J. Ranson, P.M. Crill, D.P. Lettenmaier, H. Margolis, J. Cihlar, J. Newcomer, D. Fitzjarrald, P.G. Jarvis, S.T. Gower, D. Halliwell, D. Williams, B. Goodison, D.E. Wickland, and F.E. Guertin. 1997. BOREAS in 1997: Experiment Overview, Scientific Results and Future Directions. *Journal of Geophysical Research* 102(D24): 28,731-28,770.

Suyker, A.E., S.B. Verma, and T.J. Arkebauer. 1997. Season-long measurement of carbon dioxide exchange in a boreal fen. *Journal of Geophysical Research* 102 (D24): 29,021-29,028.

### 17.3 Archive/DBMS Usage Documentation

None.

## 18. Glossary of Terms

None.

## 19. List of Acronyms

ASCII	- American Standard Code for Information Interchange
BOREAS	- BOReal Ecosystem-Atmosphere Study
BORIS	- BOREAS Information System
CD-ROM	- Compact Disk-Read-Only-Memory
DAAC	- Distributed Active Archive Center
EOS	- Earth Observing System
EOSDIS	- EOS Data and Information System
GIS	- Geographic Information System
GMT	- Greenwich Mean Time
GSFC	- Goddard Space Flight Center
IFC	- Intensive Field Campaign
IRGA	- Infrared Gas Analyzer
LAI	- Leaf Area Index
LED	- Light Emitting Diode
NAD83	- North American Datum of 1983
NASA	- National Aeronautics and Space Administration
NOAA	- National Oceanic and Atmospheric Administration
NSA	- Northern Study Area
ORNL	- Oak Ridge National Laboratory
PANP	- Prince Albert National Park
PPFD	- Photosynthetic Photon Flux Density
SSA	- Southern Study Area
TF	- Tower Flux
URL	- Uniform Resource Locator

## 20. Document Information

### 20.1 Document Revision Date

Written: 30-Jun-1997

Last Revised: 12-Sep-1999

### 20.2 Document Review Date(s)

BORIS Review: 27-Apr-1999

Science Review:

### 20.3 Document ID

### 20.4 Citation

When using these data, please acknowledge T.J. Arkebauer and E.C. Jolitz and include citations of relevant papers in Section 17.2.

If using data from the BOREAS CD-ROM series, also reference the data as:

Arkebauer, T.J. and S.B. Verma, "Field Micrometeorological Measurements, Process-Level Studies and Modeling of Methane and Carbon Dioxide Fluxes in a Boreal Wetland Ecosystem (SSA-Fen)." In Collected Data of The Boreal Ecosystem-Atmosphere Study. Eds. J. Newcomer, D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers. CD-ROM. NASA, 2000.

Also, cite the BOREAS CD-ROM set as:

Newcomer, J., D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. Collected Data of The Boreal Ecosystem-Atmosphere Study. NASA. CD-ROM. NASA, 2000.

## **20.5 Document Curator**

## **20.6 Document URL**

**REPORT DOCUMENTATION PAGE**Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

<b>1. AGENCY USE ONLY (Leave blank)</b>		<b>2. REPORT DATE</b> November 2000	<b>3. REPORT TYPE AND DATES COVERED</b> Technical Memorandum	
<b>4. TITLE AND SUBTITLE</b> Technical Report Series on the Boreal Ecosystem-Atmosphere Study (BOREAS) BOREAS TF-11 SSA-Fen Leaf Gas Exchange Data			<b>5. FUNDING NUMBERS</b> 923 RTOP: 923-462-33-01	
<b>6. AUTHOR(S)</b> Timothy J. Arkebauer Forrest G. Hall and David E. Knapp, Editors				
<b>7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS (ES)</b> Goddard Space Flight Center Greenbelt, Maryland 20771			<b>8. PERFORMING ORGANIZATION REPORT NUMBER</b> 2000-03136-0	
<b>9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS (ES)</b> National Aeronautics and Space Administration Washington, DC 20546-0001			<b>10. SPONSORING / MONITORING AGENCY REPORT NUMBER</b> TM—2000—209891 Vol. 215	
<b>11. SUPPLEMENTARY NOTES</b> T.J. Arkebauer: University of Nebraska-Lincoln; D.E. Knapp: Raytheon ITSS, NASA Goddard Space Flight Center, Greenbelt, Maryland				
<b>12a. DISTRIBUTION / AVAILABILITY STATEMENT</b> Unclassified—Unlimited Subject Category: 43 Report available from the NASA Center for AeroSpace Information, 7121 Standard Drive, Hanover, MD 21076-1320. (301) 621-0390.			<b>12b. DISTRIBUTION CODE</b>	
<b>13. ABSTRACT (Maximum 200 words)</b> The BOREAS TF-11 team gathered a variety of data to complement its tower flux measurements collected at the SSA-Fen site. This data set contains single-leaf gas exchange data from the SSA-Fen site during 1994 and 1995. These leaf gas exchange properties were measured for the dominant vascular plants using portable gas exchange systems. The data are stored in tabular ASCII files.				
<b>14. SUBJECT TERMS</b> BOREAS, tower flux, leaf gas exchange data.			<b>15. NUMBER OF PAGES</b> 16	
			<b>16. PRICE CODE</b>	
<b>17. SECURITY CLASSIFICATION OF REPORT</b> Unclassified	<b>18. SECURITY CLASSIFICATION OF THIS PAGE</b> Unclassified	<b>19. SECURITY CLASSIFICATION OF ABSTRACT</b> Unclassified	<b>20. LIMITATION OF ABSTRACT</b> UL	

