

**CONSTRAINTS ON VARIABILITY OF BRIGHTNESS
AND SURFACE MAGNETISM ON TIME SCALES OF DECADES TO CENTURIES
IN THE SUN AND SUN-LIKE STARS:
A SOURCE OF POTENTIAL TERRESTRIAL CLIMATE VARIABILITY**

NASA Grant NAG5-7635

Final Report

For the period 1 October 1998 to 30 September 2002

Principal Investigator

Sallie L. Baliunas

February 2003

Prepared for


National Aeronautics and Space Administration

Washington, D.C. 20546

Smithsonian Institution
Astrophysical Observatory
Cambridge, Massachusetts 02138

The Smithsonian Astrophysical Observatory
is a member of the
Harvard-Smithsonian Center for Astrophysics

The NASA Technical Officer for this Grant is James Sharber, 075.0, 300 E Street, SW/SR,
Washington, DC 20546.



**Constraints on variability of brightness and surface magnetism
on time scales of decades to centuries in the sun and sun-like stars:
A source of potential terrestrial climate variability
NAG5-7635**

Final Report Program Results

The following summarizes the most important results of our research:

- Conciliation of solar and stellar photometric variability. Previous research by us and colleagues (Lockwood et al. 1992; Radick et al. 1998) suggested that the Sun might at present be showing unusually low photometric variability compared to other sun-like stars. Those early results would question the suitability of the technique of using sun-like stars as proxies for solar irradiance change on time scales of decades to centuries. However, our results indicate the contrary: the Sun's observed short-term (seasonal) and long-term (year-to-year) brightness variations closely agree with observed brightness variations in stars of similar mass and age.

- Demonstration of an inverse correlation between the global temperature of the terrestrial lower troposphere, inferred from the NASA Microwave Sounding Unit (MSU) radiometers, and the total area of the Sun covered by coronal holes from January 1979 to present (up to May 2000). Variable fluxes of either solar charged particles or cosmic rays, or both, may influence the terrestrial tropospheric temperature. The geographical pattern of the correlation is consistent with our interpretation of an extra-terrestrial charged-particle forcing.

- Identification of a possible climate mechanism amplifying the impact of solar ultraviolet irradiance variations. The key points of our proposed climate hypersensitivity mechanism are: (1) The Sun is more variable in the UV than in the visible. However, the increased UV irradiance is mainly absorbed in the lower stratosphere/upper troposphere rather than at the surface. (2) Absorption in the stratosphere raises the temperature moderately around the vicinity of the tropopause, and tends to stabilize the atmosphere against vertical convective/diffusive transport, thus decreasing the flux of heat and moisture carried upward from surface. (3) The decrease in the upward convection of heat and moisture tends to raise the surface temperature because a drier upper atmosphere becomes less cloudy, which in turn allows more solar radiation to reach the Earth's surface.

- Exploration of natural variability in an ocean-atmosphere climate model. We use a 14-region, 6-layer, global thermo-hydrodynamic ocean-atmosphere model to study natural climate variability. All the numerical experiments were performed with no change in the prescribed external boundary conditions (except for the seasonal cycle of the Sun's tilt angle). Therefore, the observed inter-annual variability is of an internal kind. The model results are helpful toward the understanding of the role of nonlinearity in climate change.

We have demonstrated a range of possible climate behaviors using our newly-developed ocean-atmosphere model. These include climate configurations with no interannual variability, with multi-year periodicities, with continuous chaos, or with chaotically occurring transitions between two discrete sub-states. These possible modes of climate behavior are all possible for the real climate, as well as the model.

We have shown that small temporary climate influences can trigger shifts both in the mean climate, and among these different types of behavior. Such shifts are not only theoretically plausible, as shown here and elsewhere: they are omnipresent in the climate record on time scales from several years to the age of the Earth. This has two apparently opposite implications for the possibility of anthropogenic global warming. First, any warming which might occur as a result of man's influence would be only a fraction of the small-to-large unpredictable natural changes and changes which result from other external causes. On the other hand, small temporary influences such as man's influence do have the potential of causing large permanent shifts in mean climate and interannual variability.

- Presentation of a review of the sun's coronal influence on the terrestrial space environment.
- Assessment proxy climate information for the approximately the last 1,000 years from expert literature as a preliminary to examining the possible influence of solar variability on timescales of decades to centuries.

- Quantification of stellar variability as an influence on the analysis of periodic radial velocities that imply the presence of a planetary companion. Our unique data base on stellar activity allows the impact

of activity on planetary detections to be assessed.

Other progress includes:

New lamp calibration for Ca II flux records of sunlike stars

We improved and finalized the method of standard lamp calibration and standard-star normalization, which are critical for maintaining the long-term precision of the records. As a result, we have unprecedented ability to detect and information on small- amplitude surface magnetic variability in sun-like stars.

New analysis tool for periodicity studies (the modified gapped wavelet)

We developed, with colleague P. Frick (Perm, Russia) a new technique to analyze periodicities and their time-frequency variation in the stellar records, and have published our results on the analysis of four sun-like stars.

Review of impact of increased atmospheric CO₂ on climate and vegetation

A review of the scientific literature shows a markedly increased rate of plant growth but no clear, deleterious climatic impacts from increased atmospheric CO₂ to-date. We pointed out six main categories of climate processes that would require further research. We stressed concerns on the use of unvalidated climate models in making future projections of unknown (!) climate forcing scenarios. We finalized our review by discussing observational requirements for a hope of attributing the climatic effects of increasing atmospheric CO₂.

Modeling climatic effects of anthropogenic CO₂ emissions: Unknowns and uncertainties

The likelihood of substantive global environmental consequences has been surmised as a result of projected increases in anthropogenic greenhouse gas emissions, based on computer climate modeling. Because the expected anthropogenic climate forcings are relatively small compared to uncertainties in other background and forcing factors (internal and external), we focused on the important question of climate model validation.

Specifically, we reviewed common deficiencies in general circulation model calculations of atmospheric temperature, surface temperature, precipitation and their spatial and temporal variability. These deficiencies arise from complex problems associated with parameterization of multiply-interacting climate components, forcings and feedbacks, involving especially clouds and oceans.

We also reviewed examples of expected climatic impacts from anthropogenic CO₂ forcing. Given the host of uncertainties and unknowns in the difficult but important task of climate modeling, the unique attribution of observed current climate change to increased atmospheric CO₂ concentration, including the relatively well-observed latest 20 years, is not possible. We further conclude that the incautious use of GCMs to make future climate projections from incomplete or unknown forcing scenarios is antithetical to the intrinsically heuristic value of models. Such uncritical application of climate models has led to the commonly-held but erroneous impression that modeling has proven or substantiated the hypothesis that CO₂ added to the air has caused or will cause significant global warming.

An assessment of the positive skills of GCMs and their use in suggesting a discernible human influence on global climate can be found in the joint World Meteorological Organisation and United Nations Environmental Programme's Intergovernmental Panel on Climate Change, IPCC, reports (1990, 1995, 2001). Our review highlights only the enormous scientific difficulties facing the calculation of climatic effects of added atmospheric CO₂ in a GCM. The purpose of such a limited review of the deficiencies of climate model physics and the use of GCMs is to illuminate areas for improvement. Our review does not disprove a significant anthropogenic influence on global climate.

Publications

Lifetime of Surface Features and Stellar Rotation: A Wavelet Time-Frequency Approach, W. Soon, P. Frick and S. Baliunas, 1999, *Astrophysical Journal*, 510, L135-L138.

Environmental effects of increased atmospheric carbon dioxide, Willie Soon, Sallie Baliunas, Arthur B. Robinson, Zachary W. Robinson, 1999, *Climate Research*, 13, 149-164.

Natural variability in an ocean-atmosphere climate model, E. Posmentier, W. Soon and S. Baliunas, 2000, *Journal of Fizik (Physics) Malaysia*, 19, 157-164.

Variations of Solar Coronal Hole Area and Terrestrial Lower Tropospheric Air Temperature From 1979 to Mid-1998 W. Soon, S. Baliunas, E. Posmentier, P. Okeke, 2000, *New Astronomy*, 563-579.

Climate Hypersensitivity to Solar Forcing? W. Soon, E. Posmentier, S. Baliunas, 2000, *Annales Geophysicae*, 18, 583-588.

The sun's energy and climate change: "A grand absurdity"? Sallie Baliunas, Willie Soon, 2000. *Energia*, vol. 11 (no. 3), 4.

Calculating the climatic impacts of increased CO₂: The issue of model validation, W. Soon, S. Baliunas, S. B. Idso, K. Ya. Kondratyev, and E. S. Posmentier, 2000, in *Proceeding of 1st Solar and Space Weather Euroconference: The Solar Cycle and Terrestrial Climate*, (ESA Publication, SP-463: ed. M. Vázquez), 243-254.

No planet for HD 166435, D. Queloz, G. W. Henry, J.P. Sivan, S. L. Baliunas, J. L. Beuzit, R. A. Donahue, M. Mayor, D. Naef, C. Perrier, and S. Udry, 2001 *Astronomy & Astrophysics*, 379, 279

Surface magnetism in F- and G- field dwarf stars, S. Baliunas, 2003, *Annual Reviews Astronomy & Astrophysics*, in press.

Variations of solar coronal hole area and terrestrial lower tropospheric air temperature from 1979 to mid-1998, W. Soon, S. Baliunas, E. S. Posmentier and P. Okeke, 2000, *New Astronomy*, 4, 563-579.

Climate hypersensitivity to solar forcing, W. Soon, E. Posmentier and S. Baliunas, 2000, *Ann. Geophysicae*, 18, 583-588

Global warming, S. Baliunas, 2002, *West Texas Geological Society Bulletin*, 41, 4

A false planet around HD 192263, G. W. Henry, R. A. Donahue and S. Baliunas, 2002, *Astrophysical Journal*, 577, L111.

Olin Chaddock Wilson, Jr. (1909-1994), S. Baliunas, 2002, in *Biographical Encyclopedia of Astrophysics*, ed. Thomas Hockey, in press.

The impact of anthropogenic CO₂ emission on climate: Unresolved Problems (in Russian), W. Soon, S. Baliunas, K. S. Demirchan, S. B. Idso, K. Ya. Kondratyev, and E. S. Posmentier, 2001, *Proceedings of the Russian Geographical Society*, 133, 1

Modeling climatic effects of anthropogenic CO₂ emissions: Unknowns and uncertainties, W. Soon, S. Baliunas, S. B. Idso, K. Ya. Kondratyev and E. S. Posmentier, 2001, *Climate Research*, 18, 259

Photometric and Ca II H and K spectroscopic variations in Sun-like stars with planets, III, G. W. Henry, S. L. Baliunas, R. A. Donahue and W. H. Soon, 2000 *Astrophysical Journal*, 431, 415- 437.

Solar-stellar connection: Activity and brightness changes of solar-type stars, S. Baliunas, 2000, in *Encyclopedia of Astronomy and Astrophysics*, ed. P. Murdin et al., pub. by Grove's Dictionaries, Inc. and Institute of Physics.

The scientific case against catastrophic global warming and the Kyoto Protocol, S. Baliunas, A. MacRae, T. Patterson, *Publications of the Professional Engineers, Geologists and Geophysicists of Alberta, PEGG*, 2002, in press.

Reply to Comments on: The scientific case against catastrophic global warming, S. Baliunas, A. MacRae, T. Patterson, *Publications of the Professional Engineers, Geologists and Geophysicist of Alberta, PEGG*, 2002, in press.

Reply to Comments on "Modeling climatic effects of anthropogenic CO₂ emissions: Unknowns and uncertainties" by James Risbey, W. Soon, S. Baliunas, S. B. Idso, K. Ya. Kondratyev, and E. S. Posmentier, 2002, *Climate Research*, 22, 187

Theories of Solar Eruptions, J. Lin, W. Soon and S. Baliunas, 2002, *Chinese Science Bulletin*, 47, 1601-1612.

Theories of Solar Eruptions: A Review, J. Lin, W. Soon and S. Baliunas, 2003, *New Astronomy Review*, in press

S. Baliunas, T. Patterson, Allan MacCrae, 2003, Scientific Debate on Climate Change, *Edge, Association of Professional Engineers and Geoscientists of Saskatchewan*, 83, 6-7

Climatic and Environmental Changes of the Last 1000 Years, W. Soon and S. Baliunas, 2003, *Climate Research*, in press

Annual Progress Report on Global Warming: 2001-2002, W. Soon and S. Baliunas, 2003, *Progress in Physical Geography*, in press.

Reconstructing Climatic and Environmental Changes of the Past 1000 Years: A Reappraisal, 2003, W. Soon, S. Baliunas, C. Idso and S. Idso, *Energy & Environment*, in press.

Book

Global Climate Change: Conceptual Aspects, 2001, K. Ya. Kondratyev, V.N. Adamenko, K. S. Demirchian, S. Baliunas, S. Boehmer-Christiansen, S. B. Idso, G. Kukla, E.S. Posmentier, W. Soon, St. Petersburg: Russian Academy of Science and Scientific Research Centre for Ecological Safety, 125 pp.

Full Papers published in Conference Proceedings

Calculating the climatic impacts of increased CO₂: The issue of model validation, W. Soon, S. Baliunas, K. Ya. Kondratyev, S. B. Idso, and E. Posmentier, 2000, in Proc. 1st Solar & Space Weather Euro-conference, *The Solar Cycle and Terrestrial Climate*, Santa Cruz de Tenerife, Tenerife, Spain, 25-29 September 2000, p. 243-254

Carbon dioxide and global climate change, S. Baliunas and W. Soon, 2000, in *Proceedings of the 53rd Annual Meeting of the Southern Weed Science Society*, (ed. D. B. Reynolds), lxx-lxxix.

Carbon dioxide and global climate change, S. L. Baliunas and W. H. Soon, 2001, *Proceedings of the 53rd Annual meeting of the Southern Weed Science Society*, ed. L. Watley, pp. lxx-lxxix.

How the Sun also warms: Solar Variability and Climate Change, W. Soon and S. Baliunas, 2001, in *Global Climate Change: Science and Policy* conference publication by The James A. Baker III Institute for Public Policy at Rice University, in press.

Abstracts

Photometric variations in sun-like stars, G. W. Henry, S. M. Henry, S. L. Baliunas and R. A. Donahue, 2000, poster presented at the Tucson workshop for grant investigators, March 2000.

Searching for Global oscillations of Jupiter, N. Murphy, E.J. Smith, W. Rogers, S. Gillam, R. Rosner, S. Baliunas, AAS, DPS Meeting No. 32, Dec. 2000

Sources of solar variability responsible for global warming of the upper ocean on decadal period scales, W. B. White, M. D. Dettinger, W. Soon and S. Baliunas, 34th COSPAR Scientific Assembly/World Space Congress 2002, Houston, October 2002

W. Soon, S. Baliunas, S. B. Idso, K. Ya. Kondratyev and E. S. Posmentier, Modeling climatic effects of anthropogenic CO₂ emissions: Unknowns and uncertainties, American Geophysical Union Fall Meeting, San Francisco, 2001.

G. W. Lockwood, J. C. Hall, B. A. Skiff, G. W. Henry, R. R. Radick, S. L. Baliunas, W. Soon, and R. A. Donahue, Gauging the Sun: Comparative photometric and magnetic activity measurements of sunlike stars, 1984-2001, 200th American Astronomical Society Meeting, Albuquerque, NM, 2002

W. Soon, and S. Baliunas, Climatic and Environmental Changes of the Last 1000 Years: A Reappraisal, American Geophysical Union Fall Meeting, San Francisco, 2002.

NB: Over 54 invited scientific colloquia were presented on the topic but are not listed separately.