



Increment 23/24 CRR:
Radiation

Medical Operations

Presenter

SD2 / William Misek

Date

02/04/2010

Radiation Critical Readiness Review

**Increment 23/24
04 February 2010**

William Misek



Increment 23/24 CRR: Radiation

Medical Operations

Presenter

SD2 / William Misek

Date

02/04/2010

Hardware Status

Active Hardware

TEPC	Nominal. Currently deployed in JPM
EV-CPDS	EV-CPDS1 (Fwd): Non-operational EV-CPDS2/3 (Zen/Aft): Operational
IV-CPDS	No longer on-board.
ALTEA*	<i>Nominal.</i>

*ASI/POIC hardware currently operating per SRAG request

Passive Hardware

HRDs	Last resupplied: August 2009 (17A)
RAMs	Last resupplied: July 2009 (2J/A) 25 RAMs currently deployed in 7 modules



Increment 23/24 CRR: Radiation

Medical Operations


Presenter

SD2 / William Misek

Date

02/04/2010

Tissue Equivalent Proportional Counter (TEPC)





Increment 23/24 CRR: Radiation

Medical Operations

Presenter

SD2 / William Misek

Date

02/04/2010

• **TEPC Activities Planned for Increment 23/24**

- TEPC Relocate (20 minutes of crew time)
 - í TEPC moved to new location in ISS approximately every 4 weeks
 - í After 20A, Node 3 will be available as a possible TEPC survey location (UOP 2 on NOD3A6 noted as possible TEPC plug-in location)
- > Nominal TEPC Data Dumps and File Erase Activities (ground activity)
 - í All data files from TEPC dumped to Payload MDM once a week
 - í Data files erased from TEPC internal memory every other week

• **Additional Note**

- > Backup TEPC (S/N 1003) is currently undergoing ground testing and will be refurbished and recertified in time for either ULF6 (E24) or ULF5 (E25). It should require an activation and checkout during docked ops.





Increment 23/24 CRR: Radiation

Medical Operations


Presenter

SD2 / William Misek

Date

02/04/2010


Extra-Vehicular Charged Particle Directional Spectrometer (EV-CPDS)



S0 Truss

COL

US LAB





Increment 23/24 CRR: Radiation

Medical Operations

Presenter

SD2 / William Misek

Date

02/04/2010

- **EV-CPDS Activities Planned for Increment 23/24**

- > Nominal EV-CPDS Data Dumps and File Erase Activities (ground activity)
 - í All data files from each CPDS dumped to Payload MDM once a week and erased from internal memory

- **Additional Note**

- █ Last EV-CPDS Directory Cleanup occurred on 6/4/2009
 - í An additional Directory Cleanup will likely be needed during Increment 23/24 (on average, a cleanup is needed about every 6 months)



Increment 23/24 CRR: Radiation

Medical Operations

Presenter

SD2 / William Misek

Date

02/04/2010

Radiation Area Monitors (RAMs)





Increment 23/24 CRR: Radiation

Medical Operations

Presenter

SD2 / William Misek

Date

02/04/2010

- **RAM Activities Planned for Increment 23/24**

- › A RAM swap will be needed in Increment 23/24. However, it is not yet known whether this will take place during shuttle docked ops or after a progress/soyuz docking.

- **Additional Note**

- RAMs currently deployed in the following modules:
 - í SM, NOD1, A/L, LAB, NOD2, COL, JPM



Increment 23/24 CRR: Radiation

Medical Operations

Presenter

SD2 / William Misek

Date

02/04/2010



- **SRAG Website Updates**

- › BMEs are required to update the SRAG website after all commanding
- › Remember, the SRAG website is SRAG's main source of information about the health of the radiation hardware
- › BME Response should include:
 - Number of files dumped/erased
 - Notification of any ignored commands
 - Reports of any "expected anomalies" such as Lockups
 - Any other anomalies (improper RTMC responses, spontaneous reboots, etc) should be reported in the BME Response in addition to an Anomaly Report
- › If you are unable to complete the required commanding and cannot close out the SRAG Instruction due to an anomaly, you should still write and save a BME Response (more than one BME Response can be saved to a SRAG Instruction)