

Title: Suprathermal Ion Pressure in the Local Interstellar Medium

Author: John F. Cooper, NASA Goddard Space Flight Center

Abstract

The first published results from IBEX and Cassini, and the earlier termination shock crossings by the Voyagers, are strongly suggestive of geometric relation of the local interstellar magnetic field to the outer boundary region of the heliosphere. The inferred pressure of the magnetic field is not, however, high enough to balance the heliosheath particle pressure computed from the IBEX and Cassini measurements. Since the interstellar ram pressure is also relatively low, and higher energy GeV cosmic ray ions are not trapped on the local interstellar field lines, the pressure balance at the heliopause is more likely dominated by suprathermal keV-MeV particles on both sides. This should not be surprising in view of the long history of early work by Parker and others on cosmic ray particle pressure in interstellar space but with the new insight that the dominant contribution may be at suprathermal keV-MeV energies. Supporting pressure calculations are reviewed for a model interstellar proton spectrum from earlier work of Cooper et al. (2003, 2006, 2008).

References

Cooper, J. F., E. R. Christian, J. D. Richardson, and C. Wang, Proton irradiation of Centaur, Kuiper Belt, and Oort Cloud Objects at Plasma to Cosmic Ray Energy, in Proceedings of the First Decadal Review of the Edgeworth-Kuiper-Belt - Towards New Frontiers, European Southern Observatory and Universidad Catolica de Norte, Antofagasta, Chile, March 11 – 14, 2003; *Earth, Moon, and Planets*, 92(1-4), 261-277, June 2003.

Cooper, J. F., M. E. Hill, J. D. Richardson, and S. J. Sturmer, Proton irradiation environment of solar system objects in the heliospheric boundary regions, in *Physics of the Inner Heliosheath, Voyager Observations, Theory, and Future Prospects*, 5th Annual IGPP International Astrophysics Conference. AIP Conference Proceedings, edited by J. Heerikhuisen, V. Florinski, G.P. Zank and N.V. Pogorelov, AIP, Vol. 858, pp. 372-379, 2006.

Cooper, J. F., Niagara Falls Cascade Model for Interstellar Energetic Ions in the Heliosheath, Paper 386, Proceedings of the 30th International Cosmic Ray Conference, July 3-11, 2007, Merida, Mexico, Rogelio Caballero, Juan Carlos D'Olivo, Gustavo Medina-Tanco, Lukas Nellen, Federico A. Sánchez, José F. Valdés-Galicia (eds.), Universidad Nacional Autónoma de México, Mexico City, Mexico, Vol. 1 (SH), pp. 861–864, 2008.

Talk to be presented at IBEX-Voyager Joint Science Team Meeting, Southwest Research Institute, San Antonio, Texas; March 9-11, 2010.