

HEAD High Energy Astrophysics Division
12th Divisional Meeting 2011
Newport, Rhode Island
September 7-10, 2011

 [Print this Page for Your Records](#)

[Close Window](#)

Control/Tracking Number : 11-RC-21-AASHEAD12

Activity : Contributed

Current Date/Time : 5/3/2011 10:28:39 AM

Title:

The Unresolved Star-forming Galaxy Component of the Extragalactic Gamma Ray Background

Author Block:

Tonia M. Venters¹, F. W. Stecker¹

¹NASA Goddard Space Flight Center.

Abstract:

We present new theoretical estimates of the contribution of unresolved star-forming galaxies to the extragalactic gamma-ray background (EGB) as measured by EGRET and the Fermi-LAT. We employ several methods for determining the star-forming galaxy contribution to the EGB, including a method positing a correlation between the gamma-ray luminosity of a galaxy and its rate of star formation as calculated from the total infrared luminosity, and a method that makes use of a model of the evolution of the galaxy gas mass with cosmic time. We find that depending on the model, unresolved star-forming galaxies could contribute significantly to the EGB as measured by the Fermi-LAT at energies between ~ 300 MeV and \sim few GeV. However, the overall spectrum of unresolved star-forming galaxies can explain neither the EGRET EGB spectrum at energies between 50 and 200 MeV nor the Fermi-LAT EGB spectrum at energies above \sim few GeV.

Category:

03. Cosmic Backgrounds and Deep Surveys

Facility Keywords:

{it Facilities:} \facility{Fermi ()}

Additional Info (Complete):

I have a video for Press Office review: No

Newsworthy?: No

Status: Complete