

General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

Sprayable Phase Change Coating Thermal Protection Material

Rod W. Richardson, United Space Alliance, LLC
Paul W. Hayes, United Space Alliance, LLC
Dr. Raj Kaul, Marshall Space Flight Center

ABSTRACT

NASA has expressed a need for reusable, environmentally friendly, phase change coating that is capable of withstanding the heat loads that have historically required an ablative thermal insulation. The Space Shuttle Program currently relies on ablative materials for thermal protection. The problem with an ablative insulation is that, by design, the material ablates away, in fulfilling its function of cooling the underlying substrate, thus preventing the insulation from being reused from flight to flight.

The present generation of environmentally friendly, sprayable, ablative thermal insulation (MCC-1), currently use on the Space Shuttle SRBs, is very close to being a reusable insulation system. In actual flight conditions, as confirmed by the post-flight inspections of the SRBs, very little of the material ablates. Multi-flight thermal insulation use has not been qualified for the Space Shuttle. The gap that would have to be overcome in order to implement a reusable Phase Change Coating (PCC) is not unmanageable. PCC could be applied robotically with a spray process utilizing phase change material as filler to yield material of even higher strength and reliability as compared to MCC-1. The PCC filled coatings have also demonstrated potential as cryogenic thermal coatings.

In experimental thermal tests, a thin application of PCC has provided the same thermal protection as a much thicker and heavier application of a traditional ablative thermal insulation. In addition, tests have shown that the structural integrity of the coating has been maintained and phase change performance after several aero-thermal cycles was not affected. Experimental tests have also shown that, unlike traditional ablative thermal insulations, PCC would not require an environmental seal coat, which has historically been required to prevent moisture absorption by the thermal insulation, prevent environmental degradation, and to improve the optical and aerodynamic properties.

In order to reduce the launch and processing costs of a reusable space vehicle to an affordable level, refurbishment costs must be substantially reduced. A key component of such a cost effective approach is the use of a reusable, phase change, thermal protection coating.

INSTRUCTIONS FOR COMPLETING THE NASA SCIENTIFIC AND TECHNICAL DOCUMENT AVAILABILITY AUTHORIZATION (DAA) FORM

When to use this form. Use NF 1676 (or your center's equivalent) for all NASA-generated or -funded scientific and technical information (STI) that is to be released outside NASA, regardless of whether the STI is to be disseminated in print or electronically, including on web pages. [Centers may use the DAA to review STI that will be presented at internal meetings at which foreign participation is likely or invited.] The DAA records the availability and distribution of STI in any media, per NPG 2200.2, "Guidelines for Documentation, Approval, and Dissemination of STI." Typical examples of STI include presentations, articles, reports, papers, and proceedings. As the responsible NASA Author, Project Officer, Technical Monitor, or other appropriate NASA official, you initiate the DAA and route it through your center's or HQ Export Control Administrator. You should coordinate publication with your center's responsible office or technical publications office. For additional information, see <http://www.sti.nasa.gov>, "Publish STI." For Administratively Controlled Information, see NPG 1620, section 4.4.7 and use NF 1686.

Approvals. As the Author/Originator, you initiate the DAA, provide a summary and description (title, abstract, etc.) or a completed copy of the document with the DAA, recommend the availability and distribution (Sections I through III and VI), obtain information and signature in IV (if applicable)—to the extent the document discloses an invention and forward to Project Manager/Technical Monitor/Division Chief. The Project Manager/Technical Monitor/Division Chief reviews and approves Section V (if applicable) and Section VII, including a re-review of the planned availability and distribution, and sends to Export Control Administrator for approval in Section VIII and center approving official (Section IX), who provides a final review and approval for release. DAA is sent to the center's technical publications or responsible office (Section X), which keeps one copy on file, sends a copy with the STI to the NASA Center for Aerospace Information (CASI), and coordinates with the center's Records Manager.

Original/Modified: Either "original" or "modified" when you have significant changes to previously submitted information.

I. Document/Project Identification. Do NOT enter classified information on this form, e.g., provide unclassified title and abstract.

Authors: List in same order and with exact names as on STI.

Originating NASA Organization: NASA center and other organizational information.

Performing Organization: (if different than originating NASA organization).

Contract/Grant/Interagency/Project Number(s): Provide the Research and Technology Operating Plan (RTOP) number.

Document Date: Month and Year.

II. National Security Classification. Enter the applicable classification for the document. If there are unique access requirements, see NPG 1620. Classified information may only be provided to or discussed with individuals granted a valid security clearance at the same level, or above, the classification level of the document, who have a legitimate need to know the information in the performance of their official duties, and, if required, have the appropriate access briefing. It is incumbent upon the individual providing a classified document under the conditions noted above to ensure that the recipient can provide appropriate secure storage for the document. Should classified information be presented or discussed, it is incumbent upon the presenter to ensure that the room/location is approved for classified discussion in accordance with applicable security procedures.

III. Availability Category [for Unclassified STI]:

Export-Controlled Document. Check ITAR or EAR, if appropriate. Author recommends the USML or CCL, ECCN numbers, if known. See NPG 2200.2, paragraph 4.5.3.

Confidential Commercial STI (Trade Secrets, SBIR, Copyrighted): See NPG 2200.2, paragraph 4.5.7. If you check one of these boxes, also check the appropriate limitation and expiration. Limitations refer to the user groups who may obtain your STI either in initial distribution or later request. These limitations will appear on and apply to reproduced copies of the STI. STI marked for "NASA personnel" is not to be made available to on-site contractors. If you check "Available Only with the Approval of Issuing Office," the NASA Center for Aerospace Information (CASI) will provide only bibliographic information with no initial distribution, and all requests will be referred to your issuing office. If the document is copyrighted, see NPG 2200.2, paragraph 4.5.7.3.

Publicly Available STI - Unrestricted Distribution: Check this box if the STI may be made available to the public (domestic and international) without restrictions.

IV. Document Disclosing an Invention: See NPG 2200.2, paragraph 4.5.9. When you check this box, also check an availability category; you must have this category approved by your center Patent or Intellectual Property Counsel. Report invention to NASA according to your contract or grant or, if NASA employee, see NPD 2091 and NF 1679, "Disclosure of Invention and New Technology." See Section VI.

V. Blanket Release (Optional): Use this when you approve all STI produced under the specified contract, grant, or project to have the same distribution or availability designations, as noted in Sections II and III. You can enter more than one contract number or RTOP. You may also use this option to rescind or modify an earlier Blanket Availability Authorization, as indicated in Sections II and III. Your Project Manager/Technical Monitor/Division Chief reviews and approves Section V (if applicable).

VI. Author/Originator Verification: Author or Originator must sign and date.

VII. Project Officer/Technical Monitor/Division Chief Review: Project Officer, Technical Monitor, Author or Originator Division Chief must sign and date.

VIII. Export Control Review/Confirmation: The center or HQ Export Control Administrator verifies information from block III and approves release.

IX. DAA Final Approval: Center or HQ Program Manager completes this section.

X. Disposition: DAA is sent to the center's responsible office or technical publications office, which keeps one copy on file and sends a copy with the STI to the NASA Center for Aerospace Information. For contractor-generated STI that is to be published by NASA, the responsible office or technical publications office notifies the Contracting Officer when the DAA has been approved. The Contracting Officer notifies the contractor of this approval.