NASA/TM-1999-209519



# Streamlining Software Aspects of Certification: Report on the SSAC Survey

Kelly J. Hayhurst Langley Research Center, Hampton, Virginia

Cheryl A. Dorsey Digital Flight, Clifton, Virginia

John C. Knight University of Virginia, Charlottesville, Virginia

Nancy G. Leveson Massachusetts Institute of Technology, Cambridge, Massachusetts

G. Frank McCormick Certification Services, Inc., Eastsound, Washington

# The NASA STI Program Office ... in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- TECHNICAL PUBLICATION. Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA counterpart of peer-reviewed formal professional papers, but having less stringent limitations on manuscript length and extent of graphic presentations.
- TECHNICAL MEMORANDUM. Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- CONTRACTOR REPORT. Scientific and technical findings by NASA-sponsored contractors and grantees.

- CONFERENCE PUBLICATION. Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or co-sponsored by NASA.
- SPECIAL PUBLICATION. Scientific, technical, or historical information from NASA programs, projects, and missions, often concerned with subjects having substantial public interest.
- TECHNICAL TRANSLATION. Englishlanguage translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results ... even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at *http://www.sti.nasa.gov*
- E-mail your question via the Internet to help@sti.nasa.gov
- Fax your question to the NASA STI Help Desk at (301) 621-0134
- Phone the NASA STI Help Desk at (301) 621-0390
- Write to: NASA STI Help Desk NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320

NASA/TM-1999-209519



# Streamlining Software Aspects of Certification: Report on the SSAC Survey

Kelly J. Hayhurst Langley Research Center, Hampton, Virginia

Cheryl A. Dorsey Digital Flight, Clifton, Virginia

John C. Knight University of Virginia, Charlottesville, Virginia

Nancy G. Leveson Massachusetts Institute of Technology, Cambridge, Massachusetts

G. Frank McCormick Certification Services, Inc., Eastsound, Washington

National Aeronautics and Space Administration

Langley Research Center Hampton, Virginia 23681-2199

August 1999

Available from:

NASA Center for AeroSpace Information (CASI) 7121 Standard Drive Hanover, MD 21076-1320 (301) 621-0390 National Technical Information Service (NTIS) 5285 Port Royal Road Springfield, VA 22161-2171 (703) 605-6000

# **Table of Contents**

Acronyms	iii
1. Introduction and Background	1
1.1 Motivation for the SSAC Program	1
1.2 Overview of the SSAC Program	2
1.3 SSAC Survey	
2. Survey Results	6
2.1 Sections A and B: Profile of Survey Respondents	6
2.2 Section C: FAA Policy, Guidance, and Audits	
2.3 Section D: Aircraft Certification Offices	
2.4 Section GD: Approving Authorities for Ground-based Systems	
2.5 Section E: Independence	
2.6 Section F: Modified Condition Decision Coverage	
2.7 Section G: Traceability	
2.8 Section H: Quality Assurance	
2.9 Section I: Documentation	
2.10 Section J: Tool Qualification	
2.11 Section K: Safety	
2.12 Section L: The DER System	
2.13 Section GL: Using DERs for Ground-based Systems	
2.14 Section M: Availability of Information about the Certification Process	
2.15 Section P: Appropriateness of DO-178B for Ground-based Systems	
3. General Observations	
4. Recommendations	
5. Conclusions and Future Plans	
6. References	
Appendix A SSAC Survey Questionnaire	
Appendix B	

# Acronyms

ACO	Aircraft Certification Office
ATC	Amended Type Certificate
CMM	Capability Maturity Model
CFR	Code of Federal Regulations
CNS/ATM	Communications/Navigation/Surveillance for Air Traffic Management
COTS	Commercial Off The Shelf
CSR	Center for Survey Research
DER	Designated Engineering Representative
FAA	Federal Aviation Administration
FAR	Federal Aviation Regulation
GAO	Government Accounting Office
MCDC	Modified Condition Decision Coverage
NAS	National Airspace System
NRS	National Resource Specialist
OMB	Office of Management and Budget
PMA	Parts Manufacturing Approval
PSAC	Plan for Software Aspects of Certification
SAE	Society of Automotive Engineers
SQA	Software Quality Assurance
SSAC	Streamlining Software Aspects of Certification
STC	Supplemental Type Certificate
TC	Type Certification
TSO	Technical Standard Order

# Abstract

The aviation system now depends on information technology more than ever before to ensure safety and efficiency. To address concerns about the efficacy of software aspects of the certification process, the Federal Aviation Administration (FAA) began the Streamlining Software Aspects of Certification (SSAC) program. The SSAC technical team was commissioned to gather data, analyze results, and propose recommendations to maximize efficiency and minimize cost and delay, without compromising safety. The technical team conducted two public workshops to identify and prioritize software approval issues, and conducted a survey to validate the most urgent of those issues. The SSAC survey, containing over two hundred questions about the FAA's software approval process, reached over four hundred industry software developers, aircraft manufacturers, and FAA designated engineering representatives. Three hundred people responded. This report presents the SSAC program rationale, survey process, preliminary findings, and recommendations.

# 1. Introduction and Background

The final report from the RTCA Task Force 4 on Certification states that the failure of the FAA's certification process to keep pace with the growth in aviation has resulted in increasing costs to the manufacturing industry (ref. Final). Some industry representatives have complained that the certification process requires an inordinate amount of time and expense, with some aspects of that process contributing little or no value. In particular, the FAA has received numerous complaints about software aspects of the certification process. To address software concerns, the FAA began the Streamlining Software Aspects of Certification (SSAC) program, which established a technical team to determine whether the cost and time associated with the software approval process can be reduced without compromising safety.

This report presents the preliminary findings from the first industry survey on the FAA's software approval process, and recommendations to the FAA on ways to improve. The findings and recommendations presented here are preliminary because further data collection through the SSAC program will be needed to objectively substantiate or refute some of the results. Preliminary results are presented, nevertheless, to initiate interchange with the FAA and the aviation software industry in hopes of working together to develop an achievable plan for improvement.

Given the preliminary nature of the findings and recommendations, this report contains only a brief summary of the SSAC program. Attention is focused primarily on disseminating the significant findings from the survey to stimulate the process of making change. A final report, to be published at the end of the program, will provide further detail on the SSAC program, data collection, results, and recommendations.

# **1.1 Motivation for the SSAC Program**

Concepts for a National Airspace System (NAS) are evolving because of continuing increases in aviation activity and air travel worldwide. Advances in information technology provide the principal enabling factor for achieving a truly unified airspace system. In a recent commentary in Aviation Week & Space Technology (ref. Hughes), David Hughes wrote: "Information technology is becoming a key

part of everything the aerospace and defense industry does for a living, and as the century closes it is computers and software that hold the keys to the future. The industry is being transformed from dependence on traditional manufacturing into something that looks more like IBM and Microsoft with wings." On one hand, this is good because information technology makes possible new capabilities such as Communications/Navigation/Surveillance for Air Traffic Management (CNS/ATM), which will be the backbone of a unified airspace system. On the other hand, keeping up with new technology is difficult; doing so in a cost efficient manner is even more difficult.

Addressing issues related to the approval of new technologies is vital to the success of the FAA's modernization initiatives. In particular, the FAA must grapple with two major issues, namely the safety aspects of the aviation system as a whole, and the cost of implementing new technologies. These two issues are related. According to Charles Huettner (ref. Huettner): "Currently each part of the [aviation] system is evaluated and certified independently, albeit remaining mindful of what the other parts are doing. Overall safety standards for the aviation system as a whole do not exist." In particular, there is little attention on certification and safety standards for CNS/ATM. Significant time and resources must be expended to define such safety standards. In turn, excessive cost and time burdens can negatively affect safety by causing delays in adopting new, safety-enhancing technologies. It is imperative that impact on safety be assessed, as efforts to streamline are realized.

In short, the challenge to the FAA to keep pace with new technology, while at the same time increase safety and decrease cost, is great. This report focuses on the software aspects of this challenge.

# **1.2** Overview of the SSAC Program

To address concerns about software aspects of certification, the FAA commissioned an independent team of software engineering and safety experts to provide recommendations on ways to improve software aspects of certification without compromising safety. The following are members of the SSAC technical team: Cheryl Dorsey, independent Designated Engineering Representative from Digital Flight; Kelly Hayhurst, Technical Program Manager from NASA Langley Research Center; John Knight, professor from the Computer Science Department at the University of Virginia; Nancy Leveson, professor from the Aeronautics and Astronautics Department at the Massachusetts Institute of Technology; and, Frank McCormick, independent Designated Engineering Representative from Certification Services, Inc.

The technical team is an independent group tasked to research software issues and provide recommendations to the FAA. The lack of direct industry participation is intentional, to reduce the potential for bias towards or against particular companies. The lack of direct FAA participation is also intentional to reduce undue influence. This does not mean, however, that the FAA is not participating fully. The SSAC program is sponsored jointly by FAA AIO-2 and FAA AIR-130. Both Leanna Rierson, Software Program Manager FAA AIR-130, and Ron Stroup, Software Safety and Certification Lead FAA AIO-200, provide guidance to the technical team and coordinate with the program sponsor, Arthur Pyster, Acting Deputy Assistant Administrator for Information Services and Chief Information Officer FAA AIO-2.

The mission of the technical team is to gather, analyze, and synthesize objective evidence concerning cost and schedule drivers for software aspects of certification, and provide recommendations to the FAA on ways to improve without sacrificing safety. To determine the areas of concern about software aspects of certification, the technical team conducted two public workshops in 1998 with industry and government representatives involved in software. During SSAC Workshop I, participants identified more

than 200 individual concerns about RTCA/DO-178B *Software Considerations in Airborne Systems and Equipment Certification* (ref. RTCA) and other aspects of the approval process. All of these were documented and summarized into the following 14 general issues to be considered by the technical team for further data collection to determine the validity of the individual perceptions expressed at Workshop I.

- 1. Inconsistencies exist among Aircraft Certification Offices (ACOs) in interpreting and following policy and guidance.
- 2. The effectiveness of some specific activities required by DO-178B is unclear.
- 3. DO-178B inadequately addresses the effect of software on the safety of the overall system.
- 4. Insufficient knowledge of software engineering and related disciplines exists within the FAA.
- 5. Requirements definition is difficult independent of certification.
- 6. Lack of cooperation exists between the FAA and industry.
- 7. The extent to which DO-178B provides benefits beyond those that are provided by other industry accepted practices is unclear.
- 8. Insufficient knowledge of software engineering and related disciplines exists within industry.
- 9. Insufficient information is available about the certification process.
- 10. Inadequacies, inconsistencies, and inefficiencies exist in the Designated Engineering Representative (DER) system.
- 11. DO-178B inadequately provides for innovation.
- 12. Problems exist within the Technical Standard Order (TSO), Type Certificate (TC), Supplemental Type Certificate (STC), Amended Type Certificate (ATC), and Parts Manufacturing Approval (PMA) processes.
- 13. Lack of cooperation among companies increases costs.
- 14. Working with certification authorities outside of the United States (e.g., the European Joint Aviation Authorities) is difficult.

For brevity, this report does not provide the detailed individual concerns behind these general issues. For a complete listing of the concerns expressed at Workshop I and the summarization strategy, see *Streamlining Software Aspects of Certification: Technical Team Report on the First Industry Workshop* (ref. Hayhurst).

Given the broad scope of each of the 14 general issues, extensive data collection to substantiate all of them would burden both the collector and respondent. Consequently, SSAC Workshop II was held to determine the issues industry considered to be the most important to study. Each Workshop II participant was asked to identify the five most important issues for the technical team to investigate. The results were collected and the 14 issues were ranked from most to least important.

Based on this ranking and recommendations from the FAA, the technical team pursued further data collection in the following areas.

- Interactions with ACOs and other approving authorities
  - Issue 1. Inconsistencies exist among ACOs in interpreting and following policy and guidance.
  - Issue 6. Lack of cooperation exists between the FAA and industry.
  - Issue 9. Insufficient information is available about the certification process.

- Specific activities required by DO-178B, including independence, structural coverage, traceability, documentation, quality assurance, and tool qualification
  - Issue 2. The effectiveness of some specific activities required by DO-178B is unclear.
- Safety
  - Issue 3. DO-178B inadequately addresses the effect of software on the safety of the overall system.
- The DER system
  - Issue 10. Inadequacies, inconsistencies, and inefficiencies exist in the DER system.

There were no mechanisms in place to assure that those attending the SSAC workshops constituted a fair representation of the aviation software community as a whole. Consequently, the workshop information alone does not provide a sufficient basis for developing recommendations for potential changes to the FAA's software approval process. Instead, the data gathered at the workshops served to hone the data collection process to focus on the most urgent problem areas.

### **1.3 SSAC Survey**

The next step in data collection was to assure that the issues identified as most important to the workshop participants were indeed significant issues for the general population that develops airborne or ground-based systems containing software (DO-178B compliant software in particular). Collecting data from the entire population was clearly infeasible. Hence, data from a subset of the general population was needed. To make valid statistical inferences from data collected from a subset of the population, the data must come from individuals that together form a reasonable representation of the population of airborne and ground-based software developers that must comply with DO-178B.

Surveys provide a relatively inexpensive, yet effective means for getting information from a large, geographically dispersed population. Although some doubt the reliability of data derived from a relatively small number of respondents, sample survey methods have gained wide acceptance for their accuracy in producing standardized data amenable to quantification and statistical analysis. Surveys are also cost effective because they impose only limited time constraints on respondents and do not require time and travel resources to attend meetings. Additionally, surveys can ensure anonymity and confidentiality (which is important when commenting on a regulatory authority such as the FAA).

Based on these considerations, the technical team conducted an industry-wide survey. The survey was designed to determine overall satisfaction in the aviation industry with the FAA's software approval process, and determine the extent and significance of the problem areas identified at the workshops. The technical team sought the expertise of the Center for Survey Research (CSR) at the University of Virginia to assist in the survey process. The four elements in this process were identification of the sample population, development of the survey instrument, administration of the survey, and data analysis.

#### **1.3.1** Identification of Sample Population

To make generalizations and statistical inferences about the software aviation community, the sample population must be a reasonable representation of the community. The following attributes were determined to be important for ensuring that the SSAC survey population constituted a reasonable representation:

- different levels of experience with DO-178B;
- different roles in the development and approval process for software;
- experience with a variety of airborne systems products installed on a variety of different aircraft and engine types;
- experience with a variety of ground-based systems products;<sup>\*</sup> and,
- experience with projects of various size and criticality.

Statisticians prefer to choose a sample population by random selection methods; however, there are no public listings of individuals involved in the development and approval of software in compliance with DO-178B. Thus, random methods could not be applied in this case. Consequently, the sample population was identified on a company basis to attempt to ensure a representative sample and to ensure that company management was aware of the effort. Because much of the survey content concerns FAA-specific issues, participation was limited to companies within the United States.

The technical team distributed survey information to companies with experience developing DO-178B compliant software. These companies were identified through attendance lists from SSAC workshops, RTCA membership lists, and lists provided by FAA offices.

Because the survey issues were specific to DO-178B, the minimum criteria for survey participation was experience with DO-178B in at least one of the following roles:

- software engineer with direct development responsibility in software design, testing, or quality assurance;
- software engineering project manager responsible for directing software professionals;
- system project manager responsible for the overall cost and schedule including software; or,
- certification liaison, including company or consultant DER, responsible for coordination with the ACO or other approving authority.

Each company interested in participating in the survey identified a point-of-contact to register qualified individuals within the company to receive the survey and to coordinate distribution of the survey. Because company size and product lines vary throughout the industry, no limits were placed on the number of individuals in each company that could register. A total of 416 individuals (representing more than 70 companies) registered for the survey through this process.

# 1.3.2 Survey Instrument and Implementation

The technical team defined the questions to be included in the survey instrument. The final survey questionnaire is given in Appendix A. For the most part, the questions came directly from the issues raised at Workshops I and II. The survey questions divided into the 15 topics shown in Table 1.

To improve the quality of the survey, a number of steps were taken prior to producing the questionnaire. The survey questions were reviewed by CSR to help remove bias in the way questions were stated and ensure that the response options were independent and complete. FAA representatives reviewed the questions to ensure that their concerns were addressed. Finally, the technical team

<sup>&</sup>lt;sup>\*</sup> Although the approval processes for ground-based and airborne systems differ substantially, software aspects of approval, in particular development in compliance with DO-178B, are similar.

conducted two pretests with small subsets of the population. The pretest participants provided feedback on the questionnaire's clarity and comprehensiveness.

Survey Section	Торіс	
A & B	Respondent Background and Experience	
С	FAA Policy, Guidance, and Audits	
D	Aircraft Certification Offices	
GD	Approving Authorities for Ground-based Systems	
E	Independence	
F	Modified Condition Decision Coverage	
G	Traceability	
Н	Quality Assurance	
I	Documentation	
J	Tool Qualification	
K	Safety	
L	Designated Engineering Representatives	
GL	Using Designated Engineering Representatives for Ground-based Systems	
М	Availability of Information about the Certification Process	
Р	Appropriateness of DO-178B for Ground-based Systems	

Table 1. Organization and Content of the SSAC Survey Questionnaire

Changes identified during reviews and pretests were made before the final survey questionnaire was produced. The questionnaire was then coded on a floppy disk using a Computer Assisted Self-administered Interviewing (CASI) format. CSR administered the survey, including survey distribution and follow-up reminders, over a 10-week period from mid-December 1998 through mid-February 1999. To help allay fears about commenting on an approving authority, CSR collected all of the responses and filtered identifiers, such as name and company affiliation, before delivering the survey responses to the technical team. During the collection period, CSR received 300 questionnaires, for a response rate of approximately 72%. Of those 300 questionnaires, 292 were completed surveys suitable for analysis.

# 2. Survey Results

The presentation of the survey results follows the outline of the survey. Except for the respondent profile, each section begins with an overview of the background and objectives for that section, followed by the significant findings and technical recommendations. While many of the specific recommendations are intended for the FAA, some recommendations are intended for the RTCA Special Committee 190 on Software Application Guidelines for RTCA DO-178B/ED-12b or for the industry in general.

Relevant survey questions are identified in brackets throughout the discussion. The reader may consult Appendix A to find the text of each question. Specific survey responses are *italicized*. Unless otherwise noted, all of the survey respondents answered the questions in each survey section.

#### 2.1 Sections A and B: Profile of Survey Respondents

Sections A and B of the survey questionnaire yielded a profile of each survey respondent, from which could be established whether the sample population was representative of the aviation software community as a whole. As mentioned previously, the survey specifically targeted engineers and managers, airborne and ground-based systems developers, and manufacturers and product suppliers, all with a range of experience with DO-178B.

Because the approval process is different in some aspects for airborne and ground-based systems, certain sections of the survey targeted issues related only to airborne systems and others targeted issues for ground-based systems. Accordingly, the sample population was divided into airborne and ground-based respondents. Of the respondents representing the 292 completed surveys used in this preliminary analysis, 206 were considered airborne respondents and 86 were considered ground-based respondents [A4, A5]. For the purposes of this survey, respondents with both airborne and ground-based experience within the past 5 years were considered as ground-based respondents. A majority of ground-based respondents also had experience with airborne systems within the past 5 years.

#### 2.1.1 Respondent Experience

In general, the survey indicated that the respondents had considerable experience in aviation software. Over 65% of the respondents cited 10 or more years of experience in aviation software [A1]. Over 58% of the respondents had been with their current employer at least 10 years [A2]. Only 15 respondents had less than 2 years of experience in aviation software.

Many of the respondents had multiple roles in the development and approval of software. Just over 75% of the respondents cited extensive software engineering experience within the past five years [A3a]. Most of the respondents also had experience with some level of software management responsibility as a software engineering lead or project manager. Almost 72% of the respondents had at least some project management experience [A3c]. Of the 292 respondents, 194 had at least some certification liaison experience [A3d]. Of those claiming certification liaison experience, more than half were not DERs, 56 were DERs, and 18 were candidate DERs [A3f]. Over 93% of the DERs were company DERs, and most (about 75%) could approve Level A data [A3g].

Although most of the respondents had substantial experience in aviation software, most of the respondents did not have experience on a large number of DO-178B projects. This was expected given the relatively short time DO-178B has been in use. About 71% had completed five or fewer projects. Almost 20% had not completed a DO-178B project yet [B7]. However, most of the respondents did have experience developing software under standards other than DO-178B. Approximately 73% had personal experience with DO-178A [B8a], about 45% had experience with military standards [B8d], and 27% had experience with other standards [B8e]. Experience within software development teams was similar to the personal experience.

About 84% of the respondents had at least some experience with Level A or B software [B10]. A significant number of the respondents (about 72%) dealt with Level A or B at least regularly. The size of the largest current software project ranged from less than 1000 non-commented source lines to over 350,000 non-commented source lines [B12]. The survey data did not provide a clear picture of the amount of software developed for each software level.

#### 2.1.2 Company Information

As expected based on the general population, most respondents (about 75%) worked for airborne equipment suppliers [A6]. Of the remaining 25%, about 9% worked for aircraft manufacturers, 4% worked for ground equipment suppliers, 4% worked for suppliers of both airborne and ground equipment, and about 5% worked for engine manufacturers. Approximately 54% of the respondents indicated they knew the Capability Maturity Model (CMM) rating for their company [B16]. Of those, more than 90% indicated their company was rated at Level 2 or higher. About 56% were at Level 2 and 18% at Level 3. About 68% of those ratings were determined by external assessment [B17].

The respondents had experience with a wide range of products for both airborne [B3] and ground-based [B6] systems, as shown in Tables 2 and 3.

Airborne product	Number of respondents with experience
Autopilot	45
Flight management computer	50
Engine control	46
Passenger entertainment	10
Displays	74
Navigation equipment	63
Flight controls	43
Anti-skid braking	12
Fuel systems	28
Electrical/power systems	24
Communication equipment	48
Audio systems	16
Traffic collision avoidance systems	10
Data acquisition	5
Weather-related systems	8
Monitoring & maintenance	11
Other	25

Table 2. Respondent Experience with Airborne Systems Products

Table 3. Respondent Experience with Ground-based Systems Products

Ground-based systems product	Number of respondents with experience
Communications	27
Navigation	41
Surveillance	12
Automation	16
Air traffic management	12
Health and usage monitoring	4
Maintenance and test	6
Information/data management	4
Other	6

The airborne products were also associated with a variety of different aircraft and engine types [B4], as shown in Table 4.

Aircraft or engine type Number of respondents with experien	
Transport aircraft	121
Regional aircraft	100
Business aircraft (Part 91)	119
General aviation aircraft	67
Rotorcraft	52
Large turbine engine	41
Small turbine engine	54
Piston engine	15
Military aircraft	3
Other	3

Table 4. Aircraft or Engine Type Associated with the Airborne Systems Product Lines

The size of software development teams and the number and size of the software projects varied significantly over the sample population, as expected given the diversity throughout the aviation software industry. Most (68%) of the respondents worked on relatively small software development teams with 15 or fewer members [B2]. Less than 9% of the respondents worked on large teams with more than 50 members. About 46% of the respondents worked with companies that had five or fewer DO-178B projects approved per year [B13]. More than 50% of the respondents received TSO authorizations on at least 76% of their projects [B5].

The final measure of whether the sample population for airborne respondents was representative of the general population was the geographic distribution of the respondents. All of the Certification Directorates, and all but two of the ACOs in the United States (in Denver and Anchorage), were represented by the survey respondents [B14]. Most of the airborne respondents worked with the Small Airplane or Transport Airplane Directorates. In about 85% of the cases, the primary ACO was the one that covers the geographic region [B14A]. In addition to their primary ACO, respondents indicated that they interacted with other ACOs; frequently mentioned ACOs were Seattle, Wichita, Los Angeles, and Atlanta. Table 5 shows the primary and secondary ACOs specified by the airborne respondents.

Certification Directorate Certification Office	Number of respondents indicating primary ACO	Number of respondents indicating secondary ACO
Transport Airplane Certification Directorate	77	98
Denver Aircraft Certification Office (ANM-100D)	0	1
Los Angeles Aircraft Certification Office (ANM-100L)	48	42
Seattle Aircraft Certification Office (ANM-100S)	29	55
Small Airplane Certification Directorate	83	99
Anchorage Aircraft Certification Office (ACE-115N)	0	2
Atlanta Aircraft Certification Office (ACE-115A)	8	37
Chicago Aircraft Certification Office (ACE-115C)	25	13
Wichita Aircraft Certification Office (ACE-115W)	50	47
Rotorcraft Certification Directorate	4	17
Fort Worth Airplane Certification Office (ASW-150)	1	5
Fort Worth Rotorcraft Certification Office (ASW-170)	1	10
Fort Worth Special Certification Office (ASW-190)	2	2
Engine and Propeller Certification Directorate	32	28
Boston Aircraft Certification Office (ANE-150)	17	7
Engine Certification Office (ANE-140)	7	8
New York Aircraft Certification Office (ANE-170)	8	13
Brussels Aircraft Certification Division (AEU-100)	0	8

Table 5. Airborne Respondents' Primary and Secondary Aircraft Certification Directorates and Offices

In developing this survey, the team expected that for most of the ground-based systems developed using DO-178B, one of three primary approving authorities would be involved: (1) the Product Team for the Global Positioning System (FAA AND-730); (2) the Product Team for Navigation and Landing (FAA AND-740); or (3) the GPS, Navigation and Landing Branch (FAA AOS-240). Although many of the ground-based respondents indicated that they worked with these three approving authorities, they also cited experience working with several ACOs including Los Angeles, Seattle, Chicago, Engine Certification, Wichita, Boston, and New York. Table 6 shows the distribution of approving authorities for ground-based systems.

Approving authority for ground-based equipment	Number of respondents with experience
Product Team for the Global Positioning System (AND-730)	17
Product Team for Navigation and Landing (AND-740)	17
GPS, Navigation and Landing Branch (AOS-240)	28
Los Angeles Aircraft Certification Office (ANM-100L)	5
Seattle Aircraft Certification Office (ANM-100S)	3
Engine Certification Office (ANE-140)	3
Chicago Aircraft Certification Office (ACE-115C)	2
Wichita Aircraft Certification Office (ACE-115W)	2
Boston Aircraft Certification Office (ANE-150)	1
New York Aircraft Certification Office (ANE-170)	1
Fort Worth Special Certification Office (ASW-190)	1
Other	3

Table 6. Approving Authorities Indicated by the Ground-based Respondents

Overall, the respondent profile showed that the survey reached a wide cross section of the aviation software community. Although there are no definitive statistics on various attributes of the population for comparison, the responses to the profile questions provided sufficient evidence that the sample population was a fair representation of the general population. Thus, the team believes that drawing generalizations from the survey findings is reasonable.

# 2.2 Section C: FAA Policy, Guidance, and Audits

A major area of concern raised by attendees of the two SSAC workshops was software policy and guidance. This area has the potential for affecting costs significantly. Workshop attendees claimed that policies are unclear and that FAA guidance in several technical areas is incomplete. This section of the survey addressed the guidance received by the industry on technical and process issues concerned with certification and with audit timing. Both airborne and ground-based respondents were asked to answer the questions in this section.

The section was divided into four major parts:

- (1) overall satisfaction with the certification process and with written software policy and guidance;
- (2) specific issues pertaining to different aspects of DO-178B guidance;
- (3) specific issues pertaining to "additional considerations" not explicitly related to DO-178B and which require FAA policy and guidance; and,
- (4) audit frequency and duration.

The following were the objectives for this section.

- Determine an overall level of satisfaction with software aspects of certification
- Determine if regulatory software reviews (on-site audits) impose undue burden without benefit

#### 2.2.1 Significant Findings

The section began with a general question about overall satisfaction with the software approval process [C1]. The survey responses for this question were encouraging: 70.4% of the respondents selected a positive or neutral response (*very satisfied*, *somewhat satisfied*, or *neither satisfied nor dissatisfied*). A purely positive interpretation of the responses to this question is, however, inconsistent with the survey responses to the detailed questions in this section. Also, the fact that nearly 30% of the respondents were either *somewhat dissatisfied* (23.6%) or *very dissatisfied* (6%)—indicates room for improvement.

A detailed analysis of the responses to question C1 yielded additional insight but little change in the conclusion. Analysis of the responses was performed to determine overall satisfaction of various groups of respondents with the FAA's software approval process as shown in Table 7.

Subgroups of the sample population	Percentage of respondents either somewhat or very dissatisfied
Experience of 1-5 certifications using DO-178B	26%
Experience of 6 or more certifications using DO-178B	31%
Regular experience with Level A or B software	28%
Most experience with Level A or B software	28%
Extensive project management experience	36%
Some project management experience	24%
Extensive software engineering experience	27%
Some software engineering experience	35%

Table 7. Satisfaction of Various Subgroups with the FAA Process for Software Aspects of Certification

This table shows that dissatisfaction with the FAA process for software aspects of certification is not related to lack of experience or training. Thus, the overall dissatisfaction level cannot be legitimately dismissed for this reason.

Question C2A asked how satisfied respondents were in general (overall) with existing, written FAA software policy and guidance. For the survey, "written policy and guidance" was defined as including the Federal Aviation Regulations (FARs), DO-178B, FAA Notices, FAA Orders, Advisory Circulars, and FAA policy memos. The majority of respondents were either *somewhat satisfied* (39.9%) or *very satisfied* (2.4%). A total of 27.3% were *neither satisfied nor dissatisfied*. But very large fractions of the respondents were *somewhat dissatisfied* (23.8%) or *very dissatisfied* (6.6%), justifying the conclusion that the quality of written software guidance can be improved.

As with question C1, a detailed analysis of the responses to question C2A yielded insight but little change in the conclusion. Analysis of the responses was performed to determine overall satisfaction of various groups of respondents with software policy and guidance as shown in Table 8.

Subgroups of the sample population	Percentage of respondents either somewhat or very dissatisfied
Experience of 1-5 certifications using DO-178B	31%
Experience of 6-20 certifications using DO-178B	23%
Regular experience with Level A or B software	29%
Most experience with Level A or B software	33%
Extensive project management experience	40%
Some project management experience	28%
Extensive software engineering experience	25%
Some software engineering experience	47%

Table 8. Satisfaction of Various Subgroups with FAA Software Policy and Guidance

Again, this data confirmed the conclusion that the level of dissatisfaction was fairly high, and that this was not a result of a lack of software engineering or DO-178B experience or training.

Sixteen questions asked about the adequacy of documented software policy in specific technical areas [C2a-q]. A final question asked about areas not covered by the previous 16. The technical areas covered were:

- planning [C2a];
- requirements [C2b];
- design [C2c];
- code [C2d];
- verification [C2e];
- configuration management [C2f];
- quality assurance [C2g];
- certification liaison [C2h];

- Commercial-Off-The-Shelf (COTS) software [C2i];
- legacy software and software reuse [C2j];
- user-modifiable software [C21];
- partitioning [C2m],
- service history [C2n];
- tool qualification [C20];
- classification of changes [C2p]; and,
- alternate means of compliance [C2q].

The responses to these questions were remarkably consistent and mostly negative. For questions C2a through C2h about the software life cycle processes in DO-178B, the dominant response was *barely sufficient*. When combining *barely sufficient* with the next category, *insufficient*, the percentage in these

two categories was at least 85% in all cases. For questions C2i through C2q about additional considerations, the dominant response was *insufficient*. In almost all cases, the percentage of respondents claiming insufficient software policy in this category was more than 50%.

Thus, the survey results showed that the present written software guidance for some important technical areas is inadequate.

Question C2r asked for comments about technical areas not addressed by other questions in this section. A total of 50 comments were received. The topics covered many aspects of the certification process, including the following:

- (1) inconsistent interpretation of documentation about the certification process; and,
- (2) lack of guidance, or unawareness on the part of the respondents that guidance is available, in a number of areas (for example, reuse, structural coverage, and safety).

Survey questions C3 (for airborne respondents) and GC3 (for ground-based respondents) asked whether the respondent had participated within the last five years in a software audit; subsequent questions asked the respondent's view about timing and depth of these audits. Roughly 50% of the respondents had participated in at least one audit.

Question C5 asked the respondent for an opinion about the appropriateness of the number of audits. Almost 62% replied that the number of audits was *about right*. In-depth analysis of the responses to this question revealed that the number of respondents who chose *about right* varied considerably with factors such as software engineering experience, but in no case did it drop below 50%. Question C7 asked about the duration of regulatory audits. Seventy-nine percent of the responses were *about right*.

Question C10 was about the depth of software audits. Roughly equal numbers of respondents thought the depth of regulatory audits was *about right* (42.8%) or *vary significantly* (42.8%). The high percentage of responses that cited significant variation in the depth of regulatory audits indicates this should be further understood and addressed.

### 2.2.2 Summary and Recommendations

Based on the survey responses, the written software policy and guidance provided for the certification process appears to be inadequate in both availability and quality. This is a serious situation that appears to lead to major project delays and unnecessary expenditures by aerospace companies. Revising the guidance documents and improving the process by which they are developed would help. With respect to software audits, the timing appeared to be satisfactory for the most part. The most significant issue was the variability of the depth of regulatory audits.

**Recommendation C1**: The FAA and the industry, in conjunction with RTCA, should determine the appropriate means for providing information for all software life cycle processes. For example, the FAA and the industry should determine what is needed to supplement and clarify DO-178B in the areas of requirements, design, code, verification, planning, certification liaison, quality assurance, and configuration management.

**Recommendation C2**: The FAA should lead the development of policy and guidance for COTS software, legacy software and software reuse, user-modifiable software, partitioning, tool qualification, service history, major and minor software changes, alternate means of compliance, and emerging technologies as they arise.

**Recommendation C3**: The FAA should develop an approach to ensure consistency in the depth of regulatory audits at the different software levels.

# 2.3 Section D: Aircraft Certification Offices

This section of the survey was designed to assess issues of inconsistencies and inadequacies specific to approving authorities. Because airborne and ground-based respondents typically interact with different approving authorities, questions for this topic were partitioned into two parts: Section D was devoted to airborne respondents' experience with ACOs, and Section GD was devoted to ground-based respondents' experience with their primary approving authorities.

Certification is not an easy task, requiring considerable cooperation and communication between regulator and applicant. At Workshop I, participants expressed concerns regarding interactions with ACOs and other approving authorities. Their concerns were generally in two areas, communication (ranked as the sixth most important issue) and consistency (ranked as the most important issue).

The Task Force 4 report cites "poor quality or slow communication between authorities' offices and particularly across organizational boundaries within an authority" (ref. Final, page 84). SSAC workshop participants also thought that ACOs could improve the timeliness of feedback and coordination of certification issues with national resources. Honoring agreements was also a primary concern. This concern is echoed in the Task Force 4 finding that decision reversals may occur within the FAA without adequate involvement of technical personnel (ref. Final, page 84).

On the consistency issue, concerns were expressed about inconsistencies that exist between ACOs with regard to software policy, guidance, and the interpretation of DO-178B. These concerns prompted allegations that applicants were moving from one ACO to another to shop for favorable circumstances. In addition, workshop attendees thought ACO engineers within the same ACO treat some companies differently. Regardless of the source of the inconsistency, workshop participants were vocal in their call for a level playing field. Only those airborne respondents indicating they had experience interacting with their primary ACO were prompted to answer the questions in this section.

The following were the objectives for this section.

- Determine level of satisfaction with services provided by ACOs
- Determine if there have been instances of inconsistencies among or within ACOs and determine if there have been more than a few isolated occurrences
- If there are frequent or substantial accounts of inconsistencies, determine if they impact cost or schedule
- Determine what types of inconsistencies exist

### 2.3.1 Significant Findings

Of the 206 airborne respondents, 77 (38%) believed they had enough interaction with their primary ACO to rate its performance [D1]. These 77 are the "section D respondents". Section D respondents had a split opinion about the overall satisfaction with their primary ACO. Roughly, 54% were either *somewhat satisfied* or *very satisfied* with their primary ACO, while 26% were *somewhat* or *very dissatisfied* [D2]. The remaining questions in this section addressed the communication and consistency issues in detail.

#### 2.3.1.1 Communication

Survey respondents were queried about specific communication and coordination activities related to software. Most respondents indicated broad satisfaction (defined as 60% or more reporting *good*, *very good*, or *excellent* experiences with the FAA) with their primary ACO's ability to return phone calls [D3a], respond to written communication [D3b], address certification issues [D3c], and coordinate meetings and reviews [D3e]. Areas of most concern were establishing and honoring dates for reviews and approvals [D3d], with 20% rating their primary ACO as *poor*; coordination with technical resources [D3g], with a 17% *poor* rating; and, response to submitted plans [D3h], with a 22% *poor* rating.

Honoring verbal and written agreements was of particular concern to workshop participants. Survey respondents indicated that ACOs reneged on both verbal and written agreements. Exactly 50% indicated that verbal agreements had not been honored [D25], and 20% indicated that written agreements had not been honored [D26]. The explanation cited most frequently was *FAA personnel changed* [D27]. This in itself suggests that ACO engineers looking at the same data often do not make the same decisions.

### 2.3.1.2 Consistency

The survey results indicated that inconsistencies exist within and among ACOs. Of the section D respondents, 52 of them (about 67%) worked with more than one ACO [D7]. Of these 52 respondents, 39 of them (76.5%) said they received inconsistent software guidance, interpretations, or procedural requirements from different ACOs within the past three years [D9], with 61% incurring *major additional costs* as a result [D13a]. Of the 39 respondents experiencing inconsistencies, less then 13% claimed they happened *rarely* [D12], and almost 53% indicated that the inconsistency was *fundamentally different* [D13]. According to the survey, the differences with greatest consequence were about *issue papers* and *interpretation of D0-178B* [D10b]. The survey responses indicated that inconsistencies and communication issues with ACOs did not result in applicants shopping for more favorable certification circumstances. The major reason cited for using multiple certification offices was *customer's geographic region* [D8].

Of the 77 section D respondents, 36% received inconsistent software guidance within the same ACO [D20]. Although the number of respondents indicating such experience was relatively small (26), the survey results showed that when these inconsistencies occurred, they were not isolated incidents. Of the 26 respondents that experienced inconsistency from within the same ACO, most of them experienced such at least *occasionally* or *frequently* [D22] and incurred *major additional costs* as a result [D23]. As in the case of inconsistency among different ACOs, inconsistent *interpretation of DO-178B* was the single most frequently cited problem [D24].

Giving respondents the opportunity to comment about their primary ACO provided insights. Many claimed that their ACO is understaffed, the workload is too high, and the ACO engineers have insufficient background in software [D4]. This supports the Task Force 4 finding that FAA employees are "currently being spread too thin" (ref. Final, page 84). With respect to consistency, one respondent suggested that "inconsistencies lead to reduced levels of safety, with the least safe systems and equipment being the most competitive due to reduced regulatory overhead." Another stated "the main problem is a lack of a level playing field between ACOs." Other comments stated that differences exist among the National Resource Specialist (NRS), ACOs, Certification Directorate, and FAA Headquarters.

### 2.3.2 Summary and Recommendations

The survey results revealed problems in communication between ACOs and applicants and inconsistency in interpretation of software policy and guidance, especially inconsistent interpretation of DO-178B. Although the number of respondents experiencing inconsistencies among and within ACOs was not large, inconsistencies did occur and imposed major additional costs.

**Recommendation D1**: The FAA should identify the minimum software capability needed within the agency to efficiently and effectively communicate and coordinate with applicants, and implement appropriate hiring, policy, and training as needed.

**Recommendation D2**: The FAA should examine the circumstances leading to nullification of verbal and written agreements.

**Recommendation D3**: The FAA and applicants should document agreements up front. The FAA should develop and implement processes and supporting policy for managing agreements.

**Recommendation D4**: The FAA should investigate the root cause(s) of inconsistencies in software guidance, interpretation, and procedural requirements among and within ACOs.

# 2.4 Section GD: Approving Authorities for Ground-based Systems

This survey section examined industry's perceptions of the FAA offices with responsibility for approving ground-based equipment containing software. In particular, AND-730 for the Local Area Augmentation System and the Wide Area Augmentation System, AND-740 for Instrument Landing Systems and the Transponder Landing System, and AOS-240 for Special Category I ground stations formed most of this group. Any ACO involvement with this segment of the industry was excluded from the discussion in this section. Only ground-based respondents were prompted to answer the questions in this section.

In accord with Section D, the following were the objectives for this section.

- Determine level of satisfaction with services provided by approving authorities for ground-based systems
- Determine if there are inconsistencies among approving authorities and, if so, determine if these inconsistencies are common
- If there are frequent or substantial accounts of inconsistencies, determine if they affect cost or schedule
- Determine what types of inconsistencies exist

# 2.4.1 Significant Findings

Only a small subset of the sample population answered the questions in this section. Although 86 survey respondents identified themselves as having ground-based experience, barely a quarter of those (22 respondents) reported direct contact with the three FAA organizations of primary interest: AND-730, AND-740, and AOS-240 [GD1]. These 22 are referred to as "section GD respondents". The small number of the section GD respondents precludes extrapolation to a larger population; but many of the trends shown in survey section D were also reflected here, which lends credibility to the results.

There was a noticeable split in the overall levels of satisfaction with the approving authorities for ground-based equipment in this context: fairly heavy at each end of the satisfaction spectrum, with little neutrality [GD3]. Almost 59% of the section GD respondents were either very or somewhat satisfied with their approving authority, while almost 30% said they were very or somewhat dissatisfied. Less than 12% said they were neither satisfied nor dissatisfied. The bulge seen at the dissatisfied end of the spectrum has several possible explanations—mismatched expectations between applicants and regulators, inexperience of either or both, and so on—and merits further examination.

#### 2.4.1.1 Communication

Question GD4 was composed of several questions aimed at the overall satisfaction with the approval authority, especially with respect to communication and coordination. Within this block of responses, two patterns emerged. The first was one of broad satisfaction (60% or more of the section GD respondents reporting *good*, *very good*, or *excellent* experiences with the FAA). This pattern was associated with FAA responsiveness via telephone [GD4a], responsiveness to written communications [GD4b], performance in addressing certification issues [GD4c], performance in establishing and honoring calendar commitments [GD4d], and performance in coordinating meetings and reviews [GD4e]. The remaining questions of this section—coordination with technical resources outside the approving authority's immediate group [GD4g] and handling of submitted plans [GD4h]—revealed marginally

greater dissatisfaction, with *fair* and *poor* responses ranging from 35-50%. The same was noted in the airborne section.

Regardless of the number of incidents, nullification of previously agreed positions can be disruptive and expensive, and is taken seriously by both the FAA and applicants. Although the absolute numbers were not large, ground-based respondents indicated incidents where verbal and written agreements had not been honored. Ten of the section GD respondents indicated that verbal agreements with groundbased authorities had been nullified [GD21], and five said that written agreements had been nullified [GD22]. The survey responses revealed a pattern of similarities between air and ground in the reasons for nullification of agreements. The three leading reasons given by respondents for these annulments were *FAA rules changed*, *FAA personnel changed*, and *the original FAA parties to the agreement rescinded it* [GD 23].

When survey participants were asked to provide commentary on their experience working with AND-730, AND-740 and AOS-240 [GD5], the responses also fell broadly into opposite ends of the spectrum. Some respondents indicated dismay with perceptions of unclear expectations by the FAA, lack of appropriate policy instruments, a "checklist" approach to approvals, and excessive workload imposed on FAA personnel. Conversely, a few respondents were equally clear in their praise for FAA professionalism and helpfulness. Results were thus mixed, but these responses were somewhat less positive than one might expect from the levels of satisfaction seen earlier.

# 2.4.1.2 Consistency

To find respondents most qualified to judge inconsistencies among different FAA organizations, Question GD6 asked if the respondent had worked with both AOS-240 and either of the AND groups. Only three respondents answered *yes* to this question. Of those three, each worked with both organizations out of necessity [GD7]. Possibly of greater significance, despite the tiny sample size, was that all three reported inconsistencies in guidance, interpretation or procedural requirements from the FAA organizations involved [GD8].

#### 2.4.2 Summary and Recommendations

For the ground-based respondents, problems in communication were more evident than problems with consistency, likely due to the small subset responding to this section. The following recommendations address the communication issue.

**Recommendation GD1**: The FAA should examine the circumstances leading to nullification of verbal and written agreements.

**Recommendation GD2**: The FAA and suppliers should document agreements up front. The FAA should develop and implement processes and supporting policy for managing agreements.

#### 2.5 Section E: Independence

DO-178B requires that some activities be performed "with independence"; that is, that there is some separation of responsibilities which ensures that specific objectives in Annex A of DO-178B are accomplished. According to DO-178B, independence for a verification activity means that the verification of an artifact is done by a different person than the one who developed the artifact itself. At Workshop I, some participants expressed concerns about the contribution of the independence requirements to safety and product quality. Some participants were also unclear about the meaning of the term "independence". Both airborne and ground-based respondents were prompted to answer the questions in this section.

The following were the objectives for this section.

- Determine level of understanding of the independence requirements
- Determine if the requirements for independence provide a tangible benefit

#### 2.5.1 Significant Findings

To determine whether the respondents understood the definition of independence correctly, question E1 asked if independence requires verification by a different person or by a different organization. About 86% of those who answered the question knew that independence only required a different person, not a different organization. There was no statistical correlation between understanding the definition of independence and either level of experience with DO-178B or software engineering experience.

Respondents were asked their opinions about overall satisfaction with the independence requirements [E2]. In general, satisfaction was high, with 63% reporting to be either *somewhat* or *very satisfied* with the independence requirements and 28% *neither satisfied nor dissatisfied*. Only 8.5% reported that they were *somewhat dissatisfied* with the independence requirements, and only one person (out of 272 people who responded to this question) was *very dissatisfied*.

Of the respondents who answered the question about the value of independence [E8], 82% thought that it was *extremely valuable* (26%) or *somewhat valuable* (56%). Only 13% thought that independence was *of marginal value*, and only 1.8% (5 out of 280) thought it was *of no value*. There was no correlation between level of experience with DO-178B and belief about the value of the independence requirements. The respondents with the most involvement with Level A or Level B software were most likely to answer that the independence requirements were *extremely* or *somewhat valuable*.

Respondents were also asked how much time and cost their company would devote to independence if it were not required by DO-178B [E7]. More than one half of the respondents (58.5%) said that they would devote the *same* or *almost as much as now*, while 27% said that they would devote *substantially less than now*, and 3% said they would devote no effort to independence if it were not required.

A requirement may be considered valuable, but it also may be very costly. Questions E5 and E6 were asked to determine the cost differential between meeting a DO-178B requirement and meeting that requirement with independence. Of those able to estimate the costs of independence, 43.5% indicated that the software development costs attributed to independence were *negligible* or *small*, 47% that the costs were *substantial*, and only 1% that the costs were *nearly prohibitive*. Similarly, 44% stated that the software development time attributed to independence was *negligible* or *small*, 48% thought it was *substantial*, and only one person (out of 270 respondents to this question) thought it was *nearly* 

*prohibitive.* The individual who reported nearly prohibitive costs and time reported only rare involvement with Level A or Level B software. The survey results showed that the costs attributed to independence decreased as experience with DO-178B increased.

In trying to ascertain which independence requirements might be most bothersome, respondents were asked to indicate which requirements they did not like [E3]. These comments further demonstrated some respondents' confusion about the meaning of independence.

# 2.5.2 Summary and Recommendations

Most survey respondents understood the correct definition of independence and were satisfied with the requirements. Based on these results, the independence objectives in DO-178B should not be changed. However, clarification of the meaning of independence and the purpose of the requirements might be helpful.

# 2.6 Section F: Modified Condition Decision Coverage

DO-178B requires modified condition decision coverage (MCDC) for Level A software. This requirement has been controversial, with many people publicly claiming that MCDC never or rarely finds errors; and, if it does find errors, those errors are not safety-related. Others, however, look at the requirement for MCDC as an assurance mechanism to check the adequacy of requirements-based testing. From either perspective, the cost of achieving MCDC has been an issue. Because MCDC is only required for Level A software, only those respondents with Level A experience were asked to answer the questions in this section.

The following were the objectives for this section.

- Determine whether people understand MCDC and whether it is done correctly when required
- Determine if the cost benefit trade is worthwhile in going to MCDC coverage
- Determine if MCDC is the appropriate stopping criteria for Level A testing

# 2.6.1 Significant Findings

A number of questions were asked to determine opinion about the difficulty of performing MCDC and about how MCDC was being performed. About 60% of the survey respondents indicated they had experience with Level A software [F0]. These respondents are referred to as "section F respondents". These respondents clearly believed that MCDC was difficult. When asked about the difficulty of meeting the MCDC objective [F1], 2% (three people out of 146 answering this question) thought it was *trivially simple*, 19% thought it was *moderately simple*, 55.5% thought that it was *moderately difficult*, and 23% thought that it was *extremely difficult*.

In general, the section F respondents took a number of different approaches to MCDC. About 59% indicated that they did *requirements-based testing and used the results to determine if additional structural testing is necessary*, 32.5% said they did *structural coverage independent of requirements-based testing*, while others said that they did the two types of testing in parallel to save time or because automated tools do not support a single test suite. About 74% of the respondents performed MCDC on source code [F2]; 47% performed it on object code [F3]. Thirteen respondents claimed to not perform MCDC on either the source or object code. Given that the section F respondents were all supposed to have been directly involved in the development or approval of Level A software, the number who had not performed MCDC should have been zero.

Concerning effectiveness [F4], 12% said they *never* found errors using MCDC, 59% said they *rarely* did, 25% said they *occasionally* did, and 4% said they *frequently* did. Some of the notes provided by the respondents to this question were interesting. One said that they were surprised to find branches in the object code that they were not expecting; they thought they would not have found them doing coverage at the source code level. Another thought that knowing they had to meet the MCDC objective had a significant, positive influence on the design—"starting to think about structural coverage at verification time has little benefit." Another noted that the errors that had been found during MCDC testing were generally not the errors that MCDC testing was intended to find. A couple of respondents thought that errors found with MCDC would be found by other types of structural testing. Finally, one person noted that the errors found by MCDC were rare but they were the hardest ones to find.

Of the 116 people who responded that they rarely, occasionally, or frequently found errors while

performing MCDC, 21 of them said they had found safety-critical errors. Seventy-seven respondents said that they had not found safety-related errors, and 18 either did not know or declined to answer [F4B]. Although it was not clear whether the 21 people corresponded to at least 21 unique discoveries of safety-critical errors, this result differs from the common industry perception that MCDC does not find safety-critical errors.

Doing a trace from source to object code as part of MCDC was also addressed. Of the section F respondents, 57% said they did traceability from source to object code [F5]. Of those who did, 75% said additional verification resulted from source to object tracing [F6]. In cases where additional verification resulted, 41% responded that the verification found additional errors [F7], and 50% of those said they found safety-related errors [F7a].

Many of the complaints about the MCDC requirement concern perceived cost issues. The survey posed several questions to obtain MCDC-related cost information. When asked to rate cost attributed to performing MCDC, 1% said it was *negligible*, 16% said it was *small*, 67.5% said it was *substantial*, and 7% said it was *nearly prohibitive* [F9a]. Several noted cost reductions once they started to use supporting tools. The time attributed to performing MCDC resulted in similar percentages [F9b]. The question about which aspects of the MCDC objective are the most difficult [F1b] elicited a large number of comments asserting the need for inexpensive tools to assist with the process.

The survey also asked the respondents to rate the value of MCDC for Level A systems [F9d]. The survey results showed mixed opinions: 7.5% said it was *extremely valuable*, 40% said it was *somewhat valuable*, 40% said that it was *of marginal value*, and 10% said it was *of no value*. Respondents were also asked how much software development time and cost their company would devote to performing MCDC if they were not required to meet the objective of DO-178B [F9c]. Approximately 5% said *same as now*, 19% said *almost as much as now*, 61% said *substantially less than now*, and 10% said *none*. Given the frequent complaints about MCDC expressed by many members of the industry, it was interesting that half of the respondents stated it was somewhat or extremely valuable, and nearly a quarter of the respondents said they would do the same or almost as much as now even if they were not required to do so by DO-178B.

### 2.6.2 Summary and Recommendations

In summary, the survey provided evidence that MCDC finds errors, even safety-critical errors. At the same time, MCDC was perceived as difficult and expensive. A possible follow-up investigation would be to determine whether those who are finding errors using MCDC differ significantly in the way they perform it from those who do not find errors. Follow-up investigation also could be performed to determine if some of the time and resources devoted to MCDC are wasted or applied inefficiently.

**Recommendation F1**: The FAA and the industry, in conjunction with the RTCA, should document the intent of the MCDC objective and means for achieving MCDC. In addition, a tutorial should be developed for performing and evaluating MCDC.

**Recommendation F2**: The FAA should initiate research to explore cost effective means of achieving MCDC or its intent.

#### 2.7 Section G: Traceability

Traceability refers to the practice of tracking or tracing requirements through the development and verification process. There are many reasons for traceability, including requirements coverage, regression analysis, and change impact analysis. During Workshop I, participants expressed concern about the cost of traceability, confusion over the amount of traceability required for different applications, and what techniques and evidence of traceability were acceptable to the FAA. Both airborne and ground-based respondents answered the questions in this section.

The following were the objectives for this section.

- Determine the level of understanding of traceability
- Determine the cost of the requirements for traceability
- Determine the perceived value of traceability

#### 2.7.1 Significant Findings

Respondents were asked a series of questions to determine their practices regarding traceability. The survey results provided strong evidence that traceability was used effectively in most cases. Nearly all of the respondents (99%) used traceability for requirements coverage [G1], 91% used it for regression analysis [G3], and 81% used it for change impact analysis [G5]. When asked if traceability was done only for certification, 77% of respondents responded *no* and 23% responded *yes* [G7]. At first glance, a response rate of 23% indicating they did traceability only for certification may seem disturbing. However, of that 23%, only 2 respondents did not use traceability for requirements coverage, regression analysis, or change impact analysis.

Some misunderstandings about traceability from source to object code were evident in the survey responses. Approximately 27% of the respondents indicated that they documented traceability from source to object code [G11], regardless of whether they were developing Level A software. Of the 186 respondents who did not document traceability from source to object code, 26% of them indicated that they always worked on Level A or B software. Responses to the follow-up question [G12] asking for the reason traceability from source to object code was documented, were quite mixed. Respondents indicated company procedures, ACO requirements, DER requirements, DO-178B requirements, and customer requirements as reasons.

A majority of respondents (55%) said the cost [G13] and time [G14] for traceability was *substantial*. But almost 66% of the respondents said they would do the *same* or *almost as much* as they currently do without the DO-178B requirement [G15]. A full 87% of the respondents indicated that they believed DO-178B's requirements for traceability were *somewhat* or *extremely valuable*. Based on these results, the benefit of traceability appears to be clear.

### 2.7.2 Summary and Recommendations

In general, traceability is used effectively and is well understood. However, there appeared to be significant misunderstandings with regard to requirements for establishing traceability from source to object code.

Recommendation G1: The FAA and the industry, in conjunction with the RTCA, should clarify the

intent of DO-178B with respect to source to object code correspondence. The FAA should develop policy to standardize the application of source code to object code correspondence.

## 2.8 Section H: Quality Assurance

Three objectives for the software quality assurance (SQA) process in Annex A of DO-178B are as follows.

- SQA Objective 1: Assurance is obtained that software development and integral processes comply with approved software plans and standards
- SQA Objective 2: Assurance is obtained that transition criteria for the software life cycle processes are satisfied
- SQA Objective 3: Software conformity review is conducted

Participants at Workshop I questioned the effectiveness of these SQA objectives. In particular, workshop participants expressed concern that an applicant could meet all of the SQA objectives without producing a quality product. This section of the survey was designed to solicit opinion about the value of the SQA objectives, and determine if certification cost could be reduced by lessening quality assurance requirements in DO-178B. Attention was focused on the value of each of the three SQA objectives, and on the cost and time of compliance. Both airborne and ground-based respondents answered the questions in this section.

The following were the objectives for this section.

- Determine whether quality assurance as defined in DO-178B is perceived to be useful
- Determine the cost of compliance

#### 2.8.1 Significant Findings

Respondents provided their opinions on the value of each of the three SQA objectives. The survey results showed strong support for quality assurance as it exists in DO-178B as a whole. Approximately 79% of the respondents rated SQA objective 1 as *extremely* or *somewhat valuable* [H1]. One person commented "Plans and standards are just paper unless they are followed. Without some tool for providing assurance that they were applied they are meaningless... experience has shown that the apparent gains of not doing so are extremely short-term gains and do not offset the long term costs associated with not having them."

A smaller majority of respondents (57%) stated that SQA objective 2 for transition criteria was *extremely* or *somewhat valuable*. Only 12% claimed objective 2 was *of no value* [H2]. Similarly, SQA objective 3 for software conformity review was also considered valuable. Over 72% of the respondents rated it *extremely* or *somewhat valuable* and only 4.5% rated it *of no value* [H3].

Both the cost and time attributed to complying with the SQA objectives appeared reasonable: 58% of the respondents considered them to be *small* or *negligible*. At the other extreme, almost 32% stated the cost attributed to quality assurance was *substantial* [H4]. An in-depth analysis of the survey results revealed a statistically significant correlation between cost of quality assurance and volume of DO-178B projects. Respondents from companies that had a high number of approvals attributed less cost to quality assurance than respondents from companies with a small number of approvals. One explanation is that the resources and infrastructure, and therefore the cost, required for quality assurance was spread over several projects. The fact that almost 73% of the respondents would do the *same as now* or *almost as much* in the area of quality assurance if it were not required by DO-178B further indicated the importance

of quality assurance [H6].

# 2.8.2 Summary and Recommendations

The survey results showed strong support for quality assurance as it exists in DO-178B. It was not clear whether the requirements could be reduced to save cost without sacrificing quality or safety.

# 2.9 Section I: Documentation

DO-178B states that the minimum software life cycle data to be submitted to the certification authority for software approval is the Plan for Software Aspects of Certification (PSAC), the Software Configuration Index, and the Software Accomplishment Summary. In addition, DO-178B states that applicants should make available other data or evidence of compliance as requested by the certification authority. Section 11 of DO-178B discusses the characteristics, form, and content of the software life cycle data.

Workshop I revealed a widespread belief that ACOs routinely demand software-related documentation that cannot be justified by DO-178B or the FARs, and that requirements for packaging documentation are unreasonable. There was also a strong presumption that requirements for documentation could be deleted, with no adverse effect on safety. Both airborne and ground-based respondents were prompted to answer the questions in this section.

The following were the objectives for this section.

- Determine if any of the requirements for documentation result in unnecessary rework or write-only documents
- Determine the cost of unnecessary documentation

# 2.9.1 Significant Findings

Survey respondents were asked questions to address both the packaging and content of documentation. When asked how closely they follow the document outlines given in Section 11 of DO-178B, approximately 73% of the respondents indicated strict or close adherence with some exceptions [I1]. The format of data prepared by applicants was generally driven by *company procedures*, with only 23% of format requirements dictated by ACOs or DERs [I2]. No responses to this question suggested a problem with the formats described in Section 11. Indeed, most replies indicated that the guidance in DO-178B was useful rather than a hindrance, citing consistency and ease of comprehension for purposes of review and audit.

To further explore the packaging issue, respondents were asked if they had experienced a rejection based on format of certification data within the last five years [I3]. Only 16% of the valid responses were *yes*. Reasons for rejection differed little from those found elsewhere: confusion between regulatory and contractual considerations, personal preferences of ACOs and DERs, and disagreements over interpretations [I5]. Supplemental notes to this question pointed to rejection of electronic data in favor of paper copies of documents. One note asserted that personnel changes at the ACO invariably resulted in renegotiations of acceptable formats, and that these personnel changes were relatively frequent.

In addition to concerns about packaging, significant misunderstanding among applicants of what is and is not required in the submittal of certification data was evident. When asked for examples of data requested by ACOs beyond the requirements of DO-178B or the FARs [I6], few of the responses were clearly beyond such requirements. More than half of the examples given were within an ACO's legitimate purview under current rules [I7]. Such examples included coding standards, configuration index data, and status of problem reports. Of the remaining data, most was tied to contractual or foreignauthority considerations (and was thus beyond the scope of this survey) or had insufficient detail to allow a judgment as to the merits of its claims. It was clear that much misunderstanding and misinformation existed in the recording, retention, and submittal of certification data. Given the misunderstandings about what constituted unreasonable requests for data, it was difficult to interpret responses about associated costs [I8].

The survey addressed unnecessary or unreasonable requirements for rework from several different perspectives. Respondents were asked if the FAA had ever requested data or documentation that was not specified in the applicant's PSAC [I8A]. The 71% of the respondents who said *no* suggested that applicants and regulators shared common expectations of each other in the majority of projects. On the other hand, 55% of the respondents said they were required to update documentation at or near the end of a project where the document revisions had no effect on the safety or maintenance of the product [I9]. In most (61%) of these instances, approval was delayed due to these updates. In this case, the implication was that such rework was of little or no value, and caused unnecessary delays in approval. An interesting question not addressed by the survey is whether the requirements in DO-178B for updates are clear.

In a similar vein, there were assertions of documentation solely to meet certification requirements. Question I15 asked if data (excluding the PSAC, Configuration Index, and Accomplishment Summary) was produced solely to meet certification requirements and not used as part of the software development process. Fully 40% of the respondents believed that they produced at least some such data. Although it is reasonable to assume that producing data "for show" causes unnecessary costs, the survey uncovered few useful clues to provide further insight [I16]. Most of the respondents listed data deliverables with no explanation as to why the data was thought to be useless, and most of the more elaborate responses suggested a misunderstanding of regulatory requirements.

Finally, questions in this section gauged whether people believed the data requirements of DO-178B to be excessive, for both new and derivative equipment [I11-14]. In both cases, two-thirds of the respondents said that the standard's requirements were not excessive. The responses of the one-third who said the requirements were excessive provided no basis for constructive action.

#### 2.9.2 Summary and Recommendations

There was significant misunderstanding among applicants of what is and is not required in the submittal of certification data. In addition, there was evidence to suggest that the FAA has made seemingly unnecessary requests for updates of data at the end of projects and requests for data that is not used by applicants.

**Recommendation I1**: The FAA should make compliance requirements explicit in the correct usage of DO-178B's Section 11 guidelines.

**Recommendation I2**: The FAA should make compliance requirements explicit regarding the data required for certification.

**Recommendation I3**: The FAA should investigate the reason for end-of-project updates to software data or documentation that had no impact on the approval or continued safety or maintenance of the product.

### 2.10 Section J: Tool Qualification

The concept of tool qualification is unique to civilian aviation. Other industries do not typically require tool qualification prior to use. Qualification guidance in DO-178B is based on whether the tool is a development tool or a verification tool. During Workshop I, participants raised concerns about the benefit of tool qualification on the overall quality of the product. In particular, a few participants claimed that tool qualification does not find errors. Some workshop participants also expressed concern about the clarity of the qualification guidance in DO-178B and questioned why tools with known pedigrees require qualification. Only those airborne and ground-based respondents with experience in tool qualification were prompted to answer the questions in this section.

The following were the objectives for this section.

- Determine whether tool qualification as required by DO-178B provides any benefit with respect to product quality
- Determine if the cost is justified by the benefit

### 2.10.1 Significant Findings

Approximately 52% of the survey respondents indicated they had experience with tool qualification [J1]. These respondents are referred to as "section J respondents". The survey results clearly indicated that errors had been found in tools during the qualification process. Of the section J respondents, approximately 44% found errors with a development tool during tool qualification [J2]; 57% found an error with a verification tool during tool qualification [J2A]. When asked their opinion about the requirements for tool qualification, 59% of the respondents said the requirements for development tools were *about right*, 9% said they were *too weak*, and 32% said they were *too stringent* [J3]. Similarly, about 74% of the section J respondents said that the qualification requirements for verification tools were either *too weak* or *about right* [J3AA].

Queries into cost showed that 60% of the respondents considered the cost attributed to tool qualification to be *small* or *negligible*, 36% considered the cost to be *substantial*, and 4% considered the cost to be *prohibitive* [J5]. Results for time attributed to tool qualification were comparable: 67% of the respondents claimed time to be *small* or *negligible*, 30% claimed it to be *substantial*, and 3% claimed it to be *nearly prohibitive* [J6]. Given that tool qualification has found errors and approximately two-thirds indicated that cost and time were not substantial, one would expect that companies would continue to qualify tools independent of the regulatory requirement.

There was, however, evidence that respondents believed that some of the resources expended for tool qualification were unnecessary. When asked "how much development time and cost would your company devote to tool qualification if you were not required to meet the objectives of DO-178B", many of the respondents (over 63%) claimed *substantially less than now* or *none* [J7]. Also, 28% of the section J respondents said that some tools should not require qualification, although they were required to do so [J4]. When asked to explain why some tools should be exempt from qualification requirements, the respondents' comments varied [J4A]. Several respondents advocated support for COTS tools or tools with an industry-wide reputation being exempt from qualification. Other responses indicated possible inconsistencies in the requirements for tool qualification.

Clearly a majority of the respondents believed that tool qualification was useful and the qualification requirements were not excessive. One respondent wrote, "Software verification tool qualification is very

easy. It includes things that I would expect an engineer to do anyway; know the tool requirements, how to test it, and actually test it." Others echoed this opinion. Considerable support (indicated by an 83% positive response rate) existed for establishing a national repository for qualified tools [J3A]. People raised logistical issues including purchasing, licensing, and repository control that should be addressed before considering a national repository.

### 2.10.2 Summary and Recommendations

In summary, the survey results showed that the process of tool qualification provided a benefit. Respondents considered it valuable, because tool qualification found errors, and the cost and time appeared relatively small for a majority of the respondents. There may be benefit, however, in clarifying the requirements for tool qualification for both industry and regulators so that requirements are applied consistently, and in further investigating the concept of a national tool repository.

**Recommendation J1**: The FAA should clarify compliance requirements and intent for tool qualification. In addition, the FAA should clarify the definitions of development and verification tools.

**Recommendation J2**: The FAA and the industry should investigate techniques for tool qualification that will allow qualification to be faster and cheaper. The FAA should determine the feasibility of a national repository for qualified tools and acceptance criteria for the use of these tools.

### 2.11 Section K: Safety

Safety is an important issue to systems developers and the FAA. Participants in Workshop I were vocal in their concerns about the relationship between DO-178B and safety. At Workshop II, participants ranked the safety issue as the third most important issue for further investigation.

Beliefs differ about the connection between safety and DO-178B. Some argue safety issues are adequately addressed through aspects of system development such as the Society of Automotive Engineers (SAE) standards ARP-4754, *Certification Considerations for Highly-Integrated or Complex Aircraft Systems*, and ARP-4761, *Guidelines and Methods for Conducting the Safety Assessment Process on Civil Airborne Systems and Equipment* (refs. SAE ARP4754, SAE ARP4761). Others advocate greater focus on safety in DO-178B. This section of the survey attempted to gather data on safety information relevant to software development, safety-related errors, and derived requirements. Both airborne and ground-based respondents were prompted to answer the questions in this section of the survey.

The following were the objectives for this section.

- Determine whether people think that DO-178B adequately addresses the effect of software on the safety of the overall system
- Determine safety-related activities used in addition to DO-178B
- Determine how derived requirements are addressed

### 2.11.1 Significant Findings

Several questions focused on industry's view of the adequacy and effectiveness of DO-178B for software-related safety issues. When asked whether they believed DO-178B adequately addressed safety issues, approximately 59% of the survey respondents indicated they believed it does, while 41% indicated they believed it does not [K1].

Survey participants answered questions about additional safety activities performed beyond that required by DO-178B. Nearly 49% of the respondents asserted that they performed additional activities for software safety on *quite a few*, *nearly all*, or *every project* [K2]. More than half of the respondents (56.5%) gave safety-related information, other than software level, to developers [K6]. Care must be taken in interpreting these results, however. Answers to the question about the additional safety-related activities they performed varied as to what activities were considered software related but outside of DO-178B [K7]. Although many noted activities included in the system and safety guidelines, ARP-4754 and ARP-4761, the survey still left unclear how much of systems information gathered during these activities was used during the software development.

Of perhaps more use in providing information about the issue, 28% of those surveyed stated that they worked on a system that had a software-related system error resulting in a service bulletin or Airworthiness Directive [K3]. The software for those systems was DO-178B compliant. When asked about the source of these errors [K4], 146 causes were noted: 69 were related to requirements, 32 to design, and 35 to coding errors. This result was consistent with the ranking of requirements as an important issue for research at Workshop II.

Question K5 asked those respondents who indicated they had not worked on a system with a softwarerelated system error their opinion about the contribution of DO-178B to the absence of errors. Somewhat surprisingly, only 37% claimed that DO-178B made *a major contribution* to the absence of softwarerelated system errors; 63% claimed it made *no contribution* or *a minor contribution* to the absence of such errors [K5]. This result may be interpreted as a comment either on the perceived ineffectiveness of DO-178B with respect to system errors, or on the perceived unimportance of software on system errors.

A final objective of this section was to determine how industry treats derived requirements. Derived requirements, according to DO-178B, are software design features that cannot be directly traced back to a high-level software requirement. DO-178B requires derived requirements to be identified and subjected to a system safety assessment. Only 9% of the respondents said that they did precisely this [K8]. Other techniques for treating derived requirements included:

- create one or more "place-holder" requirements at a higher-level to which the derived requirements can be traced (21%),
- *add rationale to the documentation* (16%),
- *find existing and somewhat related requirements at a higher level to which the identified derived requirements can be traced* (40%), and
- *do not identify derived requirements as such and treat them as an artifact of the design process* (14.5%).

Another 2% checked *other* and specified what they did. Most of these were either very similar to the other choices given or reflected that the respondents did several of the other choices, or that the approach varied by project.

Despite the fact that a large majority of respondents handle derived requirements in a manner inconsistent with DO-178B, 22.6% of the total number of survey respondents stated that derived requirements led to a safety-related modification to the system design [K9]. This result attests to the importance of derived requirements with respect to safety.

### 2.11.2 Summary and Recommendations

Although the survey did not provide enough information to reach conclusions on the safety issue, the results justify further research and information collection. The results also indicated that derived requirements are not being handled as specified in DO-178B.

**Recommendation K1**: The FAA should study the relationship between DO-178B and safety and the activities actually performed by the industry to ensure system safety.

**Recommendation K2**: The FAA should clarify compliance requirements and intent for derived requirements.

### 2.12 Section L: The DER System

This section of the survey was designed to address inconsistencies and inadequacies specific to the DER system. This section was divided into two parts: Section L assessed satisfaction with and effectiveness of DERs in the airborne world, and Section GL assessed the feasibility for delegation of compliance-finding to DERs working on ground-based equipment.

The DER system is used to augment the federal work force. Under Title 14 Code of Federal Regulations (CFR) Part 183, *Representatives of the Administrator*, the FAA is permitted to delegate some findings of compliance to DERs. DERs provide the majority of data approvals for airborne products in the United States each year. Hence, the effectiveness and efficiency of the DER system is significant to the certification activities of most applicants and to the FAA.

At Workshop I, some participants claimed that the DER system does not work well for software aspects of certification. Some thought that the FAA should delegate more authority to the software DERs than they currently do, while others thought that the current qualification standards for DERs are inadequate. A recent report from the Government Accounting Office (GAO) on aircraft certification also highlighted delegation and qualification issues (ref. GAO). In addition to delegation issues, workshop participants raised issues related to DER involvement with TSO projects. The TSO system now routinely deals with complex computer-based systems. However, current policy does not give approval authority to DERs on TSO projects. Only those airborne respondents with experience working with a software DER were prompted to answer the questions in this section.

The following was the objective for this section.

• Determine whether there are inadequacies, inconsistencies, and inefficiencies in the DER system for airborne software

### 2.12.1 Significant Findings

In this section, 177 airborne respondents indicated they had experience working with a software DER [L1]. For purposes of this paper, respondents in this section are referred to as "section L respondents". The following subsections explore possible inadequacies in the DER system by examining satisfaction and training issues, and explore possible inconsistencies and inefficiencies by examining interaction between ACOs and DERs, interaction among multiple DERs, and DER competency.

#### 2.12.1.1 Inadequacies

Of the section L respondents, more than 80% said that they were *somewhat* or *very satisfied* with their primary software DER. Just under 10% were either *somewhat* or *very dissatisfied*, leaving few (less than 8%) neutral [L2]. Question L15 sought insight into repeated dissatisfaction, if any, with a given software DER. A large majority, 90%, reported no such pattern; only 10% (17 people) reported repeated dissatisfaction with their DER. There were two supplemental notes that helped explain this dissatisfaction. In one case, the DER in question was new. In the other, the respondent suggested that the DER was not familiar with a particular functional discipline.

In another attempt to gauge overall satisfaction with the DER system, respondents were asked their opinion of the degree of delegation to software DERs [L12A]. Just over 70% thought the degree of delegation was *about right*, 25% thought that more authority should be delegated to DERs, and the

remaining 5% said that DERs had too much authority now. When asked if the degree of delegation to software DERs caused adverse effects on costs and schedules [L13], 74% reported no such adverse effects, while 26% did. Several of the supplemental notes to this question suggested that more flexibility would be useful, with more or less authority delegated to any given DER, depending on individual abilities.

Training for DERs was examined from two perspectives: training provided by the FAA, and training provided by companies. Almost 44% of the section L respondents believed that FAA training of DERs was inadequate [L21]. Some confusion is possible in this area, given that the FAA does not "train" DERs in the traditional sense of the word. Rather, the FAA appoints individuals as DERs who already meet certain criteria, then expects suitable levels of practical activity and periodic exposure to the agency and its various forms of guidance. When asked what training should be provided to DERs by the FAA, many respondents suggested standardization of DER behavior at the national level, and a wish for deeper technical skills of DERs in software work [L22].

In contrast, survey results showed that a little over 28% of the respondents answering the training question worked for companies that provided training specific to the software DER function [L23]. Between half and three-quarters of that 28% said that their companies provided training in DER procedures, software engineering, the certification process, DO-178B, and system engineering [L24]. There was roughly uniform coverage of all areas for the companies in question.

Finally, respondents answered questions about the competency of software DERs. Approximately 80% of the respondents said the DERs they had worked with had an acceptable background for what they were approving [L6]. Of the 20% that reported their DERs had an inadequate background, about two-thirds cited *lack of software engineering knowledge* as a significant shortcoming. About half reported *lack of DO-178B knowledge* in their DER, and a little over a third reported *lack of certification knowledge* [L7]. Respondents were also asked whether a software DER had asked anything technical of the respondent that was not a legitimate part of the FAA software policy and guidance [L12]. Policy and guidance includes the FARs, DO-178B, FAA Notices, Advisory Circulars and FAA policy memos. Only 11 respondents said that their DERs had levied requirements beyond the official guidance material such that the impact was substantial.

### 2.12.1.2 Inconsistencies and Inefficiencies

The first questions here addressed interaction between ACOs and DERs. Question L3 addressed the ability of DERs to provide certification guidance by asking whether the respondent's software DER had been in dispute with or overruled by an ACO within the last 3 years. Only 19 of the section L respondents (about 11%) answered *yes*. Similarly, L4 asked whether an ACO had required, within the same period, additional data from the respondent's project, data not previously identified by the DER. A little less than 15% said that the ACO had required additional information.

Question L17 asked if the respondent's company had ever proposed a delegation to a software DER that the ACO rejected. Only 117 of the section L respondents answered this question. Of those, 86% said *no*. The 14% who said *yes* had a variety of explanations for the rejection [L18]. The main reasons had to do with ACO familiarity with the DER in question and a preference by the ACO to retain direct involvement in the projects.

Another issue regarding interaction between ACOs and DERs involved compliance findings for TSO projects. Respondents were asked if they had worked on any TSO project where software DERs were

used to approve the data [L10]. More than half (53%) of those responding to this question said *yes*. The high frequency suggests that the FAA should investigate the appropriateness of using DERs on TSO projects.

Respondents were asked about their experience with interactions among DERs on large projects. Specifically, respondents were asked if they had worked in recent years on a project having multiple software DERs with overlapping responsibilities, and 38% said *yes* [L8]. Of the 58 responses in the *yes* category, 41% contended that disagreements among the multiple DERs led to schedule delays and wasted resources [L9]. The remaining 59% believed that no delays or resource waste was attributable to disagreements among the DERs. Question L11 asked about a succession of DERs, rather than those whose activities overlap. In this case, 15% of the respondents said they had suffered major rework as a result of a new DER disagreements but said that no major rework ensued.

### 2.12.2 Summary and Recommendations

Overall, there was a high level of satisfaction with the DER system. The survey indicated additional training, especially in software engineering and DO-178B, is needed. However, there appeared to be some misunderstanding about who is responsible for providing DER training. Survey results also indicated that software DERs were being used to approve data on TSO projects.

**Recommendation L1**: The FAA should evaluate the adequacy of their current criteria for selecting software DERs and the procedures to ensure that the DERs meet the competency levels.

**Recommendation L2**: The FAA should investigate whether software DERs should participate officially in findings of compliance on TSO projects.

### 2.13 Section GL: Using DERs for Ground-based Systems

For ground-based systems, there is no DER-equivalent function specified in the FARs. Although DERs participate in some ground-based development projects, approval of design data for these systems currently remains with the FAA directly.

This section of the survey investigated whether the DER system, as implemented in the airborne sector, would be appropriate for ground-based systems, too. Software DERs assist in ground-based development projects, but do not have authority to approve design data. Workshop I participants speculated that cost and time for approval could be reduced if the authority in Title 14 CFR Part 183 were expanded to allow DER approval of data for ground-based systems. To address this issue, the survey posed questions about DER contributions to ground-based projects. Only ground-based respondents who had worked with DERs answered the questions in this section.

The following was the objective for this section.

• Determine whether the DER system would be appropriate for ground-based systems

### 2.13.1 Significant Findings

Of the 86 ground-based respondents in this survey, only 30 reported experience working with a software DER on a ground-based project [GL1]. These 30 are referred to as "section GL respondents". A majority (21) of the section GL respondents worked with navigation systems.

The survey results showed that software DERs were used on ground-based systems for reviewing architecture, allocating software assurance levels, setting up DO-178B compliant development processes, and reviewing submissions of DO-178B data prior to FAA submission [GL2]. To a lesser extent, DERs either conducted or provided oversight to reverse-engineering activities and conducted audit activities such as test witnessing and traceability thread analysis.

Twenty-eight of the 30 section GL respondents indicated that software DERs helped improve the ability to understand and comply with DO-178B [GL4]. Only 8 of 30 respondents indicated that the software DER reduced the effort involved in making improvements to the software architecture [GL5]. A majority (18) reported that the software DER helped reduce the delay in approval of submissions to the FAA [GL6].

Overall, the data suggested a positive impact of DER involvement. A majority of the section GL respondents was satisfied with their experience with software DERs, with 63% reporting they were *very satisfied*, and an additional 30% reporting they were *somewhat satisfied* [GL3]. Two comments on this question, however, indicated that a lack of consistency between DERs was observed on ground-based equipment. Over two-thirds of the section GL respondents indicated that the software DER authority under Title 14 CFR Part 183 should be expanded to allow DERs to attest to the compliance of a submittal [GL7].

### 2.13.2 Summary and Recommendations

The survey results showed that respondents believed that DER involvement in ground-based development projects had a positive impact, in particular in understanding DO-178B and in reducing the time to approval. Survey respondents favored modification of Title 14 CFR Part 183 to allow DERs to participate fully in ground-based projects, with assurance that findings and recommendations of the

airborne community are considered.

**Recommendation GL1**: The FAA should investigate expansion of Title 14 CFR Part 183, *Representatives of the Administrator*, to allow designee authorization for the ground-based community.

### 2.14 Section M: Availability of Information about the Certification Process

A claim raised by attendees of the workshops was that insufficient information is available about the certification process. If this is correct, it has the potential for affecting certification costs significantly.

The following were the objectives for this section.

- Determine if the necessary information about software aspects of the certification process is readily available and, if not, what information is missing
- Determine desired format(s) for future information

#### 2.14.1 Significant Findings

Section M began with a general question about obtaining information on software aspects of certification [M1]. The text of the question asked respondents to what extent they agreed or disagreed with the statement "Sufficient information is available for obtaining software approvals." The response choices were *strongly agree*, *somewhat agree*, *neither agree nor disagree*, *somewhat disagree*, and *strongly disagree*.

The survey responses to this question were encouraging: 72.3% of the respondents indicated a positive or neutral response. The positive interpretation of the responses to this question was fairly consistent with the responses to other, more detailed questions in this section. Note, however, that even with this favorable response, 27.3% of respondents either *somewhat disagree* (20.6\%) or *strongly disagree* (7.1\%)—indicating room for improvement.

Survey questions M1A through M7A asked respondents to provide their opinion about the availability of information in eight specific areas. The areas were: interpreting DO-178B [M1A]; establishing software levels [M2]; coordinating with the approving authority [M3]; preparing for audits [M4]; obtaining final approval [M5]; obtaining TSO approvals [M6]; obtaining PMA approvals [M7]; and resolving open software issues [M7A].

In all of these specific areas except one, the responses were similar to those received for the general question M1. Responses that were either neutral or positive ranged from 58.2% to 80.4% in seven of the eight cases. The exception was the question that asked the respondents to comment on the statement "Sufficient information is available for interpreting DO-178B" [M1A]. Thirty-three percent responded *somewhat disagree* and 19.3% responded *strongly disagree*—a total of 52.3% negative responses.

The second objective of section M was to determine desired format(s) for future information [M9 - M10]. The overwhelming response was a preference for a web site for information distribution. This supports the Task Force 4 finding of a need for an electronic repository for regulatory information and technical lessons learned (ref. Final, page 84). CD-ROM and diskettes were next in preference. Paper was the least preferred media for documentation.

### 2.14.2 Summary and Recommendations

In general, the survey results showed that sufficient information was available about most software aspects of certification. However, a large percentage of respondents stated that sufficient information was not available specifically about interpreting DO-178B.

**Recommendation M1**: The FAA should develop a mechanism for providing better information on the intent, interpretation, and application of DO-178B.

**Recommendation M2**: The FAA should continue efforts to make software-related documentation and training materials available on the web.

#### 2.15 Section P: Appropriateness of DO-178B for Ground-based Systems

A great deal of folklore asserts that ground-based aviation equipment is different from airborne equipment, and that the methods used for safety analysis and design assurance in avionics cannot or should not be applied to ground-based systems. The FAA has the legal and administrative mechanisms to ensure that its oversight of airborne equipment manufacturers is independent of manufacturers' cost and schedule pressures. Certification for airborne equipment is accomplished in compliance with the FARs. For ground-based systems, however, the developing group has traditionally been responsible for commissioning as well. The approval process for ground-based equipment is determined only by FAA contract documents, policies, and procedures—not by the FARs.

Concerns have been raised about the suitability of continuing the current approach for approval of ground-based systems and specifically about the applicability of airborne system certification standards to ground-based systems. Some have advocated a certification system similar to that used for airborne equipment. According to the Task Force 4 report, the Europeans have already begun this transformation in their approach to ground-based system approval (ref. Final, page 23).

Unlike the other sections of the survey that were motivated by issues raised at Workshop I, the questions on the appropriateness of DO-178B for ground-based systems were added at the request of the FAA. Only ground-based respondents were prompted to answer the questions in this section.

The following were the objectives for this section.

- Determine if there is a perception that airborne and ground-based systems are really different
- Determine whether DO-178B fits for ground-based systems

### 2.15.1 Significant Findings

When asked whether DO-178B is appropriate for ground-based systems, 85% of the 66 respondents that answered this question either thought DO-178B was acceptable for ground-based systems as is, or would require only minor changes [P1]. Those who believed it to be inappropriate were asked specific questions about the suitability of DO-178B for project planning, requirements definition, design capture, coding, verification, and coordination of commissioning [P2a-f]. In each of those areas, only a small number (3-6 respondents) indicated that DO-178B was not appropriate.

In addition to the general support for using DO-178B, one-half of the ground-based respondents said that the ACO model should be used for commissioning of ground-based systems [P3]. That is, the responsibility for development and acquisition of a new system should be separated from the responsibility of approving that system. It is interesting to note that a significant number of the ground-based respondents (37 of 86) indicated that they either did not know or declined to answer this question.

#### 2.15.2 Summary and Recommendations

Although the size of the subset of the survey population responding in this section was quite small, the survey results showed definite support for the use of DO-178B for ground-based systems. The survey results also showed support for the separation of acquisition and approval responsibilities for ground-based systems.

**Recommendation P1**: The FAA should investigate the feasibility of implementing a regulatory authority independent of the acquisition body for ground-based systems.

**Recommendation P2**: The FAA should implement a plan to phase in compliance with DO-178B for ground-based systems.

### 3. General Observations

After careful review of the technical recommendations in the previous section, the technical team made the following six general observations.

Observation 1:	Aircraft Certification Offices and other approving authorities create unnecessary cost burdens through inconsistent guidance, interpretation, and procedural requirements for software-related issues.
Observation 2:	Inconsistencies exist between the airborne and ground-based software approval processes that create inefficiencies resulting in added costs for the industry and potentially for the FAA.
Observation 3:	The FAA is not keeping pace with rapid advances in software technology, thereby delaying the use of potentially cost saving technology.
Observation 4:	The FAA has not allocated enough people with the requisite software engineering expertise and knowledge of DO-178B to software approval issues.
Observation 5:	Software issues exist for which FAA software policy or guidance is inadequate.
Observation 6:	Knowledge of and experience with DO-178B varies substantially within the industry.

These observations are interdependent, with complex cause and effect relationships. All of the observations involve in one way or another the interpretation of DO-178B. As anyone who has read Section 2 of this report will realize, inconsistent interpretation of DO-178B was a conspicuous theme throughout the survey results.

DO-178B requires interpretation for the following reasons:

- DO-178B states *what* is required and not *how* to develop software;
- DO-178B has ambiguous terminology; and,
- DO-178B requires non-traditional software engineering practices, such as MCDC and tool qualification, without providing sufficient background information.

In software plans, companies must propose methods on how they will comply with DO-178B. Different companies propose different methods, and these methods may or may not meet the DO-178B objectives. Assessment of compliance requires a good software engineering background, because many company methods may not consist of traditional textbook approaches. Therefore, the approving authority must have an adequate software engineering background to assess compliance.

Variability in the skill set of some developers and regulators has always existed; why is this an issue now? The reason is that the implications of poor software engineering skills and inadequate resources on cost and safety have changed with time. Under DO-178A, software engineering skills were less of an issue because the amount and criticality of software on the aircraft were relatively insignificant. This limited dependence on software under DO-178A was reasonably balanced with the design and assurance capability within the FAA and the industry.

Over the last decade, however, software has moved rapidly from an assistance role to a dependency role. Software-based systems monitor and adjust hydraulic, electrical, fuel, and braking systems, and control aircraft rudders, wings, and engines. Software is now a factor in safety of flight for fly-by-wire

aircraft. RTCA developed DO-178B to meet the rising need for design assurance in software.

As software dependency in the aircraft increases, there should be similar increases in software capability with respect to DO-178B within industry, and increases in FAA capability to assess compliance to offset potential for decreased safety or increased cost. The amount and criticality of avionics software have increased significantly since the inception of DO-178B. Survey findings, coupled with those of the GAO and RTCA Task Force 4, show that industry and the FAA, in general, have not risen to the occasion to meet the current need. Knowledge of DO-178B varies substantially among civil aviation developers, the capability of the FAA to address software issues remains inadequate, and software policy and guidance are lacking. This in turn increases cost and the potential for decreased safety.

To address the imbalance caused by growing dependence on software, FAA technical resources need to be in a position to evaluate and embrace effective certification practices and mechanisms. The FAA must acquire and maintain both expertise in software engineering and experience in evaluating new and emerging technologies. Timely software policy and guidance is needed. Mechanisms that allow the FAA to efficiently manage the approval of all software-based systems need to be established and assessed regularly. The aviation industry, including DERs, must also acquire and maintain detailed expertise in DO-178B.

## 4. Recommendations

In response to the six general observations, the technical team developed ten recommendations to improve the software approval process. These recommendations are more organizational in nature than the technical recommendations given in Section 2. Implementing these recommendations will require management support from several FAA organizations. Appendix B contains a letter from the FAA to the technical team stating the FAA's commitment to review and comment on these recommendations.

The recommendations fall roughly into three categories: (1) recommendations to improve consistency among approving authorities, (2) recommendations to improve knowledge and skills related to DO-178B within both the FAA and the industry, and (3) recommendations to improve the ability of the FAA to assure software in a timely manner.

### *Recommendations to improve consistency*

- The FAA should determine the causes for the inconsistencies noted throughout the report, and determine what actions, if any, are required in addition to those recommended in this report.
- The FAA should develop unified policy and guidance for approving software aspects of all aviation systems (e.g., airborne, ground-based, and satellite systems).
- The FAA should institute a regulatory authority independent of acquisition authority for approval of ground-based systems.

### Recommendations to improve knowledge and skills related to DO-178B

- The FAA should hire a sufficient number of software engineering experts to understand the safety impact of software technologies for all aviation systems (e.g., airborne, ground-based, and satellite systems).
- The FAA should improve software expertise within the agency by:
  - identifying the minimum software staffing needed to assure a consistent approach and timely response for software approvals for all applicants;
  - continually assessing software personnel needs and hiring to meet these needs;
  - requiring software engineers who appoint and advise software designees and who approve software to meet at least the same qualifications as the designees; and,
  - creating, funding, and filling software engineering positions throughout the FAA. As a minimum, the FAA should fund and fill the software positions to assist the field offices and software engineering experts.
- The FAA should make DO-178B training available to designees.
- The FAA should require companies providing software for all aviation systems (e.g., airborne, ground-based, and satellite systems) to demonstrate competence in DO-178B. The FAA should use DO-178B competence demonstrated by the applicant as a factor in establishing level of involvement in software assessment activities.

### Recommendations to improve the ability of the FAA to assure software in a timely manner

- The FAA should establish processes for regularly assessing software policy and guidance needs; developing new software policy and guidance when needed; and assessing and enhancing the clarity, consistency, and completeness of software policy and guidance.
- The FAA should establish a means to ensure that the software approval process allows applicants to use appropriate new software technologies in a timely manner.
- The FAA should initiate a program of proactive research to evaluate the potential impact of software technology on cost and safety. The research output should influence the development of policy, guidance, regulations, and training for software engineering.

The technical team believes that following these recommendations will promote an efficient software approval process, one that can meet the challenges of increased dependence on software in aviation equipment. The technical team also recognizes that barriers exist in the current government system that constrain the FAA's ability to change rapidly. Nevertheless, both the recommendations above and technical recommendations given in Section 2 should be followed to achieve maximum benefit. Following the technical recommendations alone would be ineffective.

### 5. Conclusions and Future Plans

Software has become ubiquitous. As the medium of choice for enabling advanced automation in both airborne and ground-based systems, it will form the cornerstone of the National Airspace System. In the October 1996 issue of Avionics Magazine, David W. Robb wrote (ref. Robb):

"It is no secret that aircraft are becoming ever more dependent on their onboard electronics. The emerging world of CNS and Free Flight avionics promises to accelerate this trend dramatically. As this equipment grows more capable and sophisticated, so does the challenge of testing and maintaining it—for the largest airline to the smallest General Aviation avionics shop."

Previous studies by the GAO and RTCA concluded that the FAA cannot effectively oversee the current certification process, much less efficiently acquire and regulate new technologies, without making significant organizational changes. Evidence gathered from the SSAC workshops and survey clearly supports the need for organizational change within the FAA, but it also supports change within the aviation software industry as well. The FAA should implement appropriate infrastructure, staffing, and policy and guidance to efficiently manage the acquisition and approval of all software-based systems. In turn, the industry should continue to work with the FAA to develop new standards for emerging technologies and continue efforts to improve software engineering processes.

In conclusion, the technical team hopes that the preliminary findings and recommendations presented here will help the FAA and industry begin to improve significantly the software approval process for both. Following the recommendations in this report, along with following-up certain survey findings and investigating other software issues not covered by the survey, should go a long way towards ensuring that needed improvements will be made. With apologies to Sir Winston Churchill, this report is not the end, it is not even the beginning of the end, but, perhaps, it is the end of the beginning.

# 6. References

Final Report of RTCA Task Force 4 Certification. RTCA, Inc., Washington, D. C., February 26, 1999.

GAO/RCED-93-155, Aircraft Certification. New FAA Approach Needed to Meet Challenges of Advanced Technology. United States General Accounting Office, Washington, D. C., September 1993.

Hayhurst, Kelly J.; Holloway, C. Michael; Dorsey, Cheryl A.; Knight, John C.; et al.: *Streamlining Software Aspects of Certification: Technical Team Report on the First Industry Workshop.* NASA/TM-1998-207648, April 1998.

Huettner, Charles H.: *Toward a Safer 21st Century*. Aviation Safety Research Baseline and Future Challenges. NASA NP 1997-12-231-HQ, December 1996.

Hughes, David: Information Technology: This Changes Everything... Aviation Week & Space Technology, December 21/28, 1998.

Robb, David W.: Editor's Note "Endless Horizons", Avionics Magazine, October 1996, p. 8.

RTCA/DO-178B, Software Considerations in Airborne Systems and Equipment Certification. RTCA, Inc., Washington, D. C., December 1992.

SAE ARP4754, Certification Considerations for Highly-Integrated or Complex Aircraft Systems. Society of Automotive Engineers, November 1996.

SAE ARP4761, Guidelines and Methods for Conducting the Safety Assessment Process on Civil Airborne Systems and Equipment. Society of Automotive Engineers, December 1996.

# Appendix A SSAC Survey Questionnaire

The complete survey instrument used for the SSAC survey is included here as a reference for the discussion on significant findings from the survey. The survey was distributed in a Computer Assisted Self-administered Interviewing format on a floppy disk that could be run on any IBM compatible personal computer. Given that several paths can be taken through the survey depending on responses to key questions, no individual survey respondent likely saw the full set of survey questions. Some of the coding instructions for implementing the survey are included to help clarify the paths through the survey.

The survey was approved for distribution by the Office of Management and Budget (OMB) in compliance with the Paperwork Reduction Act of 1995. The Paperwork Reduction Act establishes policies and procedures for controlling paperwork burdens imposed by Federal agencies on the public. Several goals of the legislation are to:

- minimize the Federal paperwork burden on individuals, small businesses, and State and local governments;
- maximize the usefulness of information collected by the Federal government; and
- minimize the cost to the Federal government of collecting, maintaining, using, and distributing information.

Federal agencies, including NASA and FAA, are prohibited from enforcing paperwork requirements that are not approved by the OMB or that do not display the OMB approval number. The OMB number signifying approval and the statement of compliance with the Paperwork Reduction Act are included in the introduction to the survey.

### Welcome to the Survey on Software Aspects of Certification

### Conducted by Center for Survey Research at University of Virginia

This questionnaire is about your experiences and opinions concerning software aspects of certification. In November 1997, a technical team of software engineering and safety experts was asked to study the processes by which software developed for airborne and ground-based systems are certified or approved by the Federal Aviation Administration (FAA). The team's objective is to determine if there are ways to streamline these processes while maintaining or enhancing their contribution to safety.

You have been identified as someone who is involved in software development or certification for aviation systems. Whether you are new in the industry or an experienced hand, whether you work in a large or small firm, your viewpoint is important to this study. We need your responses to ensure that our sample of people in the industry is complete and representative.

By finding out the experiences and opinions of those like you, the team will be able to establish which issues and problems are broadly experienced, and what opinions are prevalent in the industry. The technical team will be using the results of this survey to determine if there are ways in which the software aspects of the certification process can be made easier and more effective without compromising safety. Your ideas for improving the current system are vital to the success of their mission.

Please answer the questions below candidly and fairly. We assure you that your responses are confidential. Neither you nor your company will be identified in any report by the team; results will be reported in aggregate form only.

This survey was approved by the Office of Management and Budget (OMB) in compliance with the Paperwork Reduction Act.

#### **OMB Control # 2120-0635**

The Paperwork Reduction Act: A number of concerns have been raised by the aviation industry about the cost and time burden associated with the current software approval process and with the standards document, RTCA/DO-178B guidelines "Software Considerations in Airborne Systems and Equipment Certification." In response to these concerns, the FAA started the Streamlining Software Aspects of Certification (SSAC) program to identify and eliminate unnecessary costs in software aspects of certification for both airborne and ground-based systems. The information collection will be used by the SSAC Technical Team to assess the extent and significance of issues pertaining to the software approval process and to provide an empirical basis from which decisions about software aspects of certification can be made. It is estimated that it will take 35 minutes per respondent to complete the survey. The information collection will be conducted anonymously. It should be noted that an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. The paperwork burden associated with this form is currently approved under OMB control number, 2120-0635.

## **SSAC SURVEY – SECTION A**

### SECTION A

First, some questions about you and the projects you work on.

- A1. How long have you been employed (or self-employed) in aviation-related software development or software approval?
  - 1 less than 2 years
  - 2 at least 2 years, less than 5 years
  - 3 at least 5 years, less than 10
  - 4 at least 10 years, less than 20

- 5 20 years or more
- 8 not applicable
- 9 don't know/decline to answer
- A2. How long have you worked for your current employer (or for yourself if self-employed)?
  - 1 less than 2 years
  - 2 at least 2 years, less than 5 years
  - 3 at least 5 years, less than 10
  - 4 at least 10 years, less than 20
- A2a. What is your current job title?

- 5 20 years or more
- 6 I'm not currently employed
- 9 don't know/decline to answer
- I-A3. The next questions ask you to describe your software experience over the past five years.
- A3a. How much experience have you had in the past five years as a **software engineer** (responsible for software requirements, design, verification, or quality assurance)?
  - 1 extensive experience3 no experience2 some experience9 don't know/decline to answer
- A3b. How much experience have you had in the past five years as a **software engineering lead** (responsible for directing software professionals)?
  - 1 extensive experience3 no experience2 some experience9 don't know/decline to answer
- A3c. How much experience have you had in the past five years as a **project manager** (responsible for the overall cost and schedule including software)?
  - 1 extensive experience3 no experience2 some experience9 don't know/decline to answer
- A3d. And how much experience have you had in the past five years as a **certification liaison**? (Responsible for coordination with the Aircraft Certification Office or other approving authority. This includes but is not limited to company or consultant Designated Engineering Representatives and candidates.)

1	extensive experience	3	no experience
2	some experience	9	don't know/decline to answer

If certification liaison (either 1 or 2 on A3d) complete A3e, otherwise skip to A4

A3e.	. Are you currently serving as a software Designated Engineering Representative (DER)?				
	<ol> <li>yes, as a DER</li> <li>yes, as a candidate DER</li> </ol>	-	no don't know/decline to answer		
If "no	" (3 on A3e), skip to A4, otherwise complete A3f & A3e				

A3f.	What is your primary role as a software DER?			
	1	Company DER	2 Consultant DER	9 don't know/decline to answer

# **SSAC SURVEY - SECTION A**

A3g. Select the highest level of software data you can approve or recommend for approval.

- 1 Level A
- 2 Level B

- 4 Level D
- don't know/decline to answer 9

- 3 Level C
- A4. In the past five years, have you been directly involved in either the development or approval of software for application to airborne systems?
  - 1 yes 2 no 9 don't know/decline to answer
- A5. In the past five years, have you been directly involved in either the development or approval of software for application to ground-based systems?
  - 9 don't know/decline to answer 1 yes 2 no
- \*\* RESPONDENTS WITH GROUND-BASED EXPERIENCE ("yes" on A5) WILL BE TREATED AS GROUND-BASED ONLY.
- A6. What type of company do you work for?
  - 1 an airborne-equipment supplier
  - 2 an aircraft manufacturer
  - 3 a ground-systems equipment supplier
- 4 other [please specify:]
- 9 don't know/decline to answer

# SSAC SURVEY - SECTION B

### SECTION B - YOUR SOFTWARE TEAM & COMPANY

I-B1. Many of the questions that follow refer to "your experience" in software development and approval. In answering these questions, please consider your own direct experiences with people and offices as well as events that have happened on projects you have worked on. For example, if you know for certain that one of your projects was delayed by a problem at another office, you should consider that delay to be part of "your experience," even if you never personally interacted with people in the other office. On the other hand, we ask you not to consider as "your experience" the good or bad events you may have heard about from professional colleagues, unless you were part of the project, too. By keeping this definition in mind, you will help us to maintain the accuracy of the survey results.

- B2. Which of the following best indicates the number of non-clerical people working on your software development team? (A team would typically include one or more software engineers, software engineering leads, project managers, and a certification liaison.)
  - 1 5 people or fewer
  - 2 6-15
  - 3 16-30
  - 4 31-50
  - 5 51-75

### If airborne ("yes" to A4 and "no" to A5) complete B3, otherwise skip to B6

- B3. For which of the following airborne systems products have you developed or approved software over the last five years? Select all answers that apply.
  - 1 autopilot
  - 2 flight management computer
  - 3 engine control
  - 4 passenger entertainment
  - 5 displays
  - 6 navigation equipment
  - 7 flight controls

- 8 anti-skid braking
- 9 fuel systems
- 10 electrical/power systems
- 11 communication equipment
- 12 audio systems
- 13 other [please specify:]
- 14 no more/don't know/decline to answer
- B4. Please indicate the aircraft or engine type most typically associated with installation of product line(s) you work on. Select all answers that apply.
  - 1 transport aircraft
  - 2 regional aircraft
  - 3 business aircraft (Part 91)
  - 4 general aviation aircraft
  - 5 rotorcraft
  - 6 large turbine engine

- 7 small turbine engine
- 8 piston engine
- 9 other [please specify:]
- 10 not applicable
- 11 no more/don't know/decline to answer
- B5. Based on your knowledge, what percentage of the projects you work on receive a Technical Standard Order authorization?
  - 1 None
  - 2 1-10%
  - 3 11-25%
  - 4 26-50%

- 5 51-75%
- 6 76-100%
- 9 don't know/decline to answer

- 6 76-100
- 7 101 people or more
- 8 not applicable
- 9 don't know/decline to answer

# **SSAC SURVEY – SECTION B**

If ground-based ("yes" to A5) complete B6, otherwise skip to B7

- B6. For which of the following ground-based systems products have you developed or approved software over the last five years? Select all answers that apply.
  - 1 communications
  - 2 navigation
  - 3 surveillance
  - 4 automation

- 5 air traffic management
- 6 other [please specify:]
- 9 no more/don't know/decline to answer
- B7. Which of the following best describes your own level of experience with developing or approving software in compliance with DO-178B, either for airborne or ground-based systems?
  - 1 I haven't had any experience with DO-178B.
  - 2 I'm working on my first DO-178B project.
  - 3 I've completed 1-5 DO-178B projects that have been approved.
  - 4 I've completed 6-20 DO-178B projects that have been approved.
  - 5 I've completed 21-50 DO-178B projects that have been approved.
  - 6 I've completed over 50 DO-178B projects that have been approved.
  - 9 don't know/decline to answer
- B8 Please indicate if you have personally been involved with developing or approving software under any of the following in addition to DO-178B.
- B8a, DO-178A

	1 yes	2 no	9 don't know/decline to answer
B8b.	DO-178		
	1 yes	2 no	9 don't know/decline to answer
B8c.	pre-DO-178		
	1 yes	2 no	9 don't know/decline to answer
B8d.	military standards		
	1 yes	2 no	9 don't know/decline to answer
B8e.	other standards		
	1 yes	2 no	9 don't know/decline to answer

B9. And what about your software development team? In the past five years, has your team been involved with developing or approving software under any of the following in addition to DO-178B?

B9a.	DO-178A		
	1 yes	2 no	9 don't know/decline to answer
B9b,	DO-178		
	1 yes	2 no	9 don't know/decline to answer
B9c.	pre-DO-178		
	1 yes	2 no	9 don't know/decline to answer

# **SSAC SURVEY – SECTION B**

- B9d, military standards
  - 1 yes 2 no 9 don't know/decline to answer
- B9e, other standards

1 yes 2 no 9 don't know/decline to answer

- B10. As you know, Level A and Level B are the DO-178B levels of software that are the most critical for safety. Over the last five years, to what extent have you been involved with development or approval of software that has significant sections of code that are considered to be at Levels A or B?
  - 1 We do not deal with Level A or Level B code.
  - 2 We deal with Level A or Level B code on only a small portion of our projects.
  - 3 We deal with Level A or Level B code regularly, but on fewer than half our projects.
  - 4 We deal with Level A or Level B code on most of our projects.
  - 5 We deal with Level A or Level B code on every project.
  - 9 don't know/decline to answer
- B11. If you could put all of the DO-178B software products you have worked on over the past 5 years into a single software product, using "kslocs" (thousands of non-commented source lines) estimate the percentage of the software in each of the following categories:

(Enter "999" for Level A if you are unable to estimate the percentage of software in each category)

- 1 Level A \_\_\_\_\_
- 2 Level B \_\_\_\_\_
- 3 Level C \_\_\_\_\_
- 4 Level D \_\_\_\_\_
- 5 Level E \_\_\_\_\_
  - SUM = 100%
- B12. Think about the largest software project that you are currently working on. The project could be a piece of a product, a single product (such as a Flight Management System), or a combined suite of products (such as an Information Management System that contains a flight management system, displays, communication, etc.). Please indicate the overall size of the project (measured in "ksloc"—thousands of non-commented source lines).
  - 1 less than 1 ksloc
  - 2 1k to 9k
  - 3 10k to 29k
  - 4 30k to 59k
  - 5 60k to 99k

- 6 100k to 199k
- 7 200k to 349k
- 8 more than 350k
- 9 don't know/decline to answer
- B13. Based on your knowledge, please estimate the number of DO-178B approved projects (including recertifications) your company completes per year.
  - 1 None
  - 2 1-5
  - 3 6-10
  - 4 11-20

- 5 21-35
- 6 36-50
- 7 more than 50
- 9 don't know/decline to answer

# SSAC SURVEY - SECTION B

If airborne ("yes" to A4 and "no" to A5) complete B14 - B14B, otherwise skip to B15

- B14. For airborne software, which Aircraft Certification Office do you interact with most frequently? (We will refer to this ACO as your primary ACO.)
  - 1 Anchorage Aircraft Certification Office (ACE-115N)
  - 2 Atlanta Aircraft Certification Office (ACE-115A)
  - 3 Boston Aircraft Certification Office (ANE-150)
  - 4 Chicago Aircraft Certification Office (ACE-115C)
  - 5 Denver Aircraft Certification Office (ANM-100D)
  - 6 Engine Certification Office (ANE-140)
  - 7 Fort Worth Airplane Certification Office (ASW-150)
  - 8 Fort Worth Rotorcraft Certification Office (ASW-170)
  - 9 Fort Worth Special Certification Office (ASW-190)
  - 10 Los Angeles Aircraft Certification Office (ANM-100L)
  - 11 New York Aircraft Certification Office (ANE-170)
  - 12 Seattle Aircraft Certification Office (ANM-100S)
  - 13 Wichita Aircraft Certification Office (ACE-115W)
  - 14 Brussels Aircraft Certification Division (AEU-100)
  - 15 not applicable to my company
  - 16 don't know/decline to answer

B14A. Is this the ACO that covers your geographic location?

1 yes 2 no 9 don't know/decline to answer

B14B. Are there other ACOs that you interact with? If so, please select them from this list. Select all answers that apply.

- 1 Anchorage Aircraft Certification Office (ACE-115N)
- 2 Atlanta Aircraft Certification Office (ACE-115A)
- 3 Boston Aircraft Certification Office (ANE-150)
- 4 Chicago Aircraft Certification Office (ACE-115C)
- 5 Denver Aircraft Certification Office (ANM-100D)
- 6 Engine Certification Office (ANE-140)
- 7 Fort Worth Airplane Certification Office (ASW-150)
- 8 Fort Worth Rotorcraft Certification Office (ASW-170)
- 9 Fort Worth Special Certification Office (ASW-190)
- 10 Los Angeles Aircraft Certification Office (ANM-100L)
- 11 New York Aircraft Certification Office (ANE-170)
- 12 Seattle Aircraft Certification Office (ANM-100S)
- 13 Wichita Aircraft Certification Office (ACE-115W)
- 14 Brussels Aircraft Certification Division (AEU-100)
- 15 no more/don't know/decline to answer

#### If ground based ("yes" to A5) complete B15, otherwise skip to B16

- B15. Which FAA organization acts as the approval authority for your projects? Note that more than one approval authority may be indicated if you are responding for more than one type of project.
  - 1 Product Team for the Global Positioning System (FAA AND-730) for the Local Area Augmentation System (LAAS) and the Wide Area Augmentation System (WAAS)
  - 2 Product Team for Navigation and Landing (FAA AND-740) for the Instrument Landing System (ILS) & Transponder Landing System (TLS)
  - 3 GPS, Navigation and Landing Branch (FAA AOS-240) for the Differential Global Positioning Systems for Special Category I (SCAT-I)
  - 4 other [please specify:]
  - 5 not applicable to my company
  - 9 don't know/decline to answer

# **SSAC SURVEY – SECTION B**

- B16. Companies that develop software may have been assessed to have a certain Capability Maturity Model rating or CMM level. If you have been assessed, which CMM level applies to your company?
  - 1 CMM Level 1
  - 2 CMM Level 2
  - 3 CMM Level 3

- 4 CMM Level 4
- 5 CMM Level 5
- 9 don't know/decline to answer

If "don't know" to B16, skip to Section C

- B17. If you have a CMM level rating, what type of assessment was used to determine your company's CMM level?
  - 1 Self-Assessment
- 2 External Assessment
- 9 don't know/decline to answer

# SSAC SURVEY - SECTION C

### SECTION C - FAA POLICY, GUIDANCE, AND AUDITS

- C1. Overall, how satisfied are you with the current FAA process for software aspects of certification? Are you:
  - 1 very satisfied
  - 2 somewhat satisfied

- 4 somewhat dissatisfied
- 5 very dissatisfied
- 3 neither satisfied nor dissatisfied
- 9 don't know/decline to answer

I-C2. The following 16 questions are concerned with the extent to which written existing FAA software policy and guidance provide the information you need to develop software to meet objectives in DO-178B.

For each of 16 different subjects, you will be asked whether the written FAA software policy and guidance is ample, sufficient, or insufficient, or whether you are unable to rate the level of information provided.

[DEFINITION: "Written policy and guidance" refers to: the Federal Aviation Regulations, DO-178B, FAA Notices, FAA Orders, Advisory Circulars, and FAA policy memos.]

C2a. In the area below, would you say the written FAA software policy and guidance is ample, barely sufficient, or insufficient in providing the information you need to comply with DO-178B; or are you unable to rate the level of information provided?

planning

1 ample 2 barely sufficient 3 insufficient 4 unable to rate 9 don't know

C2b. In the area below, would you say the written FAA software policy and guidance is ample, barely sufficient, or insufficient in providing the information you need to comply with DO-178B; or are you unable to rate the level of information provided?

requirements

- 1 ample 2 barely sufficient 3 insufficient 4 unable to rate 9 don't know
- C2c. In the area below, would you say the written FAA software policy and guidance is ample, barely sufficient, or insufficient in providing the information you need to comply with DO-178B; or are you unable to rate the level of information provided?

design

1 ample 2 barely sufficient 3 insufficient 4 unable to rate 9 don't know

C2d. In the area below, would you say the written FAA software policy and guidance is ample, barely sufficient, or insufficient in providing the information you need to comply with DO-178B; or are you unable to rate the level of information provided?

code

1 ample 2 barely sufficient 3 insufficient 4 unable to rate 9 don't know

C2e. In the area below, would you say the written FAA software policy and guidance is ample, barely sufficient, or insufficient in providing the information you need to comply with DO-178B; or are you unable to rate the level of information provided?

verification

1 ample	2 barely sufficient	3 insufficient	4 unable to rate	9 don't know
---------	---------------------	----------------	------------------	--------------

# SSAC SURVEY - SECTION C

C2f. In the area below, would you say the written FAA software policy and guidance is ample, barely sufficient, or insufficient in providing the information you need to comply with DO-178B; or are you unable to rate the level of information provided?

configuration management

- 1 ample 2 barely sufficient 3 insufficient 4 unable to rate 9 don't know
- C2g. In the area below, would you say the written FAA software policy and guidance is ample, barely sufficient, or insufficient in providing the information you need to comply with DO-178B; or are you unable to rate the level of information provided?

quality assurance

- 1 ample 2 barely sufficient 3 insufficient 4 unable to rate 9 don't know
- C2h. In the area below, would you say the written FAA software policy and guidance is ample, barely sufficient, or insufficient in providing the information you need to comply with DO-178B; or are you unable to rate the level of information provided?

certification liaison

1 ample 2 barely sufficient 3 insufficient 4 unable to rate 9 don't know

C2i. In the area below, would you say the written FAA software policy and guidance is ample, barely sufficient, or insufficient in providing the information you need to comply with DO-178B; or are you unable to rate the level of information provided?

COTS

- 1 ample 2 barely sufficient 3 insufficient 4 unable to rate 9 don't know
- C2j. In the area below, would you say the written FAA software policy and guidance is ample, barely sufficient, or insufficient in providing the information you need to comply with DO-178B; or are you unable to rate the level of information provided?

legacy software and software reuse

1 ample 2 barely sufficient 3 insufficient 4 unable to rate 9 don't know

C21. In the area below, would you say the written FAA software policy and guidance is ample, barely sufficient, or insufficient in providing the information you need to comply with DO-178B; or are you unable to rate the level of information provided?

user-modifiable software

- 1 ample 2 barely sufficient 3 insufficient 4 unable to rate 9 don't know
- C2m. In the area below, would you say the written FAA software policy and guidance is ample, barely sufficient, or insufficient in providing the information you need to comply with DO-178B; or are you unable to rate the level of information provided?

partitioning

1 ample 2 barely sufficient 3 insufficient 4 unable to rate 9 don't know

C2n. In the area below, would you say the written FAA software policy and guidance is ample, barely sufficient, or insufficient in providing the information you need to comply with DO-178B; or are you unable to rate the level of information provided?

service history

1 ample	2 barely sufficient	3 insufficient	4 unable to rate	9 don't know
---------	---------------------	----------------	------------------	--------------

# SSAC SURVEY - SECTION C

C20. In the area below, would you say the written FAA software policy and guidance is ample, barely sufficient, or insufficient in providing the information you need to comply with DO-178B; or are you unable to rate the level of information provided?

tool qualification

- 1 ample 2 barely sufficient 3 insufficient 4 unable to rate 9 don't know
- C2p. In the area below, would you say the written FAA software policy and guidance is ample, barely sufficient, or insufficient in providing the information you need to comply with DO-178B; or are you unable to rate the level of information provided?

classification of major and minor software changes

1 ample 2 barely sufficient 3 insufficient 4 unable to rate 9 don't know

C2q. In the area below, would you say the written FAA software policy and guidance is ample, barely sufficient, or insufficient in providing the information you need to comply with DO-178B; or are you unable to rate the level of information provided?

alternate means of compliance

- 1 ample 2 barely sufficient 3 insufficient 4 unable to rate 9 don't know
- C2r. Is there any area not listed above for which insufficient information is available for you to get your software through the approval process?
  - 1 no

- 9 don't know/decline to answer
- C2A. Overall, how satisfied are you with existing written FAA software policy and guidance?
  - 1very satisfied4somewhat dissatisfied2somewhat satisfied5very dissatisfied3neither satisfied nor dissatisfied9don't know/decline to answer

#### **\*\*THIS VERSION OF QUESTION C3 IS FOR AIRBORNE ONLY:**

2 yes [please specify:]

- C3. In the past five years, have you participated in a domestic regulatory audit for software; that is, a software review conducted specifically by FAA regulatory personnel (as opposed to a software review conducted by a DER)?
  - 1 yes 2 no 9 don't know/decline to answer

#### \*\*THIS VERSION OF QUESTION C3 IS FOR GROUND-BASED ONLY:

- GC3. In the past five years, have you participated in a domestic regulatory software audit; that is, a software review conducted specifically by regulatory personnel such as FAA personnel from the Product Team for the Global Positioning System (FAA AND-730), the Product Team for Navigation and Landing (FAA AND-740), or the GPS, Navigation and Landing Branch (FAA AOS-240)?
  - 1 yes 2 no 9 don't know/decline to answer

#### \*\* WORDING IN C4 WILL VARY AUTOMATICALLY DEPENDING ON AIRBORNE OR GROUND-BASED RESPONDENT.

If experienced with audits (1 to C3 or GC3) complete C4, otherwise skip to section D

- C4. How many times does [your primary ACO/the approving authority] typically conduct a regulatory software audit on each of your projects?
  - 1 none 5 four or more times
  - 2 once 6 the number of audits varies significantly from project to project
  - 3 twice 9 don't know/decline to answer
  - 4 three times

# **SSAC SURVEY – SECTION C**

- C5. What is your opinion about the number of regulatory software audits that are involved with bringing a typical project to a successful conclusion? Is the number of audits:
  - 1 too few to ensure full compliance
- 3 more than is really needed
- 2 about right for ensuring compliance
- 9 don't know/decline to answer
- In your experience, what is the typical duration of a regulatory software audit? C6,
  - 1 1-2 days
  - 2 3-5 days
  - 3 more than one week

- 4 the duration varies significantly
- don't know/decline to answer
- C7, What is your opinion of the typical duration of a regulatory software audit?
  - 1 too short
  - 2 about right

- 4 substantially longer than necessary
- 9 don't know/decline to answer
- 3 a little longer than necessary
- C9. There are two approaches to getting DO-178B approval: regulatory on-site software audit (location may be either at the regulator's site or the applicant's site) or desktop review (regulator review of data only, no applicant support required).

How much extra preparation by your team is necessary to support a regulatory on-site software audit over and above what a desktop review would require? (Please include the effort of subcontractors and consultants as applicable.)

- 1 no time
- 2 1-2 person-days
- 3 3-5 person-days
- 4 6-10 person-days

- 5 11-15 person-days
- 6 more than 15 person-days
- 9 don't know/decline to answer
- C10. Which of the following best describes your opinion about the depth of regulatory software audits you have been involved with in the past five years?
  - 1 Regulatory software audits are superficial and strictly routine
  - 2 Regulatory software audits are excessively detailed and probing
  - 3 Regulatory software audits are usually about right
  - 4 Regulatory software audits vary significantly depending on the reviewer
  - 9 don't know/decline to answer

- - 9

# SSAC SURVEY - SECTION D

### SECTION D - YOUR PRIMARY ACO AND OTHER ACOs

- \*\* PROGRAM WILL AUTOMATE THIS SKIP: This section is for airborne respondents only. Ground-based respondents, please go to Section GD.
- D1. Do you interact enough with your ACO to rate their performance regarding software aspects of certification?
  - 1 yes 2 no 9 don't know/decline to answer

If "yes" then continue; otherwise skip to Section E

D2.	Overall, how satisfied are you with the job your primary ACO is doing with software aspects of certification? Are you					
I	<ol> <li>very satisfied</li> <li>somewhat satis</li> <li>neither satisfied</li> </ol>	fied d nor dissatisfied		<ul><li>4 somewhat di</li><li>5 very dissatis</li><li>9 don't know/e</li></ul>		l
I-D3.						ou rate each of the ute of your primary
D3a.	The first attribute	is: returning phon	e calls			
	1 excellent	2 very good	3 good	4 fair	5 poor	9 don't know
D3b.	The next attribute	is: responding to	written communic	cation		
	1 excellent	2 very good	3 good	4 fair	5 poor	9 don't know
D3c.	The next attribute	is: addressing cer	tification issues			
	1 excellent	2 very good	3 good	4 fair	5 poor	9 don't know
D3d.	The next attribute	is: establishing a	nd honoring dates	for reviews and a	pprovals	
	1 excellent	2 very good	3 good	4 fair	5 poor	9 don't know
D3e.	The next is: coord	linating meetings/	reviews			
	1 excellent	2 very good	3 good	4 fair	5 poor	9 don't know
D3g.	The next is: coord	lination with tech	nical resources & 1	national policy ma	aking	
	1 excellent	2 very good	3 good	4 fair	5 poor	9 don't know
D3h.	The next is: respo	nding to submitte	d plans			
	1 excellent	2 very good	3 good	4 fair	5 poor	9 don't know
D4.	Do you have any a ACO?	additional positive	or negative comm	nents about your o	experience working	g with your primary

- D5. In your opinion, are different companies handled differently within the same ACO?
  - 1 yes 2 no 9 don't know/decline to answer

# SSAC SURVEY - SECTION D

If "yes", then answer D6, otherwise skip to D7

- D6. Which of the following describe ways that companies are treated differently? Select all answers that apply.
  - 1 use of designees
  - 2 schedule responsiveness on the part of the ACO
  - 3 differing requirements for compliance data for certification of modified products
  - 4 differing interpretation and application of written FAA policy and guidance
  - 5 other [please specify:]
  - 9 no more/don't know/decline to answer
- D7. In the past five years, how many ACOs have you worked with?
  - 1 1 3 3 or more
  - 2 2 9 don't know/decline to answer

If two or more (2 or 3 on D7), then answer D8; otherwise skip to D20

- D8. Which of the following describes the main reason for using multiple ACOs?
  - 1 company choice

- 3 other [please specify:]
- 2 customer's geographic region 9 don't know/decline to answer
- D9. In the past three years, have you ever received inconsistent software guidance, interpretations, or procedural requirements from different ACOs?

1 yes 2 no 9 don't know/decline to answer

If "yes" on D9, continue; otherwise, skip to D20

D12. How often have you or your team received inconsistent software guidance, interpretations, or procedural guidance from two or more ACOs?

1 once 2 rarely

- 4 frequently
- 9 don't know/decline to answer

- 3 occasionally
- D13. How would you rate the general degree of inconsistency between the ACOs you deal with?
  - 1 they differ only in minor details
  - 2 they occasionally differ in substantial ways
  - 3 they seem to have fundamentally different approaches and requirements
  - 9 don't know/decline to answer

#### D13a. How have the inconsistencies affected your costs?

- 1 they've caused major additional costs
- 2 they've caused only minor additional costs
- 3 they've not added to cost
- 4 we've saved cost by taking advantage of the alternatives offered by different ACOs
- 9 don't know/decline to answer

## SSAC SURVEY – SECTION D

- D10. Please indicate the area(s) of inconsistent guidance, interpretation, or procedural requirements among ACOs. Select all answers that apply.
  - 1 TSO
  - 2 PMA
  - 3 TC
  - 4 STC
  - 5 issue paper
  - 6 special condition
  - 7 policy memo

- 8 notices and orders
- 9 verbal direction
- 10 interpretation of DO-178B
- 11 advisory circulars
- 12 ACO procedures
- 13 other [please specify:]
- 14 no more/don't know/decline to answer

D10b. And which one of these areas of inconsistency has caused you the greatest consequences?

- 1 TSO
- 2 PMA
- 3 TC
- 4 STC
- 5 issue paper

7 policy memo

6 special condition

- 8 notices and orders9 verbal direction
- 10 interpretation of DO-178B
- 11 advisory circulars
- 12 ACO procedures
- 13 other [please specify:]
- 14 don't know/decline to answer
- D20. In the past three years, have you received inconsistent software guidance from different people within the same ACO?
  - 1 yes 2 no 9 don't know/decline to answer

If "yes" then continue, otherwise skip to D25

- D21. From within which ACO have you most often received inconsistent software guidance, interpretations, or procedural guidance from different people?
  - 1 Anchorage Aircraft Certification Office (ACE-115N)
  - 2 Atlanta Aircraft Certification Office (ACE-115A)
  - 3 Boston Aircraft Certification Office (ANE-150)
  - 4 Chicago Aircraft Certification Office (ACE-115C)
  - 5 Denver Aircraft Certification Office (ANM-100D)
  - 6 Engine Certification Office (ANE-140)
  - 7 Fort Worth Airplane Certification Office (ASW-150)
  - 8 Fort Worth Rotorcraft Certification Office (ASW-170)
  - 9 Fort Worth Special Certification Office (ASW-190)
  - 10 Los Angeles Aircraft Certification Office (ANM-100L)
  - 11 New York Aircraft Certification Office (ANE-170)
  - 12 Seattle Aircraft Certification Office (ANM-100S)
  - 13 Wichita Aircraft Certification Office (ACE-115W)
  - 14 Brussels Aircraft Certification Division (AEU-100)
  - 16 don't know/decline to answer

D22. We've found people within this ACO to be inconsistent with one another ...

- 1 once
- 2 rarely

- 4 frequently
- 9 don't know/decline to answer

3 occasionally

## **SSAC SURVEY – SECTION D**

- D23. How have the inconsistencies affected your costs?
  - 1 they've caused major additional costs
  - 2 they've caused only minor additional costs
  - 3 they've not added to cost

D24a.

- 4 we've saved cost by taking advantage of the alternatives offered by different people within the ACO
- 9 don't know/decline to answer

D24. Please indicate the area(s) of inconsistent guidance, interpretation, or procedural requirements you receive from different people within the same ACO. Select all answers that apply.

1	TSO	8	notices and orders
2	PMA	9	verbal direction
3	TC	10	interpretation of DO-178B
4	STC	11	advisory circulars
5	issue paper	12	ACO procedures
6	special condition	13	other [please specify:]
7	policy memo	14	no more/don't know/decline to answer
A	nd which one of these areas of inconsistency h	as caused	you the greatest consequences?
1		0	metican and endern

1	TSO	8	notices and orders
2	PMA	9	verbal direction
3	TC	10	interpretation of DO-178B
4	STC	11	advisory circulars
5	issue paper	12	ACO procedures
6	special condition	13	other [please specify:]
7	policy memo	14	don't know/decline to answer

- D25. Have you ever been under the impression that you reached a **verbal** agreement with an ACO about a software-related certification issue and later that agreement was nullified by the FAA?
  - 1 yes 2 no 9 don't know/decline to answer
- D26. Have you ever had a **written** agreement with an ACO about a software-related certification issue and later that agreement was nullified by the FAA?
  - 1 yes 2 no 9 don't know/decline to answer

#### If "yes" on D25 or D26 continue, otherwise skip to section E

D27. Which of the following explanations best describes why the agreement changed? Select all answers that apply.

- 1 the system you developed changed & the certification basis changed
- 2 FAA rules changed
- 3 FAA personnel changed
- 4 company personnel changed
- 5 the original FAA parties to the agreement rescinded it
- 6 a simple misunderstanding and no one is really to blame
- 7 other [please specify:]
- 9 no more/don't know/decline to answer

## **SSAC SURVEY - SECTION GD**

#### **SECTION GD – APPROVING AUTHORITIES**

\*\* PROGRAM WILL TAKE CARE OF THIS SKIP: If you have been directly involved with software for GROUND-BASED systems ("yes" on A5), please answer the questions in this section. If NOT, please go to Section E.

I-GD1. Some questions about the approving authorities you have worked with ...

GD1. Do you directly communicate or interact with any of the following FAA organizations?

FAA AND-730: Product Team for the Global Positioning System for the Local Area Augmentation System (LAAS) and the Wide Area Augmentation System (WAAS)

FAA AND-740: Product Team for Navigation and Landing for the Instrument Landing System (ILS) and Transponder Landing System (TLS)

FAA AOS-240: GPS, Navigation and Landing Branch for the Differential Global Positioning Systems for Special Category I (SCAT-I)

9 don't know/decline to answer 1 yes 2 no

If "yes" then continue; otherwise skip to Section E

- GD2. Which do you consider to be your primary approving authority—that is, the one your team works with most often?
  - 1 AND-730
  - 2 AND-740
  - 3 AOS-240

- 4 we work equally with all of them
- 9 don't know/decline to answer

GD3. Overall, how satisfied are you with the job your primary approving authority is doing with software aspects of approval? Are you:

1	very satisfied	4	somewhat dissatisfied
2	somewhat satisfied	5	very dissatisfied
3	neither satisfied nor dissatisfied	9	don't know/decline to answer

I-GD4. For each of the following attributes, how would you rate your primary approving authority? Would you rate each of the following as excellent, very good, good, fair, poor, or are you unable to rate the attribute of your primary approving authority?

GD4a. The first attribute is: returning phone calls

1 excellen	t 2 very good	3 good	4 fair	5 poor	9 don't know				
GD4b. The next attribute is: responding to written communication									
1 excellen	t 2 very good	3 good	4 fair	5 poor	9 don't know				
GD4c. The next attribute is: addressing certification issues									
1 excellen	t 2 very good	3 good	4 fair	5 poor	9 don't know				
GD4d. The next attribute is: establishing & honoring dates for reviews and approvals									
1 excellen	t 2 very good	3 good	4 fair	5 poor	9 don't know				
GD4e. The next is: coordinating meetings/reviews									
1 excellen	t 2 very good	3 good	4 fair	5 poor	9 don't know				

# SSAC SURVEY - SECTION GD

GD4g.Tl	ne next is: coord	ination with techn	ical resources &	national policy	making		
1	excellent	2 very good	3 good	4 fair	5 poor	9 don't know	
GD4h,Tł	ne next is: respo	nding to submitted	l plans				
1	excellent	2 very good	3 good	4 fair	5 poor	9 don't know	
	o you have any a proving authorit		or negative com	ments about you	ur experience wor	king with your primar	
	Have you ever used both an AND organization (either AND-740 or AND-730) and AOS-240 for approval of software for ground-based systems?						
		roduct Team for tl ide Area Augmen			the Local Area A	Augmentation System	
		roduct Team for N ing System (TLS)	Vavigation and La	anding for the Ir	nstrument Landing	g System (ILS) and	
	AA AOS-240: G becial Category I		d Landing Branc	h for the Differ	ential Global Posi	tioning Systems for	
1	yes	2 no	9 don't know	/decline to answ	ver		
If "yes"	to GD6 continue	, otherwise skip to	GD21				
		wing best describe		using both appro	oving authorities?		
	company choice customer requir				ase specify:] w/decline to answ	er	
		eived inconsistent (either AND-740			ons, or procedural	requirements from a	
1	yes	2 no	9 don't know	/decline to answ	ver		
		en under the impre elated issue and lat				an approving authorit	
1	yes	2 no	9 don't know	/decline to answ	ver		
-	•	l a <b>written</b> agreen s nullified by the F		oving authority	about a software	-related issue and late	
1	yes	2 no	9 don't know	/decline to answ	ver		
If "yes"	on GD21 or GD2	22 continue, other	wise skip to Secti	on E			
	hich of the follo ply.	owing explanation	s best describes	why the agree	ment changed?	Select all answers that	
1 2 3 4 5	<ol> <li>the system you developed changed &amp; the certification basis changed</li> <li>FAA rules changed</li> <li>FAA personnel changed</li> <li>company personnel changed</li> </ol>						
6	a simple misun	derstanding and no	o one is really to l	blame			

- 7 other [please specify:]9 no more/don't know/decline to answer

## SSAC SURVEY - SECTION E

#### SECTION E – QUESTIONS ABOUT INDEPENDENCE

- E1. Which one of the following definitions best meets the intent of DO-178B with respect to independence?
  - 1 the person who verifies the activity is different from the person who produces the artifact under consideration
  - 2 verification must be performed separately from the development organization
  - 9 don't know/decline to answer
- E2. Overall, how satisfied are you with the requirements for independence in DO-178B? Are you:
  - 1 very satisfied
  - 2 somewhat satisfied

- 4 somewhat dissatisfied
- 5 very dissatisfied
- 9 don't know/decline to answer

#### If 2,3,4, or 5 to E2 continue, otherwise skip to E5

3 neither satisfied nor dissatisfied

- E3. With which independence requirements (if any) do you disagree? If appropriate, it would be helpful to mention the Annex A Table, objective, and software level to which your comments relate.
- E5. In your experience, about how big are the software development costs attributed to independence, including meeting the objectives in DO-178B?
  - 1 a negligible cost
  - 2 a small cost
  - 3 a substantial cost

- 4 a nearly prohibitive cost
- 5 unable to estimate
- 9 don't know/decline to answer
- E6. About how much software development time would you estimate is attributed to independence, including meeting the objectives in DO-178B?
  - 1 none or a negligible amount of time
  - 2 a small amount of time
  - 3 a substantial amount of time

- 4 a nearly prohibitive amount of time
- 5 unable to estimate
- 9 don't know/decline to answer
- E7. How much software development time and cost would your company devote to independence if you were not required to meet the objectives in DO-178B?
  - 1 same as now
- 4 none
- 5 unable to estimate
  - 9 don't know/decline to answer
- E8. In your opinion, are DO-178B's requirements for independence:
  - 1 extremely valuable

2 almost as much as now

3 substantially less than now

- 2 somewhat valuable
- 3 of marginal value

- 4 of no value
- 5 unable to estimate
- 9 don't know/decline to answer

## SSAC SURVEY - SECTION F

#### SECTION F – MODIFIED CONDITION DECISION COVERAGE

- F0. In the past five years, have you been directly involved in either the development or approval of Level A software?
  - 1 yes 2 no 9 don't know/decline to answer

If "yes", continue; otherwise, skip to G1

I-F1. *MCDC* is a level of structural coverage beyond decision coverage, where each condition in a decision must be shown to independently affect that decision's outcome.

- F1. For you and your team, how hard is it to comply with the mcdc objective?
  - 1 trivially simple

- 4 extremely difficult
- 9 don't know/decline to answer
- 2 moderately simple3 moderately difficult

F1b. Which aspects of complying with the mcdc objective are difficult?

F2. Do you or your team perform mcdc on the source code?

1 yes 2 no 9 don't know/decline to answer

- F3. Do you or your team perform mcdc on the object code?
  - 1 yes 2 no 9 don't know/decline to answer
- F4. Which of the following statements best describes your experience with meeting the structural coverage objective for mcdc?
  - 1 We have never found any errors using mcdc.
  - 2 We have rarely found errors using mcdc that were not found in other testing.
  - 3 We have occasionally found errors using mcdc that were not found in other testing.
  - 4 We have frequently found errors using mcdc that were not found in other testing.
  - 9 don't know/decline to answer

If 2,3,4 on F4, continue; otherwise skip to F5

F4B.	. Were any of the errors discovered using mcdc safety-related?						
I	1 yes	2 no	9 don't know/decline to answer				
F5.	5. For Level A systems, do you perform traceability analysis from source to object code to determine what additional verification is necessary for object code that is not directly traceable to the source code?						
	1 yes	2 no	9 don't know/decline to answer				
If "ye	If "yes" to F5 continue, otherwise skip to F8						
F6.	. Has this resulted in additional verification?						
I	1 yes	2 no	9 don't know/decline to answer				
	XC 111.1 1 107						

- F7. If additional verification did result, were any errors detected?
  - 1 yes 2 no 9 don't know/decline to answer

### SSAC SURVEY - SECTION F

If "yes" on F7, continue; otherwise skip to F8 F7a. Were any of the errors safety-related? 1 yes 2 no 9 don't know/decline to answer F8. Which of the following best describes the way your team usually achieves structural coverage? 1 we first do requirements-based testing and use the results to determine if additional structural testing is necessary 2 we develop a test suite to perform structural coverage independent of requirements-based testing 3 other [please specify:] 9 don't know/decline to answer F9a. In your team's experience, about how big are the software development costs attributed to performing mcdc, including meeting the objective in DO-178B? 1 a negligible cost 4 a nearly prohibitive cost 2 a small cost 5 unable to estimate don't know/decline to answer 3 a substantial cost 9 F9b. About how much software development time would you estimate is attributed to performing mcdc, including meeting the objective in DO-178B? 1 none or a negligible amount of time 4 a nearly prohibitive amount of time 2 a small amount of time 5 unable to estimate 3 a substantial amount of time 9 don't know/decline to answer F9c. How much software development time and cost would your company devote to performing mcdc if you were not required to meet the objective in DO-178B? 1 same as now 4 none 2 almost as much as now 5 unable to estimate 3 substantially less than now 9 don't know/decline to answer F9d. In your opinion, is DO-178B's requirement for mcdc: 4 of no value 1 extremely valuable 2 somewhat valuable 5 unable to estimate 3 of marginal value 9 don't know/decline to answer F11. For Level A systems, how would you rate the overall value of mcdc? 1 extremely valuable 4 of no value 2 somewhat valuable 5 unable to estimate 3 of marginal value 9 don't know/decline to answer

# SSAC SURVEY - SECTION G

SECTION G – PRACTICES REGARDING TRACEABILITY							
G1.	Do you or your team use traceability for requirements coverage?						
	1 yes 2 no 9 don't know	ow/decline to answer					
G3.	Do you or your team use traceability for regression	analysis and testing?					
	1 yes 2 no 9 don't kno	ow/decline to answer					
G5.	Do you or your team use traceability for change im	pact analysis?					
		ow/decline to answer					
G7.	Do you or your team use traceability only for certif	ication?					
07.		ow/decline to answer					
<u>C</u> Q							
G9.	Do you or your team use traceability for identifying 1 yes 2 no 9 don't kno	whether we have a second					
	1 yes 2 no 9 don't kno	Sw/decime to answer					
G10.	. In your opinion, is the use of traceability:						
	<ol> <li>extremely valuable</li> <li>somewhat valuable</li> </ol>	4 of no value 5 unable to estimate					
	<ol> <li>2 somewhat valuable</li> <li>3 of marginal value</li> </ol>	<ul><li>5 unable to estimate</li><li>9 don't know/decline to answer</li></ul>					
	, and the second s						
G11.	. Do you or your team document traceability from so	-					
	1 yes 2 no 9 don't know	ow/decline to answer					
If "ye	ves" to $G11$ then continue, otherwise skip to $G13$						
G12.	. Why do you do it? Select all answers that apply.						
	1 company procedures	4 DO-178B requirement					
	2 ACO requirement	5 other [please specify:]					
	3 DER requirement	9 no more/don't know/decline to answer					
G13.	. In your team's experience, about how big are the including meeting the objectives in DO-178B?	ne software development costs attributed to traceability,					
	1 a negligible cost	4 a nearly prohibitive cost					
	2 a small cost	5 unable to estimate					
	3 a substantial cost	9 don't know/decline to answer					
G14.	4. About how much software development time would you estimate is attributed to traceability, including meeting the objectives in DO-178B?						
	1 none or a negligible amount of time	4 a nearly prohibitive amount of time					
	<ul><li>2 a small amount of time</li><li>3 a substantial amount of time</li></ul>	5 unable to estimate					
	5 a substantial amount of time	9 don't know/decline to answer					
G15.	. How much software development time and cost w required to meet the objectives in DO-178B?	ould your company devote to traceability if you were not					
	1 same as now	4 no time as all					

2 almost as much as now

- 5 unable to estimate

3 substantially less than now

9 don't know/decline to answer

# **SSAC SURVEY – SECTION G**

- G16. In your opinion, are DO-178B's requirements for traceability:
  - 1 extremely valuable
  - 2 somewhat valuable
  - 3 of marginal value

- 4 of no value
- 5 unable to estimate
- 9 don't know/decline to answer

### SSAC SURVEY – SECTION H

#### SECTION H – QUALITY ASSURANCE

- I-H1. Please indicate your level of agreement with these statements:
- How would you rate the overall value of meeting SQA objective 1 (Assurance is obtained that software H1. development and integral processes comply with approved software plans and standards) as defined in Table A-9 of Annex A in DO-178B?
  - 1 extremely valuable
  - 2 somewhat valuable
  - 3 of marginal value

- 4 of no value
- 5 unable to estimate
- 9 don't know/decline to answer
- H2. How would you rate the overall value of meeting SQA objective 2 (Assurance is obtained that transition criteria for the software life cycle processes are satisfied) as defined in Table A-9 of Annex A in DO-178B?
  - 1 extremely valuable
  - 2 somewhat valuable
  - 3 of marginal value

- 4 of no value
- 5 unable to estimate
- don't know/decline to answer 9
- How would you rate the overall value of meeting SQA objective 3 (Software conformity review is conducted) H3. as defined in Table A-9 of Annex A in DO-178B?
  - 1 extremely valuable
  - 2 somewhat valuable
  - 3 of marginal value

- 4 of no value
- 5 unable to estimate
- 9 don't know/decline to answer
- In your team's experience, about how big are the software development costs attributed to quality assurance, H4. including meeting the objectives in DO-178B?
  - 1 a negligible cost
  - 2 a small cost
  - 3 a substantial cost

- 4 a nearly prohibitive cost
- 5 unable to estimate
- don't know/decline to answer 9
- H5. About how much software development time would you estimate is attributed to quality assurance, including meeting the objectives in DO-178B?
  - 1 none or a negligible amount of time
  - 2 a small amount of time
  - 3 a substantial amount of time

- 4 a nearly prohibitive amount of time
- 5 unable to estimate
- 9 don't know/decline to answer
- How much software development time and cost would your company devote to quality assurance if you were H6. not required to meet the objectives in DO-178B?
  - 1 same as now
  - 2 almost as much as now
  - 3 substantially less than now

- 4
- 5 unable to estimate
- 9 don't know/decline to answer
- H7. In your opinion, are DO-178B's requirements for quality assurance:
  - 1 extremely valuable
  - 2 somewhat valuable
  - 3 of marginal value

- 4 of no value
- 5 unable to estimate
- don't know/decline to answer 9

none

## SSAC SURVEY - SECTION I

#### **SECTION I – DOCUMENTATION**

- 11. How strictly do you and your team follow the format given in Chapter 11 (Software Life Cycle Data) in DO-178B for packaging data?
  - 1 very strictly
  - 2 follow closely with occasional exceptions
  - 3 use as guidance only

- 4 don't follow at all
- 9 don't know/decline to answer
- I2. Who determines the degree of rigor in following the format given in Chapter 11 of DO-178B for packaging data?
  - company procedures
     ACO requirement

- 4 other [please specify:]
- 9 don't know/decline to answer

3 DER requirement

- <sup>9</sup> uon t know/dechne to answe
- 13. Within the past 5 years, has your approving authority rejected your proposed format for delivery of certification data or documentation?
  - 1 yes 2 no 9 don't know/decline to answer
- If "yes" on I3 then continue, otherwise skip to I6
- I4. How many submittals have been affected?
  - 1 one
  - 2 two

- 4 five or more
- 9 don't know/decline to answer

3 three or four

- 15. Which of the following best describes the reasons given for these rejections? Select all answers that apply.
  - 1 DO-178B requirement
  - 2 requirement by the ACO or other approving authority
  - 3 personal preference of the ACO or other approving authority
  - 4 other [please specify:]
  - 9 no more/don't know/decline to answer
- I6. Have you ever been asked to provide software data or documentation to an approving authority that is not required by DO-178B or the FARs?
  - 1 yes 2 no 9 don't know/decline to answer

If "yes" on I6 then continue, otherwise skip to I8A

- 17. Please specify the data or documentation you were asked to provide.
- 18. How much additional cost has been incurred as a result?
  - 1 none or a negligible cost
  - 2 a small cost

- 4 a nearly prohibitive cost
- 5 unable to estimate

3 a substantial cost

- 9 don't know/decline to answer
- I8A. Have you ever been asked to provide software data or documentation to an approving authority that was not specified in your Plan for Software Aspects of Certification (PSAC) that they approved?
  - 1 yes 2 no 9 don't know/decline to answer

## SSAC SURVEY - SECTION I

19. Have you ever been asked to update software data or documentation that had no impact on the approval or continued safety or maintenance of the product, at or near the end of the project (for example, a PSAC)?

1 yes 2 no 9 don't know/decline to answer

If "yes" on I9 then continue, otherwise skip to I11

I10. Has approval been delayed as a result?

1 yes 2 no 9 don't know/decline to answer

- 111. For DO-178B approval of a new software-based system, do you believe that the data requirements to meet DO-178B are excessive?
  - 1 yes 2 no 9 don't know/decline to answer

If "yes" to I11 then continue, otherwise skip to I13

- 112. Which specific data requirements do you believe are unnecessary?
- 113. For DO-178B approval of a derivative or follow-on software-based system, do you believe that the data requirements to meet DO-178B are excessive?
  - 1 yes 2 no 9 don't know/decline to answer

If "yes" to I13 then continue, otherwise skip to I15

- 114. Which specific data requirements do you believe are unnecessary?
- 115. Is there data required by DO-178B that you provide strictly to meet certification requirements (excluding the PSAC, Configuration Index, and Accomplishment Summary) and that you do not use as part of your software development process?
  - 1 yes 2 no 9 don't know/decline to answer

If "yes" on I15 then continue, otherwise skip to J1

I16. Please specify which data.

# SSAC SURVEY – SECTION J

SECTION J – TOOL QUALIFICATION							
J1.	Do you have any experience with tool qualification?						
	1 yes 2	2 no 9	don't know/dea	line to answer			
If "ye	s" , please continue, of	therwise skip to K1					
J2.	Have you ever found	l any errors in a soft	ware developmer	t tool during tool q	ualification?		
•	1 yes 2	2 no 9	don't know/dee	line to answer			
J2A.	Have you ever found	l any errors in a soft	ware verification	tool during tool qu	alification?		
	1 yes 2	2 no 9	don't know/dec	line to answer			
J3.	Do you believe the re	equirements in DO-	178B for qualific	ation of software de	evelopment tools are:		
	<ol> <li>too weak</li> <li>about right</li> </ol>		3	too stringent don't know/declin	a to answer		
	-		-				
J3AA	. Do you believe the re	equirements in DO-			erification tools are:		
	<ol> <li>too weak</li> <li>about right</li> </ol>		3 9	too stringent don't know/declin	ne to answer		
J3A	Would you be in favo	or of a "national rep	ository" of qualif	ied tools?			
	1 yes 2	2 no 9	don't know/dee	line to answer			
J4.	Have you ever been i	required to qualify a	a software tool that	t you believe did n	ot require qualification?		
	1 yes 2	2 no 9	don't know/dea	line to answer			
_If "ye	s" (1 on J4) continue, o	otherwise skip to J5	5				
J4A.	Please specify why y	ou believe tool qua	lification should 1	ot have been requi	red.		
J5.	In your team's expe qualification, includit				costs attributed to software tool		
	1 a negligible cost		4	a nearly prohibiti			
	<ul><li>2 a small cost</li><li>3 a substantial cost</li></ul>		9	don't know/declin	ne to answer		
J6.	6. About how much software development time would you estimate is attributed to software tool qualification including meeting the objectives in DO-178B?						
	<ol> <li>none or a negligib</li> <li>a small amount of</li> </ol>		4	a nearly prohibiti don't know/declin	ve amount of time		
	<ul><li>2 a small amount of</li><li>3 a substantial amount</li></ul>		9				
J7.	How much software not required to meet			ur company devote	to tool qualification if you were		
	1 same as now		4	none			

- 5 unat
- 2 almost as much as now3 substantially less than now

5 unable to estimate9 don't know/decline to answer

# SSAC SURVEY - SECTION J

- J8. In your opinion, are DO-178B's requirements for tool qualification ...
  - 1 extremely valuable
  - 2 somewhat valuable
  - 3 of marginal value

- 4 of no value
- 5 unable to estimate
- 9 don't know/decline to answer

## SSAC SURVEY - SECTION K

#### **SECTION K – SAFETY**

- K1. Do you believe that DO-178B adequately addresses software-related safety issues?
  - 1 yes 2 no 9 don't know/decline to answer
- K2. How often do you or your team perform additional activities outside of those required by DO-178B for software-related safety issues?
  - 1 never
  - 2 rarely only exceptional projects
  - 3 for quite a few projects

- 4 for nearly all our projects
- 5 for every project
- 9 don't know/decline to answer
- K3. Have you ever worked on a system, developed in compliance with DO-178B, in which a software-related system error resulted in a service bulletin or Airworthiness Directive?
  - 1 yes 2 no 9 don't know/decline to answer

#### If "yes" to K3 continue, otherwise skip to K5

K4. Which of the following best describes the cause(s) of these errors? Select all answers that apply.

- 1 Erroneous understanding of high level software requirements
- 2 Erroneously developed high level or low level derived requirements
- 3 Erroneous software design decisions
- 4 Erroneous coding
- 5 other [please specify:]
- 9 no more/don't know/decline to answer

#### If "no" to K3 continue, otherwise skip to K6

- K5. Which of the following best describes your opinion about the contribution of DO-178B to this absence of software-related system error?
  - 1 DO-178B made no contribution.
  - 2 DO-178B made a minor contribution.
- 3 DO-178B made a major contribution.
- 9 don't know/decline to answer
- K6. Is any safety-related information, other than DO-178B software level, given to your software developers regarding the functions they are to implement in software?
  - 1 yes 2 no 9 don't know/decline to answer

If "yes" to K6 continue, otherwise skip to K8

- K7. What is the safety-related information and how is it used?
- K8. Which of the following best describes your team's procedure for handling derived requirements as defined in DO-178B?
  - 1 to create one or more "place-holder" requirements at a higher level to which the derived requirements can be traced
  - 2 to identify the derived requirements as such without traceability, and add rationale to the documentation
  - 3 to identify the derived requirements as such, without traceability, and submit them to the safety assessment process for review
  - 4 to find existing and somewhat related requirements at a higher level to which the derived requirements can be traced
  - 5 do not identify the derived requirements as such, and treat them as an artifact of the design process
  - 6 other [please specify:]
  - 9 don't know/decline to answer

# SSAC SURVEY - SECTION K

- K9. Have you or your team ever identified any derived requirement that resulted in a safety-related modification to the system design?
  - 1 yes 2 no 9 don't know/decline to answer

## **SSAC SURVEY - SECTION L**

#### SECTION L – DER SYSTEM AND YOUR DER

- \*\* PROGRAM WILL AUTOMATE THIS SKIP: If you develop software for airborne systems ("yes" on A4 and "no" on A5), please answer the following questions in this section.
- L1. Do you or your software team work with a software DER?

1 yes 2 no 9 don't know/decline to answer

If "yes" to L1 continue, otherwise skip to M1

L2. Overall, how satisfied are you with the job your primary software DER is doing? Are you: 1 very satisfied 4 somewhat dissatisfied 2 somewhat satisfied very dissatisfied 5 3 neither satisfied nor dissatisfied 9 don't know/decline to answer In the past 3 years, has a software DER provided guidance that was disputed or overruled by the ACO? L3. 9 don't know/decline to answer 1 yes 2 no In the past 3 years, has an ACO ever required additional information that the software DER on your project L4. did not make you aware of?

9 don't know/decline to answer 1 yes 2 no

If "yes" to L4 continue, otherwise skip to L6

L5.	Which of the following best describes why?		
	<ol> <li>DER error</li> <li>too stringent ACO requirement</li> </ol>		DER assumed we knew requirement of the ACO don't know/decline to answer

In the past 3 years, have you worked with a software DER with an inadequate background for what he or she L6. was approving?

1 yes 2 no 9 don't know/decline to answer

If "yes" to L6 continue, otherwise skip to L8

L7.	Which of the following describes the inadequacy? S	Select all answers that apply.
	1 lack of software engineering knowledge	4 other [please specify:]

- 2 lack of certification knowledge
- 3 lack of DO-178B knowledge

- 9 no more/don't know/decline to answer
- In the past 3 years, have you ever worked on a project with multiple software DERs having overlapping L8. responsibilities?

1 yes 9 don't know/decline to answer 2 no

If "yes" to L8 continue, otherwise skip to L10

L9.	Have disagreements arisen among the software DERs that led to schedule delays or wasted resources?						
	1 yes	2 no	9	don't know/decline to answer			
T 10	In the next 2 years	have you area we	مار	d on TCO projects where software DEDs were used to enpress the			

L10. In the past 3 years, have you ever worked on TSO projects where software DERs were used to approve the data?

9 don't know/decline to answer 1 yes 2 no

## SSAC SURVEY - SECTION L

- L11. In the past 3 years, have you ever had a software DER that disagreed with his predecessor on the project, resulting in major project rework?
  - 1 yes 2 no 9 don't know/decline to answer
- L12. In the past 3 years, has a software DER ever asked you to do anything technical that was not in written FAA software policy and guidance?

[DEFINITION: "Written policy and guidance" refers to the Federal Aviation Regulations, DO-178B, FAA notices, FAA Orders, Advisory Circulars, and the FAA policy memos.]

- 1 no 3 yes, and the impact was substantial
- 2 yes, but the impact was minor 9 don't know/decline to answer
- L12A. Based on your experience with software DERs, what is your opinion about the degree of delegation to software DERs?
  - 1 there is too little delegation to software DERs
  - 2 the amount of delegation to software DERs is about right
  - 3 there is too much delegation to software DERs
  - 9 don't know/decline to answer
- L13. Have your team's schedules and costs been adversely affected by the degree of delegation to software DERs?

1 yes 2 no 9 don't know/decline to answer

- L15. In the past 3 years, have you been repeatedly dissatisfied with the services provided by a software DER on your projects?
  - 1 yes 2 no 9 don't know/decline to answer

If "yes" to L15 continue, otherwise skip to L17

- L16. Please indicate which ACO appointed the software DER(s) in question?
  - 1 Anchorage Aircraft Certification Office (ACE-115N)
  - 2 Atlanta Aircraft Certification Office (ACE-115A)
  - 3 Boston Aircraft Certification Office (ANE-150)
  - 4 Chicago Aircraft Certification Office (ACE-115C)
  - 5 Denver Aircraft Certification Office (ANM-100D)
  - 6 Engine Certification Office (ANE-140)
  - 7 Fort Worth Airplane Certification Office (ASW-150)
  - 8 Fort Worth Rotorcraft Certification Office (ASW-170)
  - 9 Fort Worth Special Certification Office (ASW-190)
  - 10 Los Angeles Aircraft Certification Office (ANM-100L)
  - 11 New York Aircraft Certification Office (ANE-170)
  - 12 Seattle Aircraft Certification Office (ANM-100S)
  - 13 Wichita Aircraft Certification Office (ACE-115W)
  - 14 Brussels Aircraft Certification Office (AEU-100)
  - 15 don't know/decline to answer
- L17. Has your company ever made a delegation proposal to a software DER that the ACO rejected?

1 yes 2 no 9 don't know/decline to answer

If "yes" to L17 continue, otherwise skip to L21

L18. Why was the delegation proposal rejected?

## SSAC SURVEY - SECTION L

- L21. In your opinion, does the FAA provide adequate training for software DERs?
  - 1 yes 2 no 9 don't know/decline to answer

If "no" to L21 continue, otherwise skip to L23

L22. What additional training should be provided?

L23. Does your company provide software-DER-specific training?

1 yes 2 no 9 don't know/decline to answer

If "yes" to L23 continue, otherwise skip to M1

L24.	Which of the following	areas are provided?	Select all answers that apply.

- 1 DER procedures
- 2 software engineering
- 3 certification process

- 4 DO-178B
- 5 system engineering
- 9 no more/don't know/decline to answer

### SSAC SURVEY - SECTION GL

#### SECTION GL – USING DERs FOR GROUND-BASED SYSTEMS

- \*\* PROGRAM WILL AUTOMATE THIS SKIP: If you have been directly involved with software for GROUND-BASED systems ("yes" on A5), please answer the questions in this section. If NOT, please go to Section M.
- GL1. In developing a ground-based system using DO-178B for software assurance in the past 3 years, have you worked with an individual designated by the FAA as a software DER?

1 yes 2 no 9 don't know/decline to answer

If "yes" to GL1 continue, otherwise skip to Section M

GL2. Select each of the following ways the software DER was used. Select all answers that apply.

- 1 to help review the software architecture and allocate software assurance level
- 2 to set up the software development processes to ensure compliance with DO-178B
- 3 to review submissions of DO-178B documentation prior to submission to the FAA
- 4 other [please specify:]
- 9 no more/don't know/decline to answer
- GL3. Overall, how would you rate your level of satisfaction with your experience with the software DER? Are you:
  - 1 very satisfied
  - 2 somewhat satisfied

- 4 somewhat dissatisfied
- 5 very dissatisfied
- 3 neither satisfied nor dissatisfied 9 don't know/decline to answer
- GL4. Did the use of a software DER as an advisor improve your ability to understand and comply with DO-178B?
  - 1 yes 2 no 9 don't know/decline to answer
- GL5. Did the use of a software DER as an advisor reduce the effort involved in making improvements to software architecture?
  - 1 yes 2 no 9 don't know/decline to answer
- GL6. Did the use of a software DER as an advisor reduce the delay in approval of submissions by the FAA?
  - 1 yes 2 no 9 don't know/decline to answer
- GL7. Some have suggested that the FAA should expand the authority of individuals granted software DER authority under FAR Part 183, to allow for their use as a DER on ground-based system software assurance. This would allow the FAA to rely on the DER to attest to the compliance of a submittal with DO-178B objectives. Do you:
  - 1 strongly agree
  - 2 somewhat agree
  - 3 neither agree nor disagree

- 4 somewhat disagree
- 5 strongly disagree
- 9 don't know/decline to answer

### SSAC SURVEY – SECTION M

#### SECTION M – GETTING INFORMATION YOU NEED

- I-M. You're near the end of the survey now.
- M1. Please indicate whether you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree with the following statement:

Sufficient information is available for obtaining software approvals.

- 1 strongly agree
- 2 somewhat agree

- 4 somewhat disagree
- 5 strongly disagree
- 3 neither agree nor disagree
- 9 don't know/decline to answer
- M1A. Please indicate whether you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree with the following statement:

Sufficient information is available for interpreting DO-178B.

- 1 strongly agree
- 2 somewhat agree

- 4 somewhat disagree
- 5 strongly disagree 3 neither agree nor disagree
  - 9 don't know/decline to answer
- M2. Please indicate whether you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree with the following statement:

Sufficient information is available to allow you to establish software levels.

1 strongly agree 2 somewhat agree

- 4 somewhat disagree
- 5 strongly disagree
- 3 neither agree nor disagree 9 don't know/decline to answer
- M3. Please indicate whether you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree with the following statement:

Sufficient information is available to assist you with your initial coordination regarding software with the approving authority.

- 1 strongly agree
- 2 somewhat agree
- 3 neither agree nor disagree

- 4 somewhat disagree
- 5 strongly disagree
- 9 don't know/decline to answer
- Please indicate whether you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, M4. or strongly disagree with the following statement:

Sufficient information is available to allow you to prepare for software audits by the approving authority.

- 1 strongly agree 4 somewhat disagree
  - 5 strongly disagree
- 3 neither agree nor disagree
- 9 don't know/decline to answer
- M5. Please indicate whether you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree with the following statement:

Sufficient information is available to allow you to obtain final approval from the approving authority.

1 strongly agree

2 somewhat agree

4 somewhat disagree 5 strongly disagree

2 somewhat agree 3 neither agree nor disagree

- 9 don't know/decline to answer
- 87

## SSAC SURVEY – SECTION M

M6. Please indicate whether you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree with the following statement:

Sufficient information is available to allow you to obtain TSO approvals.

- 1 strongly agree
- 2 somewhat agree
- 3 neither agree nor disagree
- 4 somewhat disagree

- 5 strongly disagree
- 8 not applicable
- 9 don't know/decline to answer
- M7. Please indicate whether you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree with the following statement:

Sufficient information is available to allow you to obtain PMA approvals.

- 1 strongly agree
- 2 somewhat agree
- 3 neither agree nor disagree
- 4 somewhat disagree

- 5 strongly disagree
- 8 not applicable
- 9 don't know/decline to answer
- M7A. Please indicate whether you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree with the following statement:

Sufficient information is available on resolving open software issues at final approval (e.g., problem reports).

- 1 strongly agree
- 2 somewhat agree
- 3 neither agree nor disagree
- 4 somewhat disagree

- 5 strongly disagree
- 8 not applicable
- 9 don't know/decline to answer
- M8. When you need information about the software aspects of certification, which of the following sources do you personally use? Select all answers that apply.
  - 1 DO-178B
  - 2 software DER
  - 3 DER conferences
  - 4 web site
  - 5 public mailings
  - 6 books in the local library

- 7 Federal Register
- 8 classes run by the FAA
- 9 company classes
- 10 other [please specify:]
- 11 no more/don't know/decline to answer
- M9. By which of the following media do you think information should be made available to you from the FAA? Please rank them in order of preference, where 1=most preferred medium.

An entry is required in each field unless a "9" is entered in the first field. Enter '9' in the first field if you can not rank these media in terms of your preference

\_\_\_\_\_1 A single web site \_\_\_\_\_2 Paper \_\_\_\_\_3 Diskettes \_\_\_\_\_4 CD-ROM

M9A. Is there another medium by which you think information should be made available?

1 yes

2 no

If "yes" continue, else skip to M10

M9B. Please specify:

# SSAC SURVEY – SECTION M

M10. With what style of presentation do you think information should be made available from the FAA? Please rank your top three choices in order of preference, where 1=most preferred medium.

Enter rank, then press [ENTER] to move to next item. Enter '9' for any item not in your top three.

- \_\_\_\_1 documents
- \_\_\_\_\_2 interactive video
- \_\_\_\_\_3 video tape
- \_\_\_\_\_4 web-based training
- \_\_\_\_\_5 computer-based training
- \_\_\_\_6 classroom

M10A. Is there another style of presentation by which you think information should be made available?

1 yes

2 no

If "yes" continue, else skip to next section

M10B. Please specify:

## SSAC SURVEY - SECTION P

#### SECTION P – APPROPRIATENESS OF DO-178B FOR GROUND-BASED SYSTEMS

- \*\* PROGRAM WILL AUTOMATE THIS SKIP: If you have been directly involved with software for GROUND-BASED systems ("yes" on A5), please answer the questions in this section. If NOT, please go to Section Q.
- P1. Do you believe there are qualitative differences in the development of ground-based systems—as contrasted with airborne systems—that make DO-178B inappropriate for ground-based systems?
  - 1 yes, DO-178B would be inappropriate
  - 2 no, it would be appropriate as is
  - 3 DO-178B could be adapted to ground-based systems if minor modifications were made
  - 9 don't know/decline to answer

If "yes" to P1 continue, otherwise skip to P3

P2a.	For the following area, please indicate if you believe that the assurance mechanisms prescribed by DO-178B are appropriate for software used in ground-based systems.				
	project planning				
	1 yes (DO-178B is appropriate)	2 no	9 don't know		
P2b.	For the following area, please indicate if you believe that the assurance mechanisms prescribed by DO-178B are appropriate for software used in ground-based systems.				
	requirements definition				
	1 yes (DO-178B is appropriate)	2 no	9 don't know		
P2c.	For the following area, please indicate if you believe that the assurance mechanisms prescribed by DO-178B are appropriate for software used in ground-based systems.				
	design capture				
	1 yes (DO-178B is appropriate)	2 no	9 don't know		
P2d.	For the following area, please indicate if you believe that the assurance mechanisms prescribed by DO-178B are appropriate for software used in ground-based systems.				
	coding				
	1 yes (DO-178B is appropriate)	2 no	9 don't know		
P2e.	For the following area, please indicate if you believe that the assurance mechanisms prescribed by DO-178B are appropriate for software used in ground-based systems.				
	reviews, analysis, and testing				
	1 yes (DO-178B is appropriate)	2 no	9 don't know		
P2f.	For the following area, please indicate if you believe that the assurance mechanisms prescribed by DO-178B are appropriate for software used in ground-based systems.				
	coordination of commissioning				
	1 yes (DO-178B is appropriate)	2 no	9 don't know		
P3.	Do you believe that an independent authority (as the ACO is to an airborne applicant) would be an appropriate model for commissioning of ground-based equipment in the national airspace system?				
	1 ves	2 no	9 don't know/decline to answer		

## SSAC SURVEY - SECTION Q

### FINAL SECTION – GENERAL COMMENTS

- I-Q. Finally, just a few last questions about your overall views.
- Q3. Suppose you were in charge of the task of developing DO-178C—the next version of DO-178B. What areas of this document do you believe are most in need of revision?
- Q4. Thinking of the software approval process in its entirety (not just the written guidelines), what aspects are in greatest need of improvement?

That's all the questions we have for you. Thank you for taking the time to tell us your experiences and opinions. These will be of tremendous help to the technical team in making recommendations to the FAA for streamlining the process.

When you are done with this interview program, please place the floppy disk in the disk mailer and use the return envelope to return it to CSR right away.

Thanks again!

### **Appendix B**



800 Independence Ave., S.W Washington, DC 20591

MAY I 4 1999

Dear Members of the Streamlining Software Aspects of Certification Team:

We would like to extend our appreciation to the dedication you have brought to your mission to recommend means of streamlining the processes by which software developed for airborne and ground-based systems are certified or approved by the Federal Aviation Administration. Going beyond anecdotal evidence, you have been able to garner verifiable evidence through your workshops and survey. Surveying over seventy companies and receiving a 72% valid return rate on the survey is not only a sign of a job well done by the technical team, it demonstrates in a measurable way, the level of interest and support that you have gained from the avionics community

The Federal Aviation Administration acknowledges the receipt of your recommendations. While these recommendations continue to be reviewed by the FAA, it appears that some of the issues are currently being addressed and should be resolved in a short time frame. Additionally, your recommendations lend credence to the RTCA Certification Task Force 4 report by supporting some of their assertions with hard data with respect to software. At this time we would like to extend our commitment to the SSAC, as well as to the participants of the survey and workshops, to review each of the recommendations and deliver a response to them by September 30, 1999.

Sincerely,

Daniel J Mehan Assistant Administrator for Information Services and Chief Information Officer

Steven J Brown Associate Administrator for Air Traffic Services

Uonico

Thomas E. McSweeney Associate Administrator for Regulation and Certification

Steven Zaidman

Associate Administrator for Research and Acquisitions

REPOR	Form Approved OMB No. 0704-0188					
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.						
1. AGENCY USE ONLY (Leave blan	k) 2. REPORT DATE August 1999		PE AND DATES COVERED Memorandum			
<ul> <li>4. TITLE AND SUBTITLE Streamlining Software A Survey</li> <li>6. AUTHOR(S) Kelly J. Hayhurst, Chery and G. Frank McCormich</li> </ul>	5. FUNDING NUMBERS WU 505-64-10-58					
7. PERFORMING ORGANIZATION	8. PERFORMING ORGANIZATION REPORT NUMBER					
NASA Langley Research Hampton, VA 23681-219	L-17885					
9. SPONSORING/MONITORING AG	10. SPONSORING/MONITORING AGENCY REPORT NUMBER					
National Aeronautics and Washington, DC 20546-(	NASA/TM-1999-209519					
11. SUPPLEMENTARY NOTES Hayhurst: Langley Research Center, Hampton, VA; Dorsey: Digital Flight, Clifton, VA; Knight: University of Virginia, Charlottesville, VA; Leveson: Massachusetts Institute of Technology, Cambridge, MA; McCormick: Certification Services, Inc., Eastsound, WA.						
122. DISTRIBUTION/AVAILABILITY Unclassified-Unlimited Subject Category 61 Availability: NASA CAS	12b. DISTRIBUTION CODE					
<b>13. ABSTRACT</b> (Maximum 200 words) The aviation system now depends on information technology more than ever before to ensure safety and efficiency. To address concerns about the efficacy of software aspects of the certification process, the Federal Aviation Administration (FAA) began the Streamlining Software Aspects of Certification (SSAC) program. The SSAC technical team was commissioned to gather data, analyze results, and propose recommendations to maximize efficiency and minimize cost and delay, without compromising safety. The technical team conducted two public workshops to identify and prioritize software approval issues, and conducted a survey to validate the most urgent of those issues. The SSAC survey, containing over two hundred questions about the FAA's software approval process, reached over four hundred industry software developers, aircraft manufacturers, and FAA designated engineering representatives. Three hundred people responded. This report presents the SSAC program rationale, survey process, preliminary findings, and recommendations.						
14. SUBJECT TERMS software, certification, st	15. NUMBER OF PAGES					
	16. PRICE CODE A05					
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFIC OF ABSTRACT Unclassified	CATION 20. LIMITATION OF ABSTRACT UL			

NSN 7540-01-280-5500