



500/48 4500 2011-12-07 13:00:08 UT

Solar Flares



The Great American Solar Eclipse

August 21, 2017

National Aeronautics and
Space Administration



What is a Solar Eclipse?

A solar eclipse happens when the Moon, as it orbits Earth, fully or partially blocks the light of the Sun, thus casting its shadow on Earth.

Observers within the path of totality can expect to see something like the image below. Observers outside the path of totality will see the Sun partially eclipsed as a crescent Sun (with safe filters).


Greatest Eclipse

Time	Location
10:17 a.m. PDT	Lincoln Beach, OR Depoe Bay, OR
11:26 a.m. MDT	Lima, ID
1:19 p.m. CDT	Valley View, MO Bloomsdale, MO
1:28 p.m. CDT	Castalia, TN
2:47 p.m. EDT	Bethera, SC

After the 2017 solar eclipse, the next total solar eclipse visible over the continental United States will be on April 8, 2024.



© 2000 by F. Espenak, NASA/ESA



© 2000 by F. Espenak, NASA/ESA

If the Sun is scaled to about 10 cm (3.9 in), Earth would be about 10 meters away (33 feet).

The predicted path of the August 21, 2017 solar eclipse

Duration of Greatest Eclipse:
2 min 40 sec
(18:25 UT = 13:25 CDT or 1:25 p.m. CDT)

Location Greatest Eclipse:
36 deg 58 min N; 87 deg 40 min W
(between Princeton and Hopkinsville, KY)

Path Width: approximately 115 km

Eclipse Predictions by Fred Espenak, GSFC, NASA-ames



Never look directly at the Sun unless you have filters that you know are safe.

For more information:

For more information about solar eclipses:

<http://eclipse.gsfc.nasa.gov/SEhelp/safety.html>

<http://eclipse.gsfc.nasa.gov/solar.html>

<http://eclipsewise.com/solar>

<http://eclipse2017.org/>



http://www.nasa.gov/centers/earth/images/content/105817main_060329_01.jpg

The NASA image above shows the Moon's umbral shadow as seen from the International Space Station during the total solar eclipse on 29 March 2006.


Mitzi Adams • mitzi.adams@nasa.gov • 256-061-7626

www.nasa.gov


PL-2015-07-50-NASA G-157603

Heliophysics System Observatory (HSO)

- Fleet of solar, heliospheric, geospace, and planetary satellites designed to work independently while enabling large-scale collaborative investigations.



The Sun in Layers



Converts 4 million tons of matter into energy every second.


Core is as dense as lead.

Interplay between magnetic pressure and gas (plasma) pressure.


“Mysteries of the Sun”: NASA / Jenny Mottar

Sun Facts: <http://solarscience.msfc.nasa.gov/>

The Sun in Layers



European Space Agency (ESA)




Smithsonian Astrophysical Observatory (SAO)



“Mysteries of the Sun”: NASA / Jenny Mottar

Sunspots & Active Regions

1625 May: Christoph Scheiner



2014 April 14: SDO HMI 6173 A




European Space Agency (ESA) / Royal Observatory Belgium (ROB)


Sunspots & Active Regions

Formation


4500 A



193 A




131 A



SDO / AIA
2014 Apr 13 - 15


Sunspots & Active Regions




Hinode SOT: NASA / JAXA / NAOJ

Magnetic fields ~ 6000 times stronger than Earth's field.

Magnetic pressure dominates gas pressure in spot, thus inhibiting convective flow of heat.




SOT (CN line 3883 A); 2007 May 2



SOT (Ca H-line); 2006 Nov 20


Sunspots & Active Regions



Hinode / SOT: Disk crossing of AR 12192, the largest sunspot group to appear on the Sun in 25 years.

Sunspots & Active Regions


JHelioviewer *SDO* / AIA 2014 Apr 04



SOHO animation gallery



Sunspots & Active Regions




Sunspots & Active Regions




“SDO Jewel Box”

Solar features as seen with 10 different filters (i.e., plasma at different temperatures).


Solar Cycle (9-14 years)



Yohkoh / SXT, ~ Full cycle



Hinode / XRT, ~ Half cycle





Hinode / EIS, ~ Half cycle



Hinode / XRT 2007 - 2012

Solar Cycle


DAILY SUNSPOT AREA AVERAGED OVER INDIVIDUAL SOLAR ROTATIONS




<http://solarscience.msfc.nasa.gov/>

HATHAWAY NASA/ARC 2016 10

Solar Cycle



Sun-Earth Interaction




Solar storms cause the *Earth* to lose up to 100 tons of atmosphere into space.

Aurora mostly caused by ionospheric particles disrupted by currents induced from the coronal mass ejection — not the solar wind directly.

Aurora can generate up to 100 trillion watts of power.

Impacts of Space Weather




1959 Carrington Event
Largest Geomagnetic storm recorded



M. A. Shea, Geophysics Directorate, Phillips Laboratory
1989 Superstorm Blackout, \$6 Billion loss to economy





J. Kappenman
2008



<http://www.swpc.noaa.gov/SWN/>


Impacts of Space Weather



NOAA / SWPC

<http://www.spaceweather.com>

Impacts of Space Weather




SOHO Large Angle and Spectrometric Coronagraph Experiment (LASCO)



Image credit: NASA & L. Lanzerotti (NJIT)

Impacts of Space Weather



SOHO Large Angle and Spectrometric Coronagraph Experiment (LASCO)





Image credit: NASA


Solar Flares (A Space-Based Tour)



Skylab




Yohkoh / SXT




SOHO / EIT+LASCO


TRACE




Hinode / SOT



Hinode / XRT




Solar Flares (A Space-Based Tour)




Hinode / XRT

Solar Flares (A Space-Based Tour)




Hinode / SOT

Solar Flares (A Space-Based Tour)




SDO / AIA

Solar Flares (A Space-Based Tour)




SDO / AIA + SOHO / LASCO

Solar Flares (A Space-Based Tour)




SDO / AIA

Solar Flares (A Space-Based Tour)



SDO / AIA + SOHO / LASCO


Solar Flares (A Space-Based Tour)



SDO / AIA + Hinode / EIS

Solar Flares (A Space-Based Tour)


Same flare as previous slide but in 3 different AIA channels and enhanced for contrast.




SDO / AIA

Solar Flares (A Space-Based Tour)


IRIS




Hinode / SOT [Magnetogram]



Hinode / EIS



Hinode / XRT




Investigating Energy Release


Investigating Energy Release

Focus on Long Duration Events


- Energy released for many hours
- Associated with Coronal Mass Ejections (CMEs)
- Development of current sheets and supra-arcade fans



Example GOES lightcurves



Ko et al. 2003



Savage & McKenzie 2011

Investigating Energy Release

Standard **2-D** Flare Model









Image Credit: ESA

Investigating Energy Release


Early observations of Supra-Arcade Downflows (SADs) & Downflowing Loops (SADLs)




Yohkoh / SXT




TRACE



SOHO / LASCO




Hinode / XRT




Investigating Energy Release

TRACE 193 A, X-flare, 2002 Apr 21






TRACE 193 A, X-flare, 2003 Nov 4




Investigating Energy Release


Hinode / XRT, 2008 Apr 9



TRACE + RHESSI + NoRH radio (lightcurve),
2002 Jul 23




SDO / AIA + RHESSI (contours), 2010 Nov 3




Investigating Energy Release

Explanation for SADs & SADLs converging ...



SDO / AIA, 2011 Oct 22



Movie Credit: D. E. McKenzie, Mont. State Univ



Bright thin loops retracting below voids.






SADs cooler than fan (and much less dense)

Investigating Energy Release

Explanation for SADs & SADLs converging ...

- > Loops outflows of patchy, bursty magnetic reconnection?!
- > Voids rarefaction regions behind retracting loops?



Sadpoles



?

Happis




What's the [X-]point?

-> High-Altitude Propagating Pressure Imbalances?


Investigating Energy Release

Long-lived, highly extended phenomena




SADs in the lower corona are typically observed well after reconnection has occurred.

In the extended corona, we are better able to observe the migrating reconnection sites.




Observing Magnetic Reconnection

Solar flares comparable to Magnetotail substorms




1. Magnetotail Substorm



Magnetotail:

In Situ Measurements





2. Solar Flare




Solar:

Global Context


Note: Very different scales and plasma regimes.





A Simplified **3-D** Solar Flare Model



Strong potential analogy with magnetotail substorms





Observing Magnetic Reconnection



Substantial density drop following the dipolarization event!

Observing Magnetic Reconnection



Role of Marshall Space Flight Center



Role of Marshall Space Flight Center

Hi-C

Active Region 11520

July 11, 2012

22 publications for 5 minutes of data!

Science highlights:

Braided loops triggering energy release through magnetic reconnection (*Cirtain et al. 2013, Nature*)

Subflare triggers

Nanoflare heating


Loop sub-structure

Moss dynamics

Penumbral jets

Flows along filament threads

MHD waves



Sounding Rockets for Technology Development



t = -47.67 sec

2015/09/03 11:00:13.58 MDT

-45.0 sec

Switch SPARCS to Coarse Mode

-30.0 sec

SPARCS - Load RRCF's



Expected Altitude
1.2 km



Role of Marshall Space Flight Center



Hi-C II rocket launch at White Sands Missile Range, New Mexico.

The Great American Solar Eclipse

August 21, 2017

National Aeronautics and
Space Administration



What is a Solar Eclipse?

A solar eclipse happens when the Moon, as it orbits Earth, fully or partially blocks the light of the Sun, thus casting its shadow on Earth.

Observers within the path of totality can expect to see something like the image below. Observers outside the path of totality will see the Sun partially eclipsed as a crescent Sun (with safe filters).


Greatest Eclipse

Time	Location
10:17 a.m. PDT	Lincoln Beach, OR Depoe Bay, OR
11:26 a.m. MDT	Lima, ID
1:19 p.m. CDT	Valley View, MO Bloomsdale, MO
1:28 p.m. CDT	Castalia, TN
2:47 p.m. EDT	Bethera, SC

After the 2017 solar eclipse, the next total solar eclipse visible over the continental United States will be on April 8, 2024.



© 1998 by F. Espenak, NASA/ESA



© 1998 by F. Espenak, NASA/ESA

If the Sun is scaled to about 10 cm (3.9 in), Earth would be about 10 meters away (33 feet).

The predicted path of the August 21, 2017 solar eclipse

Duration of Greatest Eclipse:
2 min 40 sec
(18:25 UT = 13:25 CDT or 1:25 p.m. CDT)

Location Greatest Eclipse:
36 deg 58 min N; 87 deg 40 min W
(between Princeton and Hopkinsville, KY)

Path Width: approximately 115 km

Eclipse Predictions by Fred Espenak, GSFC, NASA-ames/arc



Never look directly at the Sun unless you have filters that you know are safe.

For more information:

For more information about solar eclipses:

<http://eclipse.gsfc.nasa.gov/SEhelp/safety.html>

<http://eclipse.gsfc.nasa.gov/solar.html>

<http://eclipsewise.com/solar>

<http://eclipse2017.org/>

www.nasa.gov



The NASA image above shows the Moon's umbral shadow as seen from the International Space Station during the total solar eclipse on 29 March 2006.

Mitzi Adams • mitzi.adams@nasa.gov • 256-061-7626

PL-2015-07-50-NASA ©-151923

Thanks!

